

ГЛОССАРИЙ КОМПЬЮТЕРНЫХ ТЕРМИНОВ НА ТАТАРСКОМ ЯЗЫКЕ

№ п/п	English Term	Term Definition	Product Origin	Item Type	Russian Term	Tatar Term
1	3-D	Short for three-dimensional. Of, pertaining to, or being an object or image having or appearing to have all three spatial dimensions (length, width, and depth). 2. Having the illusion of depth or varying distances, as in 3-D audio.	Office	GEN	трехмерный, объемный	өч үлчәмле, күләмле
2	3-D Area	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	объемная с областями (диаграмма)	өлкәле күләмле диаграмма
	3-D bar	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	объемная линейчатая (диаграмма)	күләмле сызыкчалы диаграмма
4	3-D Column	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	объемная гистограмма	күләмле гистограмма
5	3-D effect	An illusion of depth and realism created by representing an object in a three dimensional space (x, y, z). Effects you can apply to the chart, for example, color, rotation, depth, lighting, or surface texture- click <b>3-D Settings</b> , and then click the options you want on the <b>3-D Settings</b> toolbar.	Office	UI	объемный эффект	күләм эффекты
6	3-D Line	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	объемный график	күләмле график
7	3-D Pie	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	объемная круговая (диаграмма)	күләмле түгәрәк (диаграмма)
8	3-D Style	A combination of formatting characteristics, such as font, font size, and indentation, that you name and store as a set. When you apply a style, all of the formatting instructions in that style are applied at one time. In HTML it controls other attributes	Office	UI	Объем (например: "Объем: стиль 1" и т.п.)	Күләм (мәсәлән, "Күләм: 1 стиль" һ.б.)

	3-D Surface	Excel chart type. (See Excel, Insert menu, Chart submenu)	Office	UI	поверхностная (диаграмма)	өслекле (диаграмма), өслек диаграммасы
10	3rd party	A company that manufactures and sells accessories or peripherals for use with a major manufacturer's computer or peripheral, usually without any involvement from the major manufacturer.	Windows	GEN	сторонний	чит
11	abort	Interrupt or stop a program or a process.	Both	GEN/UI	прекратить	туктатырга
12	About	Usually pointing to program information such as version number, copyright info, etc. The command "About" appears on the Help menu in most Microsoft applications.	Both	GEN/UI	О программе	Программа турында, Программа хакында
13	absolute reference	Absolute cell reference: In a formula, the exact address of a cell, regardless of the position of the cell that contains the formula. An absolute cell reference takes the form \$A\$1.	Windows	GEN	абсолютная ссылка	абсолют сылтама
14	accelerator key	Hotkey or shortcut key	Windows	GEN	клавиша быстрого вызова	тиз чакыру теймәсе
	accent	Any type of accent, such as accent acute	Windows	GEN	not in GIAA	not in GIAA
16	accent acute	Character: ´	Windows	GEN	not in GIAA	not in GIAA
17	accent circumflex	Character: ^	Windows	GEN	not in GIAA	not in GIAA
18	accent grave	Character: `	Windows	GEN	not in GIAA	not in GIAA
19	Accept	In the sense of accepting something that is being proposed, e.g.: accept changes made for a certain setting.	Both	GEN/UI	принимать	кабул итергә
20	access	Noun. A user's access to something.	Windows	GEN	доступ	керү мөмкинлеге
	access	Verb. To access something			доступ	керү мөмкинлеге

22	access key	The key that corresponds to an underlined letter on a menu or button (also referred to as a mnemonic or mnemonic access key). = hotkey.	Windows	GEN	клавиша доступа	керү теймәсе
23	access permission	A user's permission to access something, for example a particular folder or file.	Windows	GEN	разрешение на доступ	керергә рөхсәт
24	accessibility	The feature of a given system of hardware or software that makes it usable by people with one or more physical disabilities, such as impaired mobility, vision, or hearing.	Both	GEN	специальные возможности (используемый перевод), средства для людей с нарушениями подвижности, слуха и зрения (смысл)	махсус мөмкинлекләр
25	accessories	In the sense of extra or additional components or items to perform a certain task. Translation should probably be consistent with the Windows program group Accessories.	Windows	GEN	Стандартные (название группы программ в Windows)	стандарт
26	Account	A record of entries to cover details of a particular item or a particular person or concern. A record about a certain user or a user group kept e.g. by Windows, an online service or another multi-user operating system for each authorized user of the system for identification, administration and security purposes.	Both	GEN/UI	учетная запись	исәп язмасы
	accuracy	The preciseness of something, e.g. an accurate measurement	Windows	GEN	точность	төгәллек
28	accurate	See accuracy	Windows	GEN	точный	төгәл
29	ACL	Abbreviation of Access Control List. A list that indicates which users or groups have permission to access or modify a particular file on Windows NT based server.	Office	GEN	список управления доступом, таблица управления доступом	керү белән идарә исемлеге, керү белән идарә таблицасы
30	acronym	A word, made up of the initial letters of the word these letters represent; i.e. WYSIWYG.	Windows	GEN	сокращение	қыскартма

31	Across	In the sense of spanning across something, e.g. a table or a page in a document, or as a direction as opposed to "down" or "up". For example, the word "across" appears in contexts such as Word, Table menu, Table properties, Row, "Allow row to break across pages". Also appears in a number of descriptions of charts, for example, Excel, Insert, Chart, (description box) "Clustered bar. Compares values across categories."	Office	UI	По горизонтали	Горизонталь буенча
32	action	The basic building block of a macro; a self-contained instruction that can be combined with other actions to automate tasks. This is sometimes called a command in other macro languages.	Both	GEN/UI	действие	гамәл
	action button	A ready-made button that you can insert into your presentation and define hyperlinks for.	Office	GEN	управляющая кнопка	идарә тәймәсе
34	activate	To make a chart sheet or worksheet the active, or selected, sheet. The sheet that you activate determines which menu bar and toolbars are displayed. To activate a sheet, click the tab for the sheet in the workbook.	Office	GEN	сделать активным	активлаштырырга
35	Active	The state when an object is accepting user input. Usually the cursor or a highlighted section shows the active element on the display screen.	Windows	GEN/UI	активный	актив
36	active document	The document in which you're working. Text you type or graphics you insert in Microsoft Word appear in the active document. The title bar of the active document is highlighted.	Both	GEN	активный документ	актив документ
37	active object	The object with which the user is currently interacting or that has the input focus.	Windows	GEN	активный объект	актив объект
38	active window	The window in which a user is currently working. The window that has an input focus.	Both	GEN/UI	активное окно	актив тәрәз

	ActiveX	1) Product name - should not be localized. 2) A set of technologies that enables software components to interact with one another in a networked environment, regardless of the language in which the components were created.	Both	GEN	ActiveX	ActiveX
40	ActiveX control	A control such as a check box or button that offers options to users or runs macros or scripts that automate a task. You can write macros for the control in Microsoft Visual Basic for Applications or scripts in Microsoft Script Editor.	Office	GEN	элемент управления ActiveX	ActiveX идарэ элементлары
41	Actual Size		Both	UI	истинный размер, фактический размер	чын үлчэм, фактик үлчэм
42	Adapter	Usually a hardware component that enables a personal computer to use a peripheral device, such as a CD-ROM drive, modem, or joystick. Hardware, such as a network adapter.	Windows	GEN/UI	адаптер	адаптер
43	add	Verb. to join or append an item to a list, etc.	Both	GEN/UI	добавить	өстөргө
44	Add File	A command that specifies that a file should added to something, for example a list. File: a file is the basic unit of storage that enables a computer to distinguish one set of information from another	Both	UI	добавить файл	
	Add File	A command that specifies that a file should added to something, for example a list. File: a file is the basic unit of storage that enables a computer to distinguish one set of information from another	Both	UI	добавить файл	файл өстөргө
46	Add new	In the sense of adding a new item to something, e.g. adding a new item to a list. Please watch for gender of what "new" is referring to, if needed in your language.	Both	UI	добавить новый	яңаны өстөргө
47	Add Picture		Office	UI	добавить рисунок	рәсем өстөргө

48	add-in	Add-in: A supplemental program that adds custom commands or custom features to a program, such as Microsoft Office. Add-ins can be wizards, builders, or menu add-ins.	Both	GEN/UI	надстройка	өскорма
49	address	The path to an object, document, file, page, or other destination. An address can be a URL (Web address) or a UNC path (network address), and can include a specific location within a file, such as a Word bookmark or an Excel cell range. It could be also a postal address.	Both	GEN/UI	адрес	адрес
50	Address bar	Toolbar in folder windows. Displays a box where you can type a folder, file or web site.	Windows	UI	адресная строка	адрес юлы
	address book	A ledger of address entries, containing contact information for particular person or purpose.	Both	GEN/UI	адресная книга	адрес кенәгәсе
52	address labels	Printed labels with addresses. Used in Word and Publisher, for example for mail merge.	Windows	GEN	почтовые наклейки	почта ябыштырмалары
53	Adjust to		Both	UI	Установить	Урнаштырырга
54	administer	Verb. To administer or manage a network, pc or system	Windows	GEN	выполнять управление, выполнять администрирование чем-либо	идарә итәргә, нәрсәдер белән идарә итәргә
55	administrator	Noun. Person who manages a network, pc or system	Windows	GEN	администратор	администратор
56	administrator setup	Special mode for installations where a system administrator installs	Windows	GEN	установка администратором	администратор урнаштыруы
	Advance		Office	UI	Следующий слайд	Чираттагы слайд
58	Advanced	Additional settings or options, sometimes meant for advanced users only. "Advanced" leads to more or additional options to be set by the user.	Both	UI	Дополнительно	Өстәмә
59	affect	Verb. To have an influence on something, to produce an effect on something.	Windows	GEN	влиять	йогынты ясарга

60	After animation	Dialog box label in PowerPoint. Specifies what should happen after a custom animation has been run on a slide. To reproduce, start PowerPoint, insert an object, select the object, choose Custom animation on the Slide Show menu. Click Add effect and insert an effect. Right-click the effect on the list and choose Effect Options. The label "After animation" appears on the Effect tab.	Office	UI	после анимации	анимациядэн соң
61	alert box	Dialog box showing a warning.	Windows	GEN	окно предупреждения	кисәтү тәрәзе
62	alert message	Message showing a warning.	Windows	GEN	предупреждение	кисәтү
	algorithm	Noun. A finite sequence of steps for solving a logical or mathematical problem or performing a task.	Windows	GEN	алгоритм	алгоритм
64	alias	Alternate name of a person, from Latin alius ("other") - "otherwise called or known as". Refers to a person or group of people on a network, for example "e-mail alias".	Both	GEN/UI	псевдоним	псевдоним
65	align	To line up objects or text	Both	GEN/UI	выровнять	тигезләргә
66	Align to Grid	Command to line up objects in a grid	Both	UI	выровнять по сетке	челтәр буенча тигезләргә
67	Alignment	The arrangement of objects in fixed or predetermined positions, rows, or columns. The consistent positioning of text, graphics, and other objects. Types of alignment include left, right, and justified.	Both	GEN/UI	выравнивание	тигезләү
68	alignment buttons	Name of toolbar buttons used in Microsoft Word. Buttons to are used to right-align, left-align or center text or objects.	Windows	GEN	кнопки выравнивания	тигезләү тәймәләре

	All	Please watch for gender of what "all" is referring to, if needed in your language.	Both	GEN/UI	Все	барысы
70	all caps	Only capital letters - Example: ALL CAPS	Both	GEN/UI	все прописные	барысы да баш хәрефтән
71	All fields		Office	UI	все поля	барлык кырлар
72	All items		Office	UI	все элементы, все объекты	барлык элементлар, барлык объектлар
73	All Programs	Item on Start menu in Windows. Opens a sub menu displaying installed programs on the PC.	Windows	UI	Все программы	
74	All Programs	Item on Start menu in Windows. Opens a sub menu displaying installed programs on the PC.	Windows	UI	Все программы	барлык программалар
	allocate	Verb. To reserve a resource, such as sufficient memory, for use by a program.	Windows	GEN	выделить	тамгаларга
76	allow	To permit a user or a program to do a specific task on a system.	Both	GEN/UI	разрешить	рөхсәт итәргә
77	alphabetic	Adj. 1. arranged in the order of the letters of the alphabet. 2. of, relating to, or employing an alphabet	Windows	GEN	алфавитный	әлифбаи
78	ALT key	Key on the keyboard.	Windows	GEN	клавиша ALT	ALT тәймәсе
79	alter	Verb. Synonym for "change"	Windows	GEN	изменить	үзгәртәргә
80	alternative text	Used by Web browsers to display text during image downloads for users who have graphics turned off, and for users who rely on screen-reading software to convert graphics on the screen to spoken words.	Office	GEN	замещающий текст	алмаштыручы текст
	Always on Top	In Windows, the user can open more than one programs at a time. "Always on top" displays a specified program window to be always in the foreground and not in the background although opening other windows.	Both	UI	Поверх остальных окон	Калган тәрәзләр өстендә
82	Amount		Office	UI	объем, количество	күләм, сан

83	ampersand	Character: &	Windows	GEN	амперсанд	амперсанд
84	Analyze	The evaluation of a situation or problem.	Both	UI	анализ	анализ
85	anchor	Noun. In HTML, anchors mark the start and end of hypertext links. Verb used in various contents. In Word to "anchor" graphics on a page.	Windows	GEN	привязка	бэй
86	Angle		Office	UI	угол	почмак
	angle brackets	Character: <>	Windows	GEN	угловые скобки	почмакча жэялэр
88	animate	Verb. Usually used about animating graphics, e.g. in PowerPoint, or in "animated gif files"	Windows	GEN	анимация; animated - подвижный	анимация; animated - хэрэкэтчэн
89	animation	A motion picture made by capturing and the displaying successive positions of objects.	Both	GEN/UI	анимация	анимация
90	anniversary	The recurrence of a date making a notable event, or celebration of such.	Both	GEN/UI	годовщина	еллык
91	anonymous	Not named or identified; lacking individuality, distinction or recognizability. Often used about accessing an ftp site as an anonymous user, i.e. not supplying username and password.	Both	GEN/UI	анонимный	аноним
92	answer	Verb. To answer something.	Windows	GEN	отвечать	жавап бирергэ
	answer	Noun. An answer to a question.			отвечать	жавап бирергэ
94	Answer Wizard	A part of the Help system in Microsoft applications.	Windows	GEN	мастер ответов	жаваплар остасы
95	antivirus	Measure to protect applications and systems against computer virus	Windows	GEN	антивирус	антивирус
96	Any Character		Office	UI	любой знак	телэсэ нинди тамга
97	API call	Programming term: A call to an API (Application Programming Interface)	Windows	GEN	обращение к API	APIга мөрөжөгать
98	apostrophe	Character: '	Windows	GEN	апостроф	апостроф
	Appear		Office	UI	Появиться	пэйда булырга

100	applet	A small application (e.g. Notepad). Context example: Support for Java applets, or mini-applications created in the Java programming language. Also a small application on a home page that runs when the user clicks on its link in his browser.	Both	GEN	приложение, программа (Control Panel applet - значок панели управления)	кушымта, программа (Control Panel applet - идарә аслыгы тамгасы)
101	Application	Synonymous with software program.	Both	GEN/UI	приложение, программа	кушымта, программа
102	apply	Verb. Used in many contexts, for example to apply a setting or apply a color to something. Usually used if the user is able to change a setting by clicking "Apply" for the selected changes to take effect.	Both	GEN/UI	применить	кулланырга
103	apply a font	Verb. In DTP, to define a font for a specific area of a document.	Windows	GEN	применить шрифт	шрифт кулланырга
104	apply a style	Verb. In DTP, to define a style for a specific area of a document.	Windows	GEN	применить стиль	стиль кулланырга
	Apply to All		Office	UI	применить ко всем	барысына да кулланырга
106	Apply View	Button or command in Microsoft applications to specific that the selected "View" should be used in the session.	Both	UI	применить представление	
107	Apply View	Button or command in Microsoft applications to specific that the selected "View" should be used in the session.	Both	UI	применить представление	күрсәтелешне кулланырга
108	appointment	A pre-arranged agreement to meet with someone at a specific time. Somewhat synonymous with meeting. Used in Outlook about meetings, etc.	Both	GEN/UI	встреча	очрашу
109	arc	Shape of object.	Both	GEN/UI	дуга	дуга
110	archive	A file, or media in which data is preserved.	Both	GEN/UI	архив	архив
	archiving	Verb. 1. To copy files onto a tape or disk for long-term storage. 2. To compress a file.	Windows	GEN	архивировать	архивлау

112	Area Chart	Chart type	Office	GEN/UI	(диаграмма) с областями	өлкеле (диаграмма)
113	Area code	A dialing prefix for a region or city if dialing from outside that region or city. Example: Paris 01, Vienna 01, Berlin 030.	Windows	GEN/UI	код города	шәһәр коды
114	argument	Programming term. A value that provides information to an action, an event, a method, a property, a function, or a procedure.	Both	GEN	аргумент	аргумент
115	Around	The label "Around" will appear in various dialogs (either on its own or with extra text) to indicate that text or other items should wrap "around" objects. It should be consistent unless there are special needs for your languages. It appears in places such as Word: Insert a table, click in the table, select Table properties from the table menu, "Around" will appear on the Table tab to indicate that text should wrap around the table.	Office	UI	Вокруг	Тирәли, Әйләнә-тирәли
116	arrange	For example used in the command "Arrange icons".	Both	GEN/UI	упорядочить, расположить	тәртипкә салырга, урнаштырырга
	Arrange Icons	Icon: A small image displayed on the screen to represent an object or software program. Here, icons on the desktop can be arranged or sorted the way the user wants them to be (e.g. by size, by name etc)	Both	UI	упорядочить значки	тамгаларны тәртипкә салырга
118	array	A variable that contains a finite number of elements that have a common name and data type. Each element of an array is identified by a unique index number. Changes made to one element of an array don't affect the other elements. An array range shares a common formula; an array constant is a group of constants used as an argument.	Both	GEN	массив, набор	массив, жыйелма

119	Arrow	Noun. Something shaped like an arrow, especially in the context of a mark to indicate direction, as in cursor shapes or labels on arrow keys.	Both	GEN/UI	стрелка	ук
120	arrow keys	On the keyboard.	Windows	GEN/UI	клавиши со стрелками	уклы төймэлэр
121	arrow pointer	In graphics-based environments, an on-screen symbol that is controlled by a mouse as means of indicating (and selecting) locations or choices on screen.	Windows	GEN	указатель	курсәткеч
122	Art	Noun. Decorative or illustrative elements in printed matter.	Office	UI	Рисунок	Рәсем
	article	A message or posting in a discussion group or an Internet newsgroup. An article can be a response to a previous article.	Office	GEN	статья	мәкалә
124	ascending	Sort order from A-Z	Windows	GEN/UI	по возрастанию	үсү буенча
125	ASCII	Code representing characters in the English language as numbers. Each character is assigned a number from 0 to 127. Most computers use ASCII to represent text and to transfer data from one computer to another.	Office	GEN	ASCII-знаки	ASCII-тамгалар
126	ASP	Active Server Pages. A server-side scripting technology used to create dynamic interactive web applications. An ASP file is an HTML page containing scripts processed by a Web server before being sent to a browser.	Office	GEN	сценарий ASP	ASP сценарие
127	assign	Verb. To fix or specify in correspondence or relationship. Example: assign a drive letter to a network drive.	Both	GEN/UI	назначить	билгеләргә
128	Assigned to		Office	UI	назначено	билгеләнгән

	associate	Verb. To inform the operating system that a particular filename extension is linked to a specific application. When a file is opened that has an extension associated with a given application, the operating system automatically starts the application and loads the file.	Windows	GEN/UI	сопоставить	чагыштырырга
130	association	Used in contexts like "associating programs with file extensions"	Windows	GEN	сопоставление	чагыштыру
131	asterisk	Character: *	Windows	GEN	звездочка	йолдызчык
132	At least		Office	UI	не менее	кимендә
133	At most		Office	UI	не более	күп дигәндә
134	at sign	Character: @	Windows	GEN	знак "@"	"@" билгесе
	Attach	Verb. To include an external document as part of an e-mail message.	Both	UI	вложить	кертергә
136	attachment	A file or object that is sent along with the main body of email message and contains data in different format.	Both	GEN/UI	вложение	кертем
137	Attendee	Noun. Participant to an event, such as a meeting	Office	UI	участник, посетитель	катнашучы, килүче
138	Attention	Noun. Text usually preceding a note or a warning for users	Both	GEN/UI	Внимание!	
139	Attention	Noun. Text usually preceding a note or a warning for users	Both	GEN/UI	Внимание!	Игътибар!
140	attribute	An object or text feature, such as line fill or text color, that you can manipulate by using drawing tools and menu commands.	Both	GEN	атрибут	атрибут
	Audio	The transmission, reception, or reproduction of sound.	Both	GEN/UI	аудио	аудио

142	authenticate	Process used to validate a certificate's source delivered by a Web site or used to sign a macro. If the security level enabled on the computer cannot authenticate the digital signature, the certificate is ignored or the user is prompted.	Office	GEN	подтвердить подлинность	Чынлыгын расларга
143	authentication	In a multi-user or network environment, the process of validating user logon information. A name and password are compared to an authorized list, and, if there is a match, access is granted with the level of permission specified.	Office	GEN	проверка подлинности	Чынлыгын тикшерү
144	authenticity	Security / digital signature term	Windows	GEN	подлинность	Чынлык
145	author	In Web pages, the creator of a Web page. In Word, the creator of a document	Both	GEN/UI	автор	автор
146	authoring	See Web author, usually means the process of writing content for Web pages.	Windows	GEN	разработка	эшләнмә
	authorization	The process of determining what types of activities are permitted. Usually, authorization is in the context of authentication: once you have authenticated a user, they may be authorized different types of access or activity.	Windows	GEN	авторизация, проверка прав доступа	авторлаштыру, керү хокукларын тикшерү
148	auto	Short form of automatic	Both	GEN/UI	авто	авто
149	Auto Arrange	About automatically arranging icons on the desktop. Icon: A small image displayed on the screen to represent an object or software program. Here, icons on the desktop can be arranged or sorted the way the user wants them to be (e.g. by size, by name or automatically)	Both	UI	автоматически (упорядочить значки)	автомат рәвештә (тамгаларны тәртипкә салу)
150	Auto Scale		Both	UI	Автомасштаб	Автомасштаб

151	AutoArchive	Software feature of Office products that allows automatic creation of archives triggered by time, user, or other event and storing old items in the archive, so as to free space on disk or decrease the size of data file.	Office	GEN/UI	автоархивация	автоархивлау
152	AutoCorrect	Software feature of Office products that corrects the spelling of the frequently misspelled words without even invoking a speller.	Office	GEN/UI	автозамена	автоалыштыру
	AutoFilter	Software feature of Office products that allows to filter records in Excel spreadsheet or Access database by selecting filter criteria right in the working window rather than going through complex views and features.	Office	GEN/UI	автофильтр	автофильтр
154	AutoFit	Software feature of Office products that adjusts the grid dimensions on screen so that data would fit automatically for best viewing.	Office	GEN/UI	автоподбор, подбор по размеру	автосайлау, үлчәм буенча сайлау
155	AutoForm	Software feature of Office products that creates forms automatically, without invoking special form designer tools.	Office	GEN/UI	автоформа	автоформа
156	AutoFormat	In Excel, a built-in collection of cell formats such as font size, patterns, and alignment that determines the appearance of the controls and sections in a form or report and that you can apply to a range of data. Also appear in Word.	Office	GEN	автоформат (тж. автоматическое форматирование)	автоформат (автомат рәвештә форматлау)
157	automate	Verb. 1. To operate by automation. 2. To convert to largely automatic operation	Windows	GEN	автоматизировать	автоматлаштыру
158	automatic	About something being done automatically. The opposite of "manual"	Both	GEN/UI	автоматический	автоматик
	automatic link	OLE term - The link between a client document containing a linked object and that object's server applications, while the server is editing the object.	Windows	GEN	not in GIAA	not in GIAA

160	automatic updating	Verb. To change a system or a data file automatically to make it more current.	Windows	GEN	автоматическое обновление	автоматик яңарту
161	automatic updating	Verb. To change a system or a data file automatically to make it more current.	Windows	GEN	автоматическое обновление	автоматик яңартылу
162	automation	A way to work with an application's objects from another application or development tool. Formerly called OLE Automation, Automation is an industry standard and a feature of the Component Object Model (COM).	Office	GEN/UI	программирование объектов, автоматизация	объектларны программалау, автоматлаштыру
163	AutoShapes	A group of ready-made shapes that includes such basic shapes as rectangles and circles, plus a variety of lines and connectors, block arrows, flowchart symbols, stars and banners, and callouts.	Office	GEN/UI	автофигуры	автофигуралар
164	AutoSum	Excel feature that automatically creates Sum formula based on user selection.	Office	GEN/UI	автосумма, автосуммирование	автосумма, автокушу
	AutoText	In Word, a storage location for text or graphics you want to use again, such as a standard contract clause or a long distribution list. Each selection of text or graphics is recorded as an AutoText entry and is assigned a unique name.	Office	GEN/UI	автотекст	автотекст
166	AutoText entry	See AutoText. A record of a text fragment that is repeatedly used over various documents, such as a standard clause or phrase, that is assigned a unique name and stored in AutoText database.	Office	GEN	элемент автотекста	автотекст элементы
167	available hard disk space	Noun. Free space on hard disk available for storage	Windows	GEN	свободное место на диске	дисктагы буш урын
168	available memory	Noun. Memory which is not allocated to any program.	Windows	GEN	свободная память	буш хәтер

169	Average	Noun. For example, it can refer to the general meaning (neither good or bad), but also has a more specific meaning as a mathematical function in Excel: Insert menu, Function, "AVERAGE"	Both	GEN/UI	средний	уртача
170	AVI	A Microsoft Windows multimedia file format for sound and videos that uses the Microsoft Resource Interchange File Format (RIFF) specification.	Office	GEN	формат .AVI	AVI форматлы
	Axes	Plural of "axis", as in mathematics (reference lines of a coordinate system). The specific software reference "Axes" appears in Microsoft Excel (when you have inserted a chart) in the "Chart options" dialog, "Axes" tab.	Both	UI	оси	күчэрлэр
172	axis	As in "Y or X axis" (reference lines of a coordinate system). The specific software references "axis" appear in Microsoft Excel (when you have inserted a chart) in the "Chart options" dialog.	Both	GEN	ось	күчэр
173	Back	To go back in a range of pages or steps. Opposite of "forward". Ususally appears as buttons in various MS products, for example on the "Standard buttons" toolbar in Internet Explorer.	Both	GEN/UI	назад	артка
174	back up	Verb. To make a backup copy.	Windows	GEN	создать резервную копию, создать архивную копию, архивировать	резерв күчөрмә төзөргә, архив күчөрмәсе төзөргә, архивларга
175	Background	Opposite of "foreground" or "front". For example the attributes of the background of a table, object, etc.	Both	GEN/UI	фон	фон
176	background color	The underlying color of a slide.	Office	GEN	цвет фона	фон төсе

	backslash	Character: \	Windows	GEN	обратная косая черта	кире авыш сызык
178	backslash	Character: \	Windows	GEN	обратная косая черта	кире авыш сызык
179	BACKSPACE key	On the keyboard.	Windows	GEN	клавиша BACKSPACE	BACKSPACE теймәсе
180	Backup	Noun. A duplicate copy of a program, disk or data maintained for safety reasons. Verb. To create a backup (duplicate copy of a program, a disk, or data, made either for archiving purposes or for safeguarding valuable files from loss should the active copy be damaged or destroyed. A backup is an "insurance" copy)	Windows	GEN/UI	резервная копия, архив, архивная копия	резерв күчермә, архив, архив күчермәсе
181	backup copy	Noun. A duplicate copy of a program, disk or data maintained for safety reasons.	Windows	GEN	резервная копия, архив, архивная копия	резерв күчермә, архив, архив күчермәсе
182	backup file	A file that is a backup of another file.	Windows	GEN	файл архива, архивный файл	архив файлы
	backup program	Program for making backups	Windows	GEN	программа архивации	архивлау программасы
184	backward	The opposite of 'forward'.	Both	GEN/UI	назад	артка
185	backward compatible	About software or hardware that is compatible with previous versions.	Windows	GEN	совместимый с предыдущими версиями	алдагы версияләргә ярашлы
186	bad	Can mean damaged or just incorrect, depending on context, for example "bad data".	Windows	GEN	неправильный	дәрәс булмаган
187	balloon	In Microsoft Word: Balloons: In print layout view or Web layout view, markup balloons show markup elements, such as comments and tracked changes, in the margins of your document. Use these balloons to easily see and respond to reviewers' changes and comments.	Both	GEN	выноска	чыгарма

188	bandwidth	The amount of data you can send through a network connection. Bandwidth is usually measured in bits-per-second (bps).	Windows	GEN	пропускная способность	үткөрүчөнлек
	banner	Microsoft Outlook: 1.Event or holiday name that appears at the top of the dates you specify in Calendar. A banner can span multiple days. Items in banners are marked as free time and are represented by the color white when you view your Calendar. Microsoft FrontPage and Microsoft Word: 2. A section of a web page containing a graphic element and text, such as the page title. Page banners are usually displayed at the top of web pages. General meaning: 3. synonym for 'flag'. Microsoft Word: 4. a headline in large type running across a newspaper page	Both	GEN	объявление	игълан
190	bar	Noun. Object used in various contexts, such as "bar chart", "task bar" etc.	Both	GEN/UI	строка, панель	юл, аслык
191	bar chart	Microsoft Excel chart that consists of bars.	Both	GEN/UI	диаграмма	диаграмма
192	bar code	The special identification code printed as a set of vertical bars of differing widths on books, groceries and other products. Microsoft Word: Insert Menu, Field, "BarCode". Note that this particular barcode used on US envelopes may not be used in your country.	Windows	GEN	штрих-код	штрих-код
193	baseline	In printing and in the display of characters on a screen, an imaginary horizontal line with which the base of each character, excluding descenders, is aligned.	Office	GEN	опорная направляющая, опорная линия	төп юнэлткеч, төп сызык, терек юнэлткеч, терек сызык
194	baud	Measurement unit.	Windows	GEN	бит/с, бод	бит/с, бод
	baud rate	Measurement unit, especially used about modem speeds.	Windows	GEN/UI	скорость, скорость передачи данных	тизлек, бирелмөлөр тапшыруу тизлеге

196	BCC	Microsoft Outlook: an abbreviation for "blind carbon copy". If you add a recipient's name to this box in a message, a copy of the message is sent to that recipient, and the recipient's name is not visible to other recipients of the message.	Both	GEN/UI	СК (скрытая копия)	ЯК (яшерен күчермә)
197	Be Right Back	One of the types of user status in Windows Messenger	Both	UI	Скоро вернусь	Тиздән кайтам
198	beep	Warning sound from the PC	Windows	GEN	звуковой сигнал	тавыш сигналы
199	Before	Appears as a dialog label in various Office apps to indicate a measurement "before" something, for example spacing. Usually appears together with "After". For a context example, see Word, Format, Paragraph, Indents and Spacing, "Before".	Office	UI	до, перед, ранее	элек, алдан, ... кадәр
200	beginner	Noun. Inexperienced user	Windows	GEN/UI	новичок	яңа кеше
	Bell		Office	UI	колокольчик	кыңгырау
202	below	Preposition. Lower in place, rank, or value	Both	GEN/UI	ниже	астарак
203	Best Fit	Basically means "whatever fits best". Appears as a submenu command in Outlook. In the Inbox (for example), to quickly change the width of a column so you can see all the information in the column, just right-click the column title and then click Best Fit.	Both	UI	Подогнать размер, По содержанию	Үлчәмне туры китерү, Эчтәлеге буенча
204	beta version	Noun. A new software or hardware product, or one that is being updated, that is ready to be released to users for beta testing in real-world situations. Usually betas have most or all of the features and functionality implemented that the finished product is to have.	Windows	GEN	бета-версия	бета-версия

205	bi-directional language	"BiDi" is an abbreviation for "Bi-directional", a term coined internally at Microsoft. Bi-directional is a general way of referring to the Arabic and Hebrew languages and the common editing used in those cultures. Arabic and Hebrew are written from Right to Left.	Windows	GEN	двунаправленное письмо	ике юнэлешле хат
206	billing	Synonym for Invoicing.	Windows	GEN	оплата, выставление счетов	түлэү, түлэүлэрне күрсәтү
	binary	A file that contains encoded information interpreted according to the application that created it. In general, a binary file can be edited only by the application in which it was created.	Both	GEN/UI	двоичный	икешәрле
208	Birthday	A person's anniversary.	Both	UI	день рождения	туган көн
209	bit	Short for "binary digit"; either 1 or 0 in the binary number system.	Windows	GEN	бит	бит
210	bitmap	A picture made from a series of small dots, much like a piece of graph paper with certain squares filled in to form shapes and lines. When stored as files, bitmaps usually have the extension .bmp.	Both	GEN	точечный рисунок	нокталы рәсем
211	black	Color name.	Both	UI	черный	кара
212	black-and-white	Used about images and printing, as opposed to color	Both	GEN/UI	черно-белый	аклы-каралы
	blank	Noun. Synonym for "empty"	Windows	GEN	пустой	буш
214	blank space	The character entered by pressing the spacebar.	Windows	GEN	пробел	буш ара
215	Block	Can have several meanings - here the most frequently used ones: Verb: similar to "to lock" Noun: a contiguous collection of similar things that are handled together as a whole.	Both	GEN/UI	блок, блокировать	блок, блокировка кую
216	Blue	Color name.	Both	UI	синий	зәңгәр

217	body text	Text that forms the major content of a publication. Does not include titles, headlines, pull quotes, and captions, for example.	Office	GEN	основной текст	төп текст
218	Bold	A type style that makes the text to which it is applied appear darker and heavier than the surrounding text.	Windows	GEN/UI	жирный	калын
	bold button	Button in many MS programs that makes text bold	Windows	GEN	кнопка "Полужирный"	"Ярымкалын" теймесе
220	booklet	Type of document that can be created in Microsoft Word.	Windows	GEN	брошюра	брошюра
221	bookmark	A location or selection of text in a file that you name for reference purposes. Bookmarks identify a location within your file that you can later refer or link to. For an example of the term used in context, see Microsoft Word, Insert menu, "Bookmark". Note that Internet Explorer does not use the Netscape Navigator term "bookmark", but "favorite".	Both	GEN/UI	закладка	кыстыргыч
222	boolean	An expression that can be evaluated as either true (nonzero) or false (0). You can use the keywords True and False to supply the values of 1 and 0, respectively. The field data type Yes/No is Boolean and has the value of for Yes.	Office	GEN	логический	логик
223	boot	Verb. Start the PC	Windows	GEN	загрузить	йөклөргө
224	boot disk	A floppy disk that contains key system files from a PC-compatible operating system and that can boot, or start, the PC. A boot disk must be inserted in the primary floppy disk drive (usually drive A:) and is used when there is some problem with starting the PC from the hard disk, from which the computer generally boots. Also called bootable disk.	Windows	GEN	загрузочный диск	йөклөү диски

	boot drive	In a PC-compatible computer, the disk drive that the BIOS uses to automatically load the operating system when the computer is turned on.	Windows	GEN	загрузочный диск	йөкләү диски
226	Border	Noun. In programs and working environments that feature on-screen windows, the edge surrounding the user's workspace.	Office	UI	граница	чик
227	border	The visible line around the edge of an object. For example, the four lines of a rectangle compose its border.	Both	GEN/UI	граница	чик
228	border color	Color of a border.	Office	GEN/UI	цвет границы	чик төсе, кыса төсе
229	border style	Thickness or pattern the border line is drawn, e.g. dashed line, double line, etc.	Office	GEN/UI	стиль границы	чик стиле, кыса стиле
230	Bottom	Adj. Of, relating to, or situated at the bottom	Both	GEN/UI	нижний, снизу	аскы, астан
	bottom margin	Noun. The part situated at the bottom of a page or sheet outside the main body of printed or written matter	Windows	GEN	нижнее поле	аскы кыр
232	boundary	Noun. Something (as a line, point, or plane) that indicates or fixes a limit or extent	Windows	GEN	граница	чик
233	Box	Noun. 1. Container for a piece of electronic equipment. 2. The boundary around a graphic image on screen.	Office	GEN/UI	рамка	кыса
234	bps	bits per second	Windows	GEN	бит/с	бит/с
235	braces	Character: { }	Windows	GEN	фигурные скобки	фигуралы жәяләр
236	brackets	Character: [ ]	Windows	GEN	квадратные скобки	квадрат жәяләр

	Break	Noun. 1. Interruption of a program caused by the user pressing the Break key or its equivalent. 2. Interruption of a communications transmission that occurs when the receiving station interrupts and takes over control of the line or when the transmitting station prematurely halts transmission. Verb. 1. To interrupt execution at a given spot, usually for the purpose of debugging. See also breakpoint. 2. To cause a routine, module, or program that had previously worked to cease working correctly.	Office	UI	1. разрыв, прерывание 2. разорвать, прервать	1. өзөлү, туктату 2. өзөргө, туктатырга
238	BREAK key	Key on the keyboard.	Windows	GEN	клавиша BREAK	BREAK төймөсө
239	Break Link	Especially Microsoft Excel. Command that removes a "link" between two spreadsheets. "Break Link" appears as a button in Microsoft Excel, Edit menu, Links submenu.	Both	UI	Разорвать связь	Элементтене өзөргө
240	breakpoint	A line of code in a Function or Sub procedure at which Microsoft Visual Basic automatically suspends execution.	Office	GEN	точка останова	тукталыш ноктасы
241	Bright		Office	UI	яркий	якты
242	brightness	Qualitative measure of object luminosity.	Office	GEN/UI	яркость	яктылык
	Bring To Front	Move an object to the foreground, so it's visible and not overlapped by other objects. The command "Bring to Front" apperas in Microsoft Word and PowerPoint and other apps when you have inserted several objects (for example, drawings). It appears on the Drawing toolbar, Draw command, Order subcommand.	Both	UI	На передний план	Алгы планга
244	Browse	Verb. To scan a database, a list of files, or the Internet, either for a particular item or for anything that seems to be of interest. Somewhat synonymous to "to search" or "to scan".	Both	GEN/UI	Обзор	Күзөтү

245	Browse View	To search within this particular view of data	Both	UI	Вид обзора	Күзөтү төрө
246	browser	A software program, such as Internet Explorer, used for navigation in computer file system and Internet.	Both	GEN	обозреватель	күзөтүчө
247	bubble size	Excel Bubble Chart parameter, defining the size of a bubble.	Office	GEN/UI	размер пузыря	куык үлчөмө, куык зурлыгы
248	Build		Office	UI	Построить	Төзөргө
	builder	An Access tool that simplifies a task. For example, you can quickly create a complex expression with the Expression Builder.	Office	GEN	построитель	төзүчө, төзөгөч
250	built-in	Intrinsic, integral feature or part, constructed with it by design.	Both	GEN/UI	встроенный	кертеп ясалган
251	bullet	A dot or other symbol placed before text, such as items in a list, to add emphasis. Can also be a filled or empty circle, diamond, box, or asterisk, used to set off or enumerate a small text or each item in a list.	Both	GEN/UI	маркер	маркер
252	bullet character	Character that is used as bullet on a bulleted list	Windows	GEN	маркер	маркер
253	bulleted list	A list of text lines with bullets in front of each line	Windows	GEN	маркированный список	маркерлы исемлек

254	business	<p>Noun. (Usage: Often attributive) A usually commercial or mercantile activity. Examples: 1. business graphics. The representation of business information, such as sales figures and stock prices, in chart form rather than as lists of numbers. Used to give viewers an immediate grasp of business statistics and their significance. 2. business software. Any computer application designed primarily for use in business, as opposed to scientific use or entertainment. In addition to the well-known areas of word processing, spreadsheets, databases, and communications, business software for microcomputers also encompasses such applications as accounting, payroll, financial planning, project management, decision and support systems, personnel record maintenance, and office management.</p>	Both	GEN/UI	<p>рабочий, деловой, служебный (прил.), бизнес (сущ.)</p>	<p>эш, эшлекле, хезмәти (сыйфат), бизнес (исем)</p>
-----	----------	--	------	--------	---	---

	business	Noun. (Usage: Often attributive) A usually commercial or mercantile activity. Examples: 1. business graphics. The representation of business information, such as sales figures and stock prices, in chart form rather than as lists of numbers. Used to give viewers an immediate grasp of business statistics and their significance. 2. business software. Any computer application designed primarily for use in business, as opposed to scientific use or entertainment. In addition to the well-known areas of word processing, spreadsheets, databases, and communications, business software for microcomputers also encompasses such applications as accounting, payroll, financial planning, project management, decision and support systems, personnel record maintenance, and office management.	Both	GEN/UI	рабочий, деловой, служебный (прил.), бизнес (сущ.)	гамәли, эшлекле, хезмәти, бизнес
256	busy	Microsoft Outlook Calendar. Blocks of time marked busy appear with a solid availability indicator and are shown as unavailable when other people view your Calendar.	Both	GEN/UI	занят	буш түгел

257	button	Noun. 1. A graphic element in a dialog box that, when activated, performs a specified function. The user activates a button by clicking on it with a mouse or, if the button has the focus, by hitting the Return or Enter key. 2. On a mouse, a movable piece that is pressed to activate some function. Older mouse models have only one button; newer models typically have two or more buttons.	Windows	GEN/UI	кнопка	төймө
258	button bar	A bar containing buttons, see also tool bar.	Windows	GEN	кнопочная панель	төймөле аслык
259	button face	Face on a button	Windows	GEN	поверхность кнопки	төймө өслеге
260	button icon	A small image displayed on the screen to represent a button.	Windows	GEN	значок кнопки	төймө билгесе
	button image	Face on a button	Windows	GEN	вид кнопки	төймө рөвеше
262	by Date	The sort order in which icons shall be listed or arranged - by date, creator etc. The date for a particular computer task.	Both	UI	Дата создания (используется в интерфейсе Windows)	Төзү датасы (Windows интерфейсында кулланыла)
263	by Date	The sort order in which icons shall be listed or arranged - by date, creator etc. The date for a particular computer task.	Both	UI	Дата создания (используется в интерфейсе Windows)	Төзү датасы ( Windows интерфейсында кулланыла)
264	by default	"as standard"	Windows	GEN	по умолчанию	килешү буенча
265	By Modified	The sort order in which icons, files, etc. shall be listed or arranged - by date, creator etc. By selecting this option the items will be sorted by date of last modification.	Both	UI	Изменен (используется в интерфейсе Windows)	Үзгөртелгөн ( Windows интерфейсында кулланыла)
266	by Name	The sort order in which icons shall be listed or arranged - by date, creator etc. The name of a particular computer task.	Both	UI	Имя (используется в интерфейсе Windows)	Исем ( Windows интерфейсында кулланыла)

	by Size	The sort order in which icons shall be listed or arranged - by date, creator etc. The size of a particular computer task.	Both	UI	Размер (используется в интерфейсе Windows)	Үлчәм ( Windows интерфейсында кулланыла)
268	by Status	The sort order in which icons, files, etc. shall be listed or arranged - by date, creator etc. By selecting this option the items will be sorted by date of creation.	Both	UI	Состояние (используется в интерфейсе Windows)	Халәт ( Windows интерфейсында кулланыла)
269	by Title	The sort order in which icons, files, etc. shall be listed or arranged - by date, creator etc. By selecting this option the items will be sorted alphabetically by title.	Both	UI	Заголовок (используется в интерфейсе Windows)	Башлам ( Windows интерфейсында кулланыла)
270	by Type	The sort order in which icons shall be listed or arranged - by date, creator etc. The type of a particular computer task.	Both	UI	Тип (используется в интерфейсе Windows)	Тип ( Windows интерфейсында кулланыла)
271	byte	A unit of information, consisting of 8 bits.	Windows	GEN/UI	байт	байт
272	cache	A special memory subsystem in which frequently used data values are duplicated for quick access.	Windows	GEN	кэш	кэш
	calculated Item	Item in a form or report, where only a formula is defined, and a value is calculated on the fly at runtime, rather than retrieved from the database.	Office	GEN/UI	вычисляемый элемент	исәпләнүче элемент
274	Calculator	Broadly, any device that performs arithmetic operations on numbers. Sophisticated calculators can be programmed for certain functions and can store values in memory, but they differ from computers in several ways: they have a fixed set of commands, they do not recognize text, they cannot retrieve values stored in a data file, and they cannot find and use values generated by a program such as a spreadsheet. Also a component in Windows.	Both	UI	калькулятор	калькулятор

275	Calendar	Other than conventional meaning, a system (usually, tabular register of days) for keeping the list or schedule of events or activities giving dates and details.	Both	GEN/UI	календарь	календарь
276	Calendar type		Both	UI	Календарь	Календарь
277	call	Noun. A telephone call. Verb. To call someone.	Both	GEN/UI	звонок, вызов	Шалтырату, чакыру
278	call waiting	Telecommunications function: when you're on the phone and a third person tries to call you, you will get a signal to let you know another call is waiting.	Windows	GEN	режим принятия входящих звонков	Керүче шалтыратуларны кабул итү режимы
	callback	Telecommunications function: lets another computer call your PC to save connection costs. A user dials in to a computer and types a logon ID and password. The computer breaks the connection and automatically calls the user back at a preauthorized number.	Windows	GEN/UI	ответный вызов	жавап чакыру
280	callout	A graphic object of illustration, chart or drawing, helping to identify or give details about the part of a drawing. Usually a line and a number, referencing a detailed explanation below.	Office	GEN/UI	выноска	чыгарма
281	Camera	A device capable of capturing moving image and sound and converting it to analog or digital information stream.	Office	UI	камера	камера
282	Cancel	Verb. To revoke or abort an action. To quit an action without saving any changes that the action would result in. Name of a button in dialogs.	Both	GEN/UI	Отмена (стандартная кнопка), отменить (глагол, используется в тексте)	Баш тарту (стандарт тәймә), баш тартырга (фигыль, текстта кулланыла)
283	Cancel Message	Microsoft Outlook. To revoke a message that has already been sent.	Both	UI	отозвать сообщение	хәбәрне кире чакырып алу
284	capital letters	Letters conforming to the series "A, B, C", etc. rather than "a, b, c," etc.	Windows	GEN	прописные буквы	баш хәрефләр

	capitalization	Using capital letters.	Windows	GEN/UI	сделать все буквы прописными	барысын да баш хәреф итү
286	capitals	Synonym for "capital letters"	Windows	GEN	прописные буквы	баш хәрефләр
287	caps	Short form of "capital letters"	Windows	GEN	прописные буквы	баш хәрефләр
288	CAPS LOCK key	On the keyboard.	Windows	GEN	клавиша CAPS LOCK	CAPS LOCK тәймәсе
289	caption	Heading of a chart, drawing, etc.	Both	GEN/UI	Заголовок	Башлам
290	caret	Character: ^	Windows	GEN	знак крышки	түбә тамгасы
	carry out an action	To put the action into execution.	Windows	GEN	выполнить действие	гамәл башкару
292	cascading menu	A menu that is submenu of a menu item. Also known as a hierarchical menu.	Windows	GEN	ниспадающее меню	төшүче меню
293	Case Sensitive	Adj. Capable of distinguishing between uppercase and lowercase letters. A case-sensitive search finds only text that is an exact match of uppercase and lowercase letters. For example, such a search would treat "ZeroLengthStr" and "zerolengthstr" as different words.	Both	GEN/UI	с учетом регистра	регистрны исәпкә алып
294	Catalog	1. An object containing a list of items arranged systematically with descriptive details (book, software object). 2. A directory of information about data sets, files, or a database. A catalog usually describes where a data set, file or database entity is located and may also include other information, such as the type of device on which each data set or file is stored.	Both	GEN/UI	каталог	каталог

295	category	Any of several fundamental and distinct classes to which entities or concepts belong. E.g., a classification for labeling and grouping web pages and files by common criteria such as page contents, file types, or a similar distinction.	Both	GEN/UI	категория	категория
296	category label	Descriptive category caption or text.	Office	GEN	подпись категории	категория асызмасы
	category name	Name of category.	Office	GEN/UI	название категории	категория исеме
298	CC	Microsoft Outlook. An abbreviation for "carbon copy". If you add a recipient's name to this box in a message, a copy of the message is sent to that recipient, and the recipient's name is visible to other recipients of the message.	Office	GEN/UI	Копия	Күчермә
299	Cc box	Microsoft Outlook. To, Cc, and Bcc boxes: A message is sent to the recipients in the To box. Recipients in the Cc (carbon copy) and Bcc (blind carbon copy) boxes also get the message; however, the names of the recipients in the Bcc box aren't visible to other recipients.	Windows	GEN	поле "СК"	"СК" кыры
300	CD	Compact disc	Windows	GEN	компакт-диск	компакт-диск
301	CD Key	The number on the CD sleeve on MS products. Leave in English when it refers to the actual number with the text "CD Key". Only translate when general references are made to it.	Windows	GEN	ключ продукта	продукт ачыкчы

302	CD-ROM	Acronym for compact disc read-only memory. A form of storage characterized by high capacity (roughly 650 megabytes) and the use of laser optics rather than magnetic means for reading data. Although CD-ROM drives are strictly read-only, they are similar to CD-R drives (write once, read many), optical WORM devices, and optical read-write drives.	Windows	GEN	компакт-диск	компакт-диск
	Cell	Normally means an intersection of a row and a column in a table (Microsoft Excel especially), but please check context here as it can refer to a cell phone (= mobile phone) too. In the former meaning in Microsoft Excel, each row and column in a table is unique, so each cell can be uniquely identified--for example, cell B17, at the intersection of column B and row 17.	Both	GEN/UI	ячейка (таблицы), сота (в контексте мобильной связи)	(таблицадагы) оя, күзәнәк (кәрәзле (мобиль) элемент) контекстында)
304	cell reference	Microsoft Excel. The set of coordinates that a cell occupies on a worksheet. For example, the reference of the cell that appears at the intersection of column B and row 3 is B3.	Office	GEN	ссылка на ячейку	ояга сылтама
305	Center	Verb. To center; to place something in the middle. To align characters around a point located in the middle of a line, page, or other defined area; in effect, to place text an equal distance from each margin or border.	Both	UI	расположить в центре, выровнять по центру	уртага урнаштыру, урта буйлап тигезләү
306	certificate	A certificate is what gets sent when a message is digitally signed. The certificate proves the sender's identity and supplies the recipient with a public key with which to decrypt the sender's encrypted messages.	Both	GEN/UI	сертификат	сертификат

307	Certificate of Authenticity	The term "Certificate of Authenticity" appears on the so-called COA card which is the small card that is included for the OEM version. When a user buys a computer and Windows is preinstalled they include a small slip of paper entitled Certificate of Authenticity.	Windows	GEN	сертификат подлинности	чынлык сертификаты
308	Change	To alter something. Name of button in various apps that allows the user to change a setting.	Both	UI	изменить, заменить	үзгөртөргө, алыштырырга
	Change All	Usually used about a button that allows the user to alter all settings at one time. Please watch for gender and number of the items "all" is referring to, if needed for your language.	Both	UI	заменить все	барысын да алыштырырга
310	Change Icon	Command in several apps that allows the user to change the icon displayed, for example Microsoft Word, Insert menu, Object submenu, "Change Icon" appears when you select the option "Display as Icon. Icon: A small image displayed on the screen to represent an object that can be manipulated by the user. Icons serve as visual mnemonics and allow the user to control certain computer actions without having to remember commands or type them at the keyboard.	Both	UI	Сменить значок	Билгене үзгөртөргө
311	chapter	In a DVD or CD, a portion of a title, such as a scene or sequence. A title can contain one or more chapters.	Windows	GEN	глава	бүлөк
312	character	A letter, number, punctuation mark, or symbol.	Both	GEN	знак, символ	билге, символ
313	character font	A typeface (such as Garamond), style (such as italic), and weight (such as bold) of the character.	Windows	GEN	шрифт знака	билге шрифты
314	character format	The structure and appearance of the character.	Windows	GEN	формат знака	билге форматы

	Character Map	In text-based computer graphics, a block of memory addresses that correspond to character spaces on a display screen. The memory allocated to each character space is used to hold the description of the character to be displayed in that space.	Both	UI	таблица символов	символлар таблицасы
316	character set	A grouping of alphabetic, numeric, and other characters that have some relationship in common. For example, the standard ASCII character set includes letters, numbers, symbols, and control codes that make up the ASCII coding scheme.	Both	GEN/UI	набор символов	символлар жыйнағы
317	character spacing	The distance between characters in a line of text. Tracking, kerning, and scaling can be used to adjust the space between characters.	Both	GEN	межзнаковый пробел	билгеара бушлык
318	character style	A combination of any of the character formatting options identified by a style name.	Office	GEN	стиль знака	билге стили
319	chart	A graphical representation of data in a form, report, or data access page.	Both	GEN	диаграмма	диаграмма
320	chart area	The entire chart and all its elements.	Office	GEN	область диаграммы	диаграмма өлкөсө
	Chart title	A name of the chart.	Office	UI	название диаграммы	диаграмма исеме
322	Chart Type	A form of a chart, e.g. column, bar, pie, etc.	Office	UI	тип диаграммы	диаграмма тиби
323	Chart Wizard	A wizard to create chart in interactive mode.	Office	GEN/UI	мастер диаграмм	диаграммалар остасы
324	chat	Verb. In programs used as NetMeeting.	Windows	GEN	разговор	сөйлөшү, чат
325	check	Verb. In the sense of verifying something.	Windows	GEN/UI	проверить	тикшеру
326	check	Verb. Refers to selecting a checkbox.	Both	GEN	проверить	тикшеру
	check box	A control that indicates whether an option is selected. A check mark appears in the box when the option is selected.	Both	GEN/UI	флажок	флагчык

328	check In	A procedure for returning the file or object into Repository (a central database of the most actual instances) in a multi-user asynchronous environment after the changes has been done by one user.	Office	GEN/UI	возврат	кайту
329	check mark	A Windows interface element that appears in a check box.	Windows	GEN	галочка	галочка
330	Check Names	Microsoft Outlook. In email programs, names can be checked against the contents of an address book, if available. It will check whether there is such a contact, if the name or email address is spelled correctly etc.	Both	UI	Проверка имен	Исемнәрне тикшерү
331	check out	A procedure for extracting the file or object from the repository (a central database of the most actual instances) in a multi-user asynchronous environment.	Office	GEN/UI	извлечение	алу, чыгару
332	checkbox	A UI control allowing user to change the state of an element in a GUI environment.	Office	GEN/UI	флажок	флагчык
	checked	When something is checked, as opposed to unchecked, for example a command	Both	GEN/UI	отмечено	тамгаланган
334	Check-in	In a source control system, the action of putting the modified source back to the source repository.	Office	UI	возврат	кайтару
335	Check-out	In a source control system, copying the source file from the repository to one's own machine (drive), possibly for editing.	Office	UI	извлечение	чыгару
336	chevron	Character: «	Windows	GEN	кавычка "елочка"	"чыршы" куштырнак
337	child menu	Same as submenu	Windows	GEN	вложенное меню	эчке меню
338	choose	To select and execute a command or option.	Both	GEN/UI	выбрать	сайларга
	Choose Font		Both	UI	Выбрать шрифт	Шрифт сайларга

340	circle	Noun	Windows	GEN	круг	түгэрэк
341	citation	A reference to a specific legal case, statute, or other legal document.	Office	GEN	ссылка	сылтама
342	City	For example used in address details (Microsoft Outlook, Contacts)	Both	UI	город	шәһәр
343	class	The definition for an object, including its name, its properties and methods, and any events that it has. When you create an instance of a class, you create a new object with all of the characteristics defined by that class.	Both	GEN/UI	класс	класс
344	Classification	Classification allows users to view information by using classifiers to organize information.	Both	UI	Классификация	Классификация
	Clear	1. Verb. To turn off an option by removing the X or check mark from a check box. 2. Verb. delete. 3. Adj. transparent.	Both	GEN/UI	Очистить	Чистартырга
346	clear	Adj. same as transparent			Очистить	Чистартырга
347	clear a checkbox	Same as uncheck.	Windows	GEN	снять флажок	флагчыкны алып ташларга
348	Clear All	Please check number and gender of what "all" is referring to, if needed for your language. 1. Verb. To turn off an option by removing the X or check mark from a check box. 2. Verb. delete. 3. Verb. transparent.	Both	UI	Очистить все	Барысын да чистартырга
349	Clear History		Both	UI	Очистить	Чистартырга
350	click	Verb. To position the pointer over an object and then press and release a mouse button.	Windows	GEN	щелкнуть (что-либо)	(нәрсәнедер) чирттерегә

	Click and type	Feature in Microsoft Word that allows you to quickly insert text, graphics, tables, or other items in a blank area of a document. See the Help topic "About Click and Type". A specific reference appears, for example, in Word, Tools menu, submenu Options, Edit tab, "Enable click and type".	Windows	GEN	разрешить свободный ввод	ирекле кертүне рөхсәт итәргә
352	click the right mouse button	To position the pointer over an object and then press and release the right mouse button.	Windows	GEN	щелкнуть (что-либо) правой кнопкой мыши	(нәрсәгәдер) тычканның уң тәймәсе белән чирттерергә
353	client	On a local area network (LAN) or the Internet, a computer that accesses shared network resources provided by another computer.	Both	GEN	клиент	клиент
354	clip	A single media file, including art, sound, animation, or movies.	Both	GEN	клип	клип
355	clip art	A single piece of ready-made art, often appearing as a bitmap or a combination of drawn shapes.	Office	GEN	картинки	картинкалар
356	clipboard	Windows feature that allows the user to collect, store and reuse data.	Windows	GEN	буфер обмена	алмашу буферы
	clock	1. The electronic circuit in a computer that generates a steady stream of timing pulses--the digital signals that synchronize every operation. The system clock signal is precisely set by a quartz crystal, typically at a specific frequency between 1 and 50 megahertz. The clock rate of a computer is one of the prime determinants of its overall processing speed, and it can go as high as the other components of the computer allow. Also called system clock. 2. The battery-backed circuit that keeps track of the time and date in a computer--not the same as the system clock.	Windows	GEN	часы	сәгать

358	Close	Verb. To end an application's open file so that the application will no longer be able to access the file without opening it again.	Both	GEN/UI	закрыть	ябарга
359	Close All	Please check number and gender of what "All" is referring to, if needed for your language.	Office	UI	закрыть все	барысын да ябарга
360	close button	In the graphical user interface for Windows 9x, Windows NT, and the X Window System, a square button in the right corner (left corner in X Windows) of a window's title bar with an X mark on it. Clicking on the button closes the window. Also called X button.	Windows	GEN	кнопка "Закрыть"	"Ябу" теймәсе
361	Close Find	To close the window where a search was performed	Both	UI	Закрыть	Ябарга
362	Closing		Office	UI	закрытие	ябу
	Code	Usually instructions written in a programming language. Could also refer to a system of symbols used to convert information from one form to another. A code for converting information in order to conceal it is often called a cipher.	Both	GEN/UI	Код	Код
364	code page	A table that relates the binary character codes used by a program to keys on the keyboard or to the appearance of characters on the display. Code pages are a means of providing support for the languages used in different countries.	Both	GEN	кодovая страница	код бите
365	collaboration	Concept. When several people in a workgroup cooperate on a project.	Windows	GEN	совместная работа	бергәләп эшләү
366	collapse	Especially about Outline view in Microsoft Word. To hide from view the subsections (or subdirectories) under main sections (or directories). Opposite of expand.	Windows	GEN/UI	свернуть	жыярга

367	Collate	Verb. In data handling, to merge items from two or more similar sets to create a combined set that maintains the order or sequence of items in the original sets. Similar to "to sort", e.g. when printing a document several times, the printouts are sorted if the user clicks "collate"	Both	GEN/UI	Разобрать по копиям	Күчермэләр буенча таратырга
368	Collate Copies		Both	UI	разобрать по копиям	күчермэләр буенча таратырга
	collection	An object that contains a set of related objects. An object's position in the collection can change whenever a change occurs in the collection; therefore, the position of any specific object in the collection may vary.	Office	GEN	набор, коллекция, семейство	жыелма, тупланма, семьялык
370	colon	Character: :	Both	GEN/UI	двоеточие	ике нокта
371	Color		Both	GEN/UI	цвет	төс
372	color monitor	Hardware. Monitor that can display colors	Windows	GEN	цветной монитор	төсле монитор
373	color printer	Hardware. Printer that can print in color.	Windows	GEN	цветной принтер	төсле принтер
374	color scheme	A set of eight balanced colors you can apply to slides, notes pages, or audience handouts. A color scheme consists of a background color, a color for lines and text, and six other colors designed to make slides easy to read.	Both	GEN/UI	схема цветов	төсләр схемасы
	Colors		Both	UI	цвета	төсләр
376	Column	Noun. A series of items arranged vertically within some type of framework, typically a table	Both	GEN/UI	столбец	багана
377	column break	A special symbol that breaks the column when inserted into the document, ending current column and starting next column.	Both	GEN/UI	разрыв колонки	колонка өзеге, багана өзеге
378	Column Chart	A type of a chart representing the values by columns.	Office	UI	гистограмма	гистограмма

379	column heading	The shaded area at the top of each Data pane column that contains the field name.	Office	GEN	заголовок столбца	багана башисеме
380	Column Value		Office	UI	значение столбца	багана кыйммәте
	Column Width		Office	UI	ширина столбца	багана киңлеге
382	Combination	Noun form of "combine"	Both	GEN/UI	Сочетание	Тезмә
383	combine	Verb. To merge two or more items.	Windows	GEN	сочетать	яраштырырга
384	combo box	A standard Windows control that combines a text box and interdependent list box. Compare drop-down combo box.	Both	GEN	поле со списком	исемлекле кыр
385	comma	Character: ,			запятая	өтер
386	comma delimited	Delimited text file: A file containing data where individual field values are separated by a character, such as comma or a tab.	Windows	GEN	разделенный запятыми	өтер белән аерылган
	command	Instruction or key word to execute something.	Both	GEN/UI	Команда	Команда
388	command button	A standard control used to initiate a command, set an option, function or runs an event procedure. Also sometimes called a push button.	Both	GEN	кнопка	төймә
389	command line	MS-DOS. The string of characters used to start an application.	Office	GEN/UI	командная строка	команда юлы
390	comment	A note or annotation that an author or reviewer adds to a document. Microsoft Word displays the comment in a balloon in the margin of the document or in the Reviewing Pane.	Both	GEN/UI	примечание	искәрмә
391	Common Files	Name of system drive folder.	Windows	UI		0Гомуми файллар
392	Company	Synonym for commercial enterprise. Used in address information.	Both	GEN/UI	Организация	Оешма

	Compare	To examine two or more items in order to discover the differences, e.g. to compare two versions of a document to discover the differences.	Both	GEN/UI	сравнить	чагыштырырга
394	Comparison		Office	UI	сравнение	чагыштыру
395	compatible	The ability of one device or program to work with another device or program. The term compatible implies different degrees of partnership. For example, a printer and a computer are said to be compatible if they can be connected to each other. An IBM compatible PC, on the other hand, is a computer that can run the same software as an IBM PC.	Windows	GEN	совместимый	ярашлы
396	compile	To create a binary program code from a source code. Synonymous with "build, generate, create".	Both	GEN/UI	компилировать	компиляцияләү
397	complete	Verb. Often in the sense of completion of a task.	Windows	GEN	полный	тулы
398	complete	Adjective			полный	тулы
	complex	Not simple, composed of several components.	Windows	GEN	сложные	катлаулы
400	component	As in installing Office components on your computer.	Both	GEN	компонент	компонент
401	Compose	To create an object, such as an email message.	Both	GEN/UI	Создание сообщения	Хәбәр ясау
402	compress	To decrease the size of the file with special software compression tools.	Both	GEN/UI	сжать	кысарга
403	Compression	A means of reducing the amount of space or bandwidth needed to store or transmit data	Both	GEN/UI	сжатие	кысу
404	computer				компьютер	санак
	condense	To decrease the spacing between the characters.	Office	GEN/UI	сжать	кысарга

406	Condition	The state of an expression or a variable (for example, when a result can be either true or false, or equal or not equal).	Both	GEN/UI	Условие	Шарт
407	conditional	Of, pertaining to, or characteristic of an action or operation that takes place based on whether or not a certain condition is true.	Windows	GEN	условный	шартлы
408	configuration	The user's choices of settings and setup of the software and hardware on the PC.	Windows	GEN/UI	конфигурация	конфигурация
409	Configure	The action of setting up hardware and software of a data processing system.	Both	GEN/UI	Настроить	Кейлэргэ
410	Confirm	1. To make certain, verify, put beyond doubt the changes a user requested. 2. To acknowledge an action or the value of some data (e.g. password) by definite assurance.	Office	UI	подтвердить	расларга
	confirmation	An act or result of confirming.	Windows	GEN	подтверждение	раслау
412	Confirmation ID	Identification of a confirmation message	Windows	GEN	код подтверждения	раслау коды
413	conflict	Can occur if data has changed in the same record of two replica set members. When a conflict occurs, a winning change is selected and applied in all replicas, and the losing change is recorded as a conflict at all replicas.	Windows	GEN	конфликт	низаг
414	Connect	Make a connection between two things, for example to connect a PC to a network e.g. the Internet	Both	GEN/UI	Подключение	Ялгану
415	Connect to	Item on Start menu in Windows. Opens Network Connections applet that allows you to connect to other computers via a network or via dial-up.	Windows	UI	Подключиться к	Ялганырга
416	connect to a server	See "connect" and "server".	Windows	GEN	подключение к серверу	серверга ялгану

	Connection	A physical link via wire, radio, fiber-optic cable, or other medium between two or more communications devices.	Both	GEN/UI	подключение	ялгану
418	connection string	A string expression used to open an external database.	Office	GEN	строка подключения	ялгану юлы
419	connector	A graphic object of illustration, chart or drawing, helping to see the relationship between two graphic objects, usually a line or curve.	Office	GEN/UI	соединительная линия	тоташтыру сызыгы
420	constant	A value that is not calculated, and therefore does not change. For example, the number "210", and the text "Quarterly Earnings" are constants. An expression, or a value resulting from an expression, is not a constant.	Office	GEN	постоянное значение, константа	даими кыйммэт, константа
421	Contact	Person, inside or outside of your organization, about whom you can save several types of information, such as street and e-mail addresses, telephone and fax numbers, and Web page URLs.	Both	GEN/UI	Контактное лицо	Элементгә керүче зат, Контакт зат
422	Contact Us		Office	UI	свяжитесь с нами	безнең белән элементгә кереgez
	content class	A Web Storage System content class defines the intent or purpose of an item along with the names of properties that are intended for items in this class.	Office	GEN	класс содержания, класс содержимого	эчтәлек классы
424	content developers	People/companies who develop content for Web pages	Windows	GEN	not in giaa	not in giaa
425	contents	What something contains, as in "Table of Contents"	Both	GEN/UI	содержание, оглавление	эчтәлек

426	context	A reading order and alignment setting that is commonly used in controls that display text. When you select the Context setting, the reading order is determined by the first strong character (not a numeral or special character) that you type.	Both	GEN/UI	контекст	контекст
427	context-sensitive	Specific to the conditions in which something exists or occurs.	Windows	GEN	контекстный	контекст
428	context-sensitive help	Information about an object and its current condition. It answers the questions “What is this” and “Why would I want to use it?”	Windows	GEN	контекстная справка	контекст белешмә
	Continue	To proceed, to move on.	Both	GEN/UI	продолжить	дэвам итэргә
430	Continuous	Unbroken, uninterrupted.	Office	UI	непрерывный	өзлексез
431	contrast	A metric of difference in color or brightness of the image.	Office	GEN/UI	контраст	контраст
432	control	A graphical user interface object, such as a text box, check box, scroll bar, or command button, that lets users control the program. You use controls to display data or choices, perform an action, or make the user interface easier to read.	Both	GEN/UI	элемент управления	идарә элементы
433	control menu	A menu containing controls.	Windows	GEN	меню	меню
434	Control Panel	A specific part of Windows, a utility that allows the user to control aspects of the operating system or hardware, such as system time and date, keyboard characteristics, and networking parameters.	Both	GEN/UI	Панель управления	Идарә аслыгы

	Controls	In a graphical user interface, objects on the screen that can be manipulated by the user to perform an action. The most common controls are buttons, which allow the user to select options, and scroll bars, which allow the user to move through a document or position text in a window.	Office	UI	элементы управления	идарэ элементлары
436	convention	Any standard that is used more or less universally in a given situation. Many conventions are applied to microcomputers. In programming, for example, a language such as C relies on formally accepted symbols and abbreviations that must be used in programs. Less formally, programmers usually adopt the convention of indenting subordinate instructions in a routine so that the structure of the program is more easily visualized. National and international committees often discuss and arbitrate conventions for programming languages, data structures, communication standards, and device characteristics.	Windows	GEN	соглашение	килешү
437	conventional	Conservative or according to convention.	Windows	GEN	обычный	гадәти
438	conversion	The process of changing from one form or format to another; where information is concerned, a changeover that affects form but not substance.	Windows	GEN	преобразование	үзгәртү
439	conversion table	A table listing a set of characters or numbers and their equivalents in another coding scheme. Common examples of conversion tables include ASCII tables, which list characters and their ASCII values, and decimal-to-hexadecimal tables.	Windows	GEN	таблица преобразования	үзгәртү таблицасы
440	convert	To change from one form or function to another.	Both	GEN/UI	Преобразовать	Үзгәртәргә

	converter	Any device that changes electrical signals or computer data from one form to another. For example, an analog-to-digital converter translates analog signals to digital signals.	Windows	GEN	преобразователь	үзгэрткөч
442	cookie	Internet cookie. Small file that is copied to your computer when you visit a Web page with a browser. See "cookie" in Internet Explorer Help for more details.	Windows	GEN	файл "cookie"	"cookie" файлы
443	coordinate	Noun. In a coordinate system	Windows	GEN	координата	координата
444	coprocessor	A processor, distinct from the main microprocessor, that performs additional functions or assists the main microprocessor. The most common type of coprocessor is the floating-point coprocessor, also called a numeric or math coprocessor, which is designed to perform numeric calculations faster and better than the general-purpose microprocessors used in personal computers.	Windows	GEN	сопроцессор	сопроцессор
445	Copy	Verb or noun, mostly a verb though	Both	UI	копировать, копия	
446	Copy	Verb or noun, mostly a verb though	Both	UI	копировать, копия	Күчермэ алырга, күчермэ

	Copyright	<p>Noun. A method of protecting the rights of an originator of a creative work, such as a text, a piece of music, a painting, or a computer program, through law. In many countries the originator of a work has copyright in the work as soon as it is fixed in a tangible medium (such as a piece of paper or a disk file); Registration of a copyright, or the use of a copyright symbol, is not needed to create the copyright but does strengthen the originator's legal powers. Unauthorized copying and distribution of copyrighted material can lead to severe penalties, whether done for profit or not. Copyrights affect the computer community in three ways: the copyright protection of software, the copyright status of material (such as song lyrics) distributed over a network such as the Internet, and the copyright status of original material distributed over a network (such as a newsgroup post). The latter two involve electronic media that are arguably not tangible, and legislation protecting the information disseminated through electronic media is still evolving.</p>	Both	UI		копирайт
448	copyright notice	See "copyright"	Windows	GEN	уведомление об авторском праве	авторлык хокукы турында хәбәр итү
449	copyright symbol	Character: ©	Windows	GEN	знак авторского права	авторлык хокукы тамгасы

450	core	One of the types of memory built into computers before random access memory (RAM) was available or affordable. Some people still use the term to refer to the main memory of any computer system, as in the phrase core dump — a listing of the raw contents of main memory at the moment of a system crash. Compare RAM.	Windows	GEN	основной	төп
451	Corner	Usual meaning. Usually a corner of a control.	Office	UI	угол	почмак
452	Corporate	Of a (large) corporation.	Office	UI	корпоративный, тж. Служебный	корпоратив, хезмәти
	Correction		Office	UI	исправление	төзәтү
454	corrupt	Adj. Synonym of "damaged". Mostly used about files are data "e.g. corrupt data".	Windows	GEN	поврежденный	зарарланган
455	corrupt data	Damaged data	Windows	GEN	поврежденные данные	зарарланган бирелмәләр
456	count	Verb	Both	GEN/UI	счетчик	санагыч
457	count	Noun			счетчик	санагыч
458	counter	A program used on a Web page to count the number of people who have visited that site.	Both	GEN	счетчик	санагыч
	country code	A two-character sequence in an Internet domain name address that indicates the country in which a host is located. The major geographic domain is the last part of the of the domain name address, following the sub domain and domain codes; for example, uiuc.edu.us indicates a host at the University of Illinois in the United States, whereas cam.ac.uk indicates a host at the University of Cambridge in the United Kingdom. The code .us, which indicates a domain in the United States, is usually omitted. Also called major geographic domain.	Windows	GEN	код страны	ил коды

460	Country/Region	Name of a country or region respectively. As not all countries are officially recognized by all other countries, please always use "Country/Region" also for your language and never only "country" on its own so neither governments nor people feel offended.	Both	UI	страна или регион	ил яисэ төбэк
461	cover page	E.g. for faxes or CVs	Windows	GEN	титульная страница	титул бите
462	CPU (central processing unit)	The computational and control unit of a computer, processor.	Windows	GEN	процессор	процессор
463	crash	When a program error causes the PC to stop functioning and reboot is necessary	Windows	GEN	сбой	өзеклек
464	Create	To bring an object into existence by allocating the necessary storage space and giving values to its attributes.	Office	UI	создать	төзөргө
	Create New	To create something - depending on the specific context - new. Please watch for gender and number of what "new" is referring to, if needed for your language.	Both	UI	Создать, Создать новый	Төзөргө, яңаны ясарга
466	Create Shortcut	Also see "Shortcut": A link to any item accessible on your computer or on a network, such as a program, file, folder, disk drive, Web page, printer, or another computer. You can put shortcuts in various areas, such as on the desktop, on the Start menu, or in specific folders.	Both	GEN/UI	создать ярлык	Ярлык ясарга

467	creator	1. A user which created an item. 2. In COM+, the process which created a library application. 3. On the Apple Macintosh, the program that creates a file. Files are linked to their creators by creator codes; this link enables the operating system to open the creator application when a document file is opened.	Windows	GEN	Создан	Төзелгән
468	credit card	A card issued by an organization authorizing a named person to draw on its account or to make purchases on credit.	Windows	GEN	кредитная карта, банковская карта	кредит картасы, банк картасы
469	criteria	Conditions you specify to limit which records are included in the result set of a query or filter. For example, the following criterion selects records for which the value for the Order Amount field is greater than 30,000.	Office	GEN	условия	шартлар
470	criterion	Singular of criteria, see criteria.	Windows	GEN		аерым шартлар
	critical error	An error that suspends processing until the condition can be corrected either by software or by user intervention (for example, an attempt to read to a nonexistent disk, an out-of-paper condition on the printer, or a checksum fault in a data message).	Windows	GEN	критическая ошибка	критик хата
472	crop	To trim vertical or horizontal edges of an object. Pictures are often cropped to focus attention on a particular area.	Both	GEN	обрезать	кистерергә
473	crop mark	Mark that appears on some apps when you are cropping graphics.	Windows	GEN	обрезная метка	кистерү тамгасы
474	crop mark	Mark that appears on some apps when you are cropping graphics.	Windows	GEN	обрезная метка	кистерү тамгасы
475	cross	Pointer shape in certain situations, for example in the Windows applet Paint.	Windows	GEN	крестик	хач

476	cross platform fonts	Fonts that can be used on several platforms (Windows, Apple, etc)	Windows	GEN	not in giaa	
	cross-reference	Microsoft Word. Feature that allows you to insert references to other places in a document.	Windows	GEN	перекрестная ссылка	төрле яклап сылтама
478	CSS	A cascading style sheet is a document containing style information that can be referenced by multiple web pages. Styles define appearance and formatting of content on web pages and allow authors more control over how content is displayed in browsers.	Office	GEN	CSS	CSS
479	CTRL key	On the keyboard.	Windows	GEN	клавиша CTRL	CTRL төймәсе
480	cube	An OLAP data structure. A cube contains dimensions, like Country/Region/City, and data fields, like Sales Amount. Dimensions organize types of data into hierarchies with levels of detail, and data fields measure quantities.	Office	GEN	куб	куб
481	curly quotes	Character: “ (as opposed to straight quotes) (also called "smart quotes" or "typographer's quotes")	Windows	GEN	кавычки "лапки"	"тәпи" куштырнаклар
482	Currency	Something (as coins, treasury notes, and banknotes) that is in circulation as a medium of exchange.	Both	GEN/UI	Сумма денег	Акча суммасы
	currency symbol	A symbol like \$, €, or £.	Windows	GEN	Обозначение денежной единицы	Акча берәмлеге билгесе
484	current	Meaning "what applies now", e.g. current setting	Both	GEN/UI	текущий	агымдагы
485	current date/time	The date and time at the moment.	Windows	GEN	текущие дата и время	агымдагы дата һәм вакыт
486	current directory	The disk directory at the end of the active directory path--the directory that is searched first for a requested file, and the one in which a new file is stored unless another directory is specified.	Windows	GEN	текущая папка	агымдагы папка

487	current folder	The folder used at the moment.	Windows	GEN	текущая папка	агымдагы папка
488	Current page	Currently used page.	Both	UI	Текущая страница	Агымдагы бит
	current record	The record in a record set that you can modify or retrieve data from. There is only one current record in a record set, but a record set may have no current record, for example, after a record has been deleted from a dynaset-type record set.	Office	GEN	текущая запись	агымдагы язма
490	Current View	What is displayed on your screen currently	Both	UI	Текущее представление	Агымдагы күрсәтелеш
491	cursor	A generic term for the visible indication of where the user's interaction will occur. See also insertion point and pointer.	Windows	GEN	курсор	курсор
492	cursor keys	Same as "arrow keys."	Windows	GEN	клавиши со стрелками	уклы төймә
493	curve	A line especially when curved : as (1) : the path of a moving point (2) : a line defined by an equation so that the coordinates of its points are functions of a single independent variable or parameter. b : The graph of a variable.	Windows	GEN/UI	Кривая	Кәкре
494	custom	User-specific parameter or value, that can be changed by the user according to his particular needs.	Both	GEN/UI	настраиваемый, пользовательский, изменяемый, выборочный	көйләнүчән, кулланучыныкы, үзгәртелүчән, сайланмалы
	custom dictionary	A list of words not in the standard dictionary that an author wants the spelling checker to accept as correct.	Office	GEN	пользовательский словарь, вспомогательный словарь	кулланучы сүзлеге, ярдәмче сүзлек

496	custom group	An item of a custom group field. A custom group contains two or more items from a row or column field.	Office	GEN	пользовательская группа, пользовательская группировка	кулланучылар төркеме
497	custom group field	A field in the row or column area that contains custom groups as its items.	Office	GEN	поле пользовательской группировки	кулланучылар төркеме кыры
498	custom installation	User-specific installation settings, as oppose to pre-defined installation.	Windows	GEN	выборочная установка	сайланмалы урнаштыру
499	custom setup	See custom installation.	Windows	GEN	выборочная установка	сайлап урнаштыру
500	Custom show		Office	UI	произвольный показ	ирекле күрсөтү
	customizable	Prone to customization; users can set their own settings.	Windows	GEN	настраиваемая	көйлөнүчөн
502	Customize	Means modifying something for your special needs, e.g. black background color of your desktop; Customize is a verb.	Both	GEN/UI	настроить	көйлөргө
503	cut	Basic function in Windows Apps (CTRL-C).	Windows	GEN/UI	вырезать	кисеп алырга
504	cut-and-paste	A procedure in which the computer acts as an electronic combination of scissors and glue for reorganizing a document or for compiling a document from different sources. In cut and paste, the portion of a document to be moved is selected, removed to storage in memory or on disk, and then reinserted into the same or a different document.	Windows	GEN	вырезать и вставить	кисеп алырга һәм өстөргө
505	cyan	A color that is essential to the CMY color model and the CMYK color-mixing method. The CMY model starts with white and subtracts percentages of cyan, magenta, and yellow to create different colors.	Office	GEN/UI	голубой	зәңгәрсү

506	Cycle	General: a number of events happening in a regularly repeated order or just a perfect round item (physically)	Both	UI	Смена цветов	Төсләрне алмаштыру
	cylinder	Shape type	Windows	GEN	цилиндр	цилиндр
508	Daily	An action that is performed every day, for example about setting a "daily reminder" for a meeting or task in the Calendar in Microsoft Outlook.	Both	UI	ежедневно	һәр көн
509	damage	Verb			повреждение	бозылу, зарарлану
510	damage	Noun	Windows	GEN	повреждение	бозылу, зарарлану
511	Dark		Office	UI	темный	караңгы
512	Dashed	Indicates that an object should consist of dashes, for example a "dashed line". Appears in Word: Insert an AutoShape, select it, right-click and choose Format AutoShape. "Dashed" appears on the Colors and Lines tab.	Office	UI	штриховой	штрихлы, штрих
	data	Plural of the Latin datum, meaning an item of information. In practice, data is often used for the singular as well as the plural form of the noun.	Both	GEN/UI	данные, сведения	бирелмәләр, мәғлүматлар
514	data area	Microsoft Excel. The part of a PivotTable report that contains summary data. Values in each cell of the data area represent a summary of data from the source records or rows.	Office	GEN	область данных	бирелмәләр өлкәсе
515	Data Entry	The process of writing new data to computer memory.	Office	UI	ввод данных	бирелмә керту
516	data field	A field from a source list, table, or database that contains data, for example, that data that is summarized in a PivotTable report or PivotChart report In Microsoft. Excel. A data field usually contains numeric data, such as statistics or sales amounts.	Office	GEN	поле данных	бирелмәләр кыры

517	data file	File with data, usually in the format not readable or intended for humans.	Office	GEN	файл данных	бирелмэлэр файлы
518	Data Files	Files consisting of data in the form of text, numbers, or graphics, as distinct from a program file of commands and instructions.	Office	UI	файлы данных	бирелмэлэр файллары
	data form	A dialog box that displays one complete record at a time. You can use data forms to add, change, locate, and delete records.	Office	GEN	форма данных	бирелмэлэр формасы
520	data label	A label that provides additional information about a data marker, which represents a single data point or value that originates from a datasheet cell.	Office	GEN	подпись данных	бирелмэлэр асыязмасы
521	data points	About charts in Microsoft Excel. Individual values plotted in a chart and represented by bars, columns, lines, pie or doughnut slices, dots, and various other shapes called data markers. Data markers of the same color constitute a data series.	Office	GEN	точки данных (значения на точечной диаграмме)	бирелмэлэр нокталары (нокталы диаграммадагы кыйммэтлэр)
522	data processing	The general work performed by computers. More specifically, the manipulation of data to transform it into some desired result.	Windows	GEN	обработка данных	бирелмэлэрне эшкөртү
523	data range	The extent of allowed values between the limits, defining a data range.	Office	GEN/UI	диапазон данных	бирелмэлэр диапазоны
524	data series	About charts in Microsoft Excel. Related data points that are plotted in a chart and originate from datasheet rows or columns. Each data series in a chart has a unique color or pattern. You can plot one or more data series in a chart. Pie charts have only one data series.	Office	GEN	ряд данных	бирелмэлэр рөте

	data source	A stored set of source information used to connect to a database. A data source can include the name and location of the database server, the name of the database driver, and information that the database needs when you log on. Used in the Mail Merge feature in Microsoft Word.	Office	GEN/UI	источник данных	бирелмэлэр чыганагы
526	data table	A range of cells that shows the results of substituting different values in one or more formulas. There are two types of data tables	Office	GEN	таблица данных	бирелмэлэр таблицасы
527	data type	The characteristic of a field that determines what type of data it can hold. Data types include Boolean, Integer, Long, Currency, Single, Double, Date, String, and Variant (default).	Office	GEN	тип данных	бирелмэлэр тибы
528	data validation	A set of rules you can apply to form fields to restrict the type of information site visitors enter into forms. For example, you can set rules so that only letters, and not numbers, can be entered into a "name" field on a form.	Office	GEN	проверка данных	бирелмэлэрне тикшерү
529	data view	A data view is an object that acts as a layer on top of the data table, providing a filtered and sorted view of the table's contents. A data view is similar to a view in a database, in that it is not a copy of the data.	Office	GEN/UI	представление данных, вид данных	бирелмэлэрне күрсөтү, бирелмэлэр төре
530	data view manager	A data view manager is an object that contains a collection of data views, one for each table in a dataset. The data view manager provides centralized access to sorted and filtered data. This is especially helpful when working with related tables.	Office	GEN	подключение к базе данных	бирелмэлэр базасына тоташу

	database	A collection of data related to a particular subject or purpose. Within a database, information about a particular entity, such as an employee or order, is categorized into tables, records, and fields.	Both	GEN/UI	база данных	бирелмэлэр базасы
532	database application	Microsoft Access is an example of a database application.	Windows	GEN	система управления базами данных, СУБД	бирелмэлэр базасын идарэ итү системасы, ББИС
533	database connection	A connection that specifies the name, type, location, and optional information for a database file.	Office	GEN	подключение к базе данных	бирелмэлэр базасына тоташу
534	database objects	A Microsoft Access database contains objects such as tables, queries, forms, reports, pages, macros, and modules. An Access project contains objects such as forms, reports, pages, macros, and modules.	Office	GEN	объекты базы данных	бирелмэлэр базасы объектлары
535	database window	The window that appears when you open an Access database or an Access project. It displays shortcuts for creating new database objects and opening existing objects.	Office	GEN	окно базы данных	бирелмэлэр базасы тәрәзе
536	datasheet	Data from a table, form, query, view, or stored procedure displayed in a row-and-column format.	Office	GEN	таблица	таблица
	datasheet view	A window that displays data from a table, form, query, view, or stored procedure in a row-and-column format. In Datasheet view, you can edit fields, add and delete data, and search for data.	Office	GEN/UI	режим таблицы	таблица режимы
538	Date	Numbers or words used to refer to a particular day, month, and year (1 May 2003)	Both	GEN/UI	дата	дата
539	date format	Usually used in country settings.	Windows	GEN	формат даты	дата форматы
540	Date separator	The symbol you use for separating the figures or names for the particular day, month and year; e.g. "/" -> May/01/2003, or "-" May-01-2003	Windows	GEN/UI	Разделитель компонентов даты	Дата компонентлары аергычы

541	date stamping	A software feature that automatically inserts the current date into a document.	Windows	GEN		
542	Day	Noun. "A period of 24 hours" or "the period of time between when it becomes light in the morning and the time it becomes dark" or "the time during the day when you are awake" or "a weekday: monday, tuesday, wednesday, thursday, friday, saturday or sunday".	Both	UI	день	көн
	daylight time	Usually refers to the time zone feature in Windows Control Panel, Date and Time, "Automatically adjust clock for daylight saving changes"	Windows	GEN	летнее время	жэйге вакыт
544	deactivate	To stop something from functioning, sometime temporarily. Antonym to activate.	Windows	GEN	отключить	өзөргө
545	dealer	Company or shop that sells products, e.g. your printer dealer	Windows	GEN	Сдающий	Тапшыручы
546	debug	To detect, locate and correct logical or syntactical errors in a computer program.	Both	GEN/UI	отладка	көйлөү
547	decimal numbers	A fraction expressed (by an extension of the ordinary Arabic notation) by figures written to the right of the units figure after a dot or point (the decimal point), and denoting respectively so many tenths, hundredths, thousandths, etc.	Windows	GEN	десятичная дробь	унарлы вакланма
548	decimal place	Digit of the number after the decimal separator in decimal notation.	Office	GEN	число знаков дробной части	унарлы өлөштөгө тамгалар саны
	decimal separator	A character separating groups of numbers, as comma in English number 1,000,000 (one million).	Windows	GEN	десятичный разделитель	унарлы аергыч
550	Decline	About declining appointments/meeting invitations in Calendar in Microsoft Outlook.	Both	GEN/UI	Отклонить	Кире кагу

551	decoding	The process of converting coded data back into its original form.	Windows	GEN	декодирование	декодлау, кодны ачу
552	decompress	To restore the contents of a compressed file to its original form. Also called uncompress.	Windows	GEN	распаковать	сүтэргэ
553	decompression	To reverse the procedure conducted by compression software, and thereby return compressed data to its original size and condition.	Windows	GEN	распаковка	сүтү
554	Decrease	1.to grow progressively less (as in size, amount, number, or intensity) . 2. to cause to decrease	Office	UI	уменьшить, снизить	кечерэйтергэ, азайтырга, киметергэ
	Decrease Indent	Command in Microsoft Word. Indent="to start a line of writing further towards the middle of the page than other lines". Decrease="shrink in size"	Both	UI	Уменьшить отступ	Чигенешне киметергэ
556	decrypt	To restore encrypted data to its original form.	Windows	GEN	расшифровать	шифрны ачарга
557	decryption	The process of restoring encrypted data to its original form.	Windows	GEN	расшифровка	шифрны ачу
558	default	A predefined setting. You can accept the default option settings, or you can change them to suit your own preferences.	Both	GEN/UI	по умолчанию	килешү буенча
559	default button	The command button that is invoked when the user presses the ENTER key. A default button typically appears in a secondary window.	Windows	GEN	кнопка по умолчанию	килешү буенча төймә
560	default chart	Chart type which is selected by default.	Office	GEN/UI	диаграмма по умолчанию	килешү буенча диаграмма
	default settings	See default.	Windows	GEN	параметры по умолчанию, настройки по умолчанию	килешүле параметрлар, килешүле көйләү
562	default value	A value that is automatically entered in a field or control when you add a new record. You can either accept the default value or override it by typing a value.	Office	GEN	значение по умолчанию	килешүле кыйммәт

563	Define	Usual sense. Usually in the same meaning as "set up".	Both	GEN/UI	Определить	Билгеләргә
564	Define Views	View = "The display of data or an image from a given perspective or location." Defining means setting (the standard) view.	Both	UI	Создание представления	Күрсәтелеш төзү
565	definition	In the sense of defining something.	Windows	GEN	определение	билгеләмә
566	degree symbol	Character: °	Windows	GEN	знак градуса	градус тамгасы
	deinstall	To remove an installation	Windows	GEN	удалить	бетерергә
568	DEL key	On the keyboard.	Windows	GEN	клавиша DEL	DEL төймәсе
569	Delay	Appears in PowerPoint to indicate a delay before a animation should run. To reproduce, start PowerPoint, insert an object, select the object, choose Custom animation on the Slide Show menu. Click Add effect and insert an effect. Right-click on the effect and choose Timing. The label "Delay" appears on the Timing tab. May also appear in other stings to indicate that something should be delayed.	Office	UI	Задержка	тоткарлык
570	delegate	Delegate: Someone granted permission to open another person's folders, create items, and respond to requests for that person. The person granting delegate permission determines the folders the delegate can access and the changes the delegate can make.	Windows	GEN	Делегирование	Тапшыру
571	delete	To remove an object (or value).	Both	GEN/UI	удалить	бетерергә
572	Delete All	To remove all the items that have been selected. to permanently remove e.g. the selected files from the computer. Please check for gender and number of what "all" is referring to, if needed for your language.	Both	UI	Удалить все	Барысын да бетерергә (сөртәргә)

	Delete Item	To remove an item.	Office	UI	удалить элемент	элементны бетерергә
574	Delete Page		Office	UI	удалить страницу	битне бетерергә
575	Delete Rows		Office	UI	удалить строки	юлларны бетерергә
576	Delete Shortcut		Both	UI	Удалить ярлык	Ярлыкны бетерергә
577	Deleted Items	In Outlook, a folder with deleted mails, appointments, etc.	Office	UI	Удаленные	Бетерелгәннәр, сөртелгәннәр
578	Delimited	See comma delimited. It also appears in contexts such as Excel, File, Save as, Save as type, "Text (tab delimited)" and "CSV (comma delimited)" to indicate which characters separate entries in a Text format file.	Office	UI	с разделителями	аергычлар(бүлгечләр) белән
	delimiter	A special character that sets off, or separates, individual items in a program or set of data. In the following example, commas separate the fields in a database record (each non-numeric field is enclosed by double quotation marks). "Jones", "718 Harbor Drive", "Bayview", "WA", 98077; "Smith", "324 Marina Ave.", "Yelm", "WA", 98597;	Windows	GEN	разделитель	бүлгеч, аергыч
580	Demo	1. Short for demonstration. A partial or limited version of a software package distributed free of charge for advertising purposes. Demos often consist of animated presentations that describe or demonstrate the program's features. 2. A computer in a store that is available for customers to test, to see if they wish to buy it.	Both	GEN/UI	демонстрация	демонстрация
581	demote	In an outline, to change a heading to body text or to a lower heading level - for example, to change from Heading 5 to Heading 6.	Office	GEN	понизить уровень	дәрәжәсен киметергә

582	Department	Usually in the sense of one of the groups of people working together to form part of a large organization such as a hospital, university or company	Both	GEN/UI	отдел	бүлөк
583	Depth		Both	GEN/UI	глубина	тирэнлек
584	descending order	About sorting order	Windows	GEN	по убыванию	кимү буенча
	Description	A piece of writing or speech that says what someone or something is like.	Both	GEN/UI	описание	сурөтлөү, тасвирлау
586	deselect	To clear a check box, or remove a selection of text, etc.	Both	GEN/UI	снять выделение	тамгалауны бетерү
587	Design	1. n. A plan or scheme conceived in the mind and intended for subsequent execution; the preliminary conception of an idea that is to be carried into effect by action; a project. 2. v. To form a plan or scheme of; to conceive and arrange in the mind; to originate mentally, plan out, contrive.	Both	GEN/UI	разработка, разработать	эшләнмә, эшләргә
588	design template	A file that contains the styles in a presentation, including the type and size of bullets and fonts; placeholder sizes and positions; background design and fill; color schemes; and a slide master and optional title master.	Office	GEN	шаблон оформления	бизәү шаблону
589	Design view	A window that shows the design of these database objects	Office	GEN/UI	конструктор, режим конструктора, представление конструктора	конструктор, конструктор режимы, конструктор күрсәтелеше
590	designer	One that designs, for example web page designer or developer.	Windows	GEN	конструктор	конструктор

	desktop	The visual work area that fills the screen in Windows. The Desktop is also a container and as such, can be used as a convenient location to place objects stored in the file system.	Windows	GEN/UI	рабочий стол	эш өстәле
592	desktop computer	As opposed to a laptop computer	Windows	GEN	настольный компьютер	өстәл компьютеры
593	desktop publishing program	Such as Microsoft Publisher	Windows	GEN	настольная издательская система	өстәл нәшрият системасы
594	destination	General term for the name of the element you go to from a hyperlink.	Both	GEN	назначение	билгеләү
595	destination file	Destination file: The file that a linked or embedded object is inserted into. The source file contains the information used to create the object. When you change information in a destination file, the information is not updated in the source file.	Windows	GEN	файл назначения, конечный файл	максат файл, ахыргы файл
596	detail	Usual meaning. Often used about personal details.	Both	GEN/UI	сведения, подробные сведения	мәғлүмат, тулы мәғлүмат
	Details	Heading for items in folder windows. Displays size, file type and other information about a file or folders you select in the window.	Windows	UI	Таблица	Таблица
598	Detect and repair	Feature in Office apps to detect errors. Appears on the Help menu.	Windows	GEN	Найти и восстановить	Табарга һәм тергезергә
599	detection	Discovery of a certain condition that affects a computer system or the data with which it works.	Windows	GEN	обнаружение	табу
600	developer	One who designs and develops software.	Windows	GEN	разработчик	эшләүче
601	device	Such as a printer	Both	GEN/UI	устройство	жайланма
602	device driver	Driver for a device	Windows	GEN	драйвер устройства	жайланма драйверы

	diacritics	In right-to-left languages, markings that are printed above or below vowels that specify how to pronounce the vowels.	Office	GEN	диакритические знаки	диакритик тамгалар
604	Diagonal	About the direction of an special effect. For example of context, see PowerPoint, Slide Show, Custom animation, Add effect, Motion Paths, "Diagonal Down Right"	Office	UI	диагональ	диагональ
605	Diagram	Object type. See Excel, Insert menu, "Diagram"	Office	UI	схема	схема
606	Dial	Verb. To move the numbered wheel, press the buttons on a telephone or press the button in phone software in order to make a telephone/computer call.	Both	UI	набрать номер	номер жыярга
607	dial tone	The tone on a telephone system indicating that a call can be made	Windows	GEN	сигнал в линии	линиядеге сигнал
608	dial up	Verb. To access a remote computer or network with a modem.	Windows	GEN	установить подключение удаленного доступа	читтэн керүле ялгануны урнаштыру
	dialog	Usually short for dialog box	Windows	GEN	диалоговое окно	диалог тэрэзе
610	dialog box	A vehicle user interaction in Microsoft software.	Both	GEN/UI	диалоговое окно	диалог тэрэзе
611	dialog box title	The title displayed in a dialog box	Windows	GEN	заголовок окна	тэрэз башисеме
612	dial-up	Noun. To access a remote computer or network with a modem.	Windows	GEN	удаленный доступ	читтэн керу
613	dial-up account	A basic type of Internet account that allows you to dial-up a provider's computer with a modem.	Windows	GEN	удаленное соединение	читтэн ялгану
614	dial-up networking	Concept. Working on one computer from a remote computer	Windows	GEN	удаленный доступ к сети	челтэргэ читтэн тоташу
	dictation	Office User Assistance term - about speech recognition	Both	GEN/UI	Диктовка	эйтеп тору
616	Dictionary	As used in the Spelling tools. See Word, Tools, Options, Spelling and Grammar	Office	UI	словарь	сүзлек

617	digit	One of the characters used to indicate a whole number (unit) in a numbering system. In any numbering system, the number of possible digits is equal to the base, or radix, used. For example, the decimal (base-10) system has 10 digits, 0 through 9; the binary (base-2) system has 2 digits, 0 and 1; and the hexadecimal (base-16) system has 16 digits, 0 through 9 and A through F.	Windows	GEN	цифра	цифр
618	Digital	In computing, analogous to binary because the computers familiar to most people process information coded as combinations of binary digits (bits).	Windows	GEN/UI	цифровой	санлы
619	digital ID	Contains a private key that stays on the sender's computer, and a certificate that contains a public key. The certificate is sent with digitally signed messages. Recipients save it and use the public key to decipher messages from the sender.	Windows	GEN/UI	сертификат	сертификат
620	digital signature	A unique digital object embedded in document or other digital object that serves to identify the person or machine that created or processed such document or object.	Both	GEN	цифровая подпись	санлы имза
	digitally sign	To embed digital signature into the object for identification purposes.	Both	GEN/UI	использовать цифровую подпись	санлы имзаны файдалану
622	Dim	For example of context, see PowerPoint, Slide Show, Custom animation, Effect Options, After animation, "Don't dim"	Office	UI	затемнять	караңгылатырга

623	dimension	An OLAP structure that organizes data into levels, such as Country/Region/City for a Geography dimension. In a PivotTable or PivotChart report, each dimension becomes a set of fields where you can expand and collapse detail.	Both	GEN/UI	Размерность	Үлчәм
624	dimmed command	Visible, but unavailable command	Windows	GEN	недоступная команда	ябык команда
625	direction	Specifies the reading order, alignment, and/or visual appearance of right-to-left text and documents, regardless of the keyboard language. Direction also describes how the user interface, controls, and other screen objects are oriented.	Both	GEN/UI	направление	юнәлеш
626	direction keys	Same as Arrow Keys and Cursor Keys.	Windows	GEN	клавиши со стрелками	уклы тәймәләр
	directory	An alphabetical or classified list (as of names and addresses) in certain format - e.g. Active Directory, or LDAP Directory.	Both	GEN/UI	каталог, справочник	каталог, белешмәлек
628	Directory Services	About the directory in Windows 2000 (Active Directory). The name Active Directory should not be localized.	Windows	GEN	служба каталогов	каталоглар хезмәте
629	disability	A skill level that is near the lower range for an average person.	Windows	GEN	ограниченная дееспособность	эшкә яраклылыгы чикләнгән
630	disable	Turn something off, e.g. an option	Both	GEN/UI	отключить	өзәргә
631	disc	A flat, nonmagnetic metal disk to be read from and written to by optical (laser) technology. Can refer to CD or DVD	Windows	GEN	диск	диск
632	discard	To remove something.	Both	GEN/UI	отбросить, удалить, очистить	ташларга, бетерергә, чистартырга
	disclaimer	A notice that warns that the manufacturer of the product limits liability in certain situations/uses.	Windows	GEN	заявление об отказе	баш тарту турында гариза

634	disconnect	Break a connection.	Both	GEN/UI	отключить	өзэргэ
635	discussion	A feature of a Web site that enables site visitors to post and reply to conversational topics. Visitors can post stand-alone discussions or they can associate conversational topics with the content of a document.	Both	GEN	обсуждение	фикер алышу
636	discussion board	A Web site component that enables users to participate in topics of discussion by posting and replying to comments. Requires a Web server that is running Microsoft's SharePoint Team Services.	Office	GEN	доска обсуждений	фикер алышулар тактасы
637	discussion comment	A remark or topic of discussion that is associated with a Web page or Microsoft Office file and is stored on a discussion server.	Office	GEN	обсуждение	фикер алышу
638	disk	Usually refers to hard disk or floppy disk. Compare disc	Windows	GEN	диск	диск
	disk drive	An electromechanical device that reads from and writes to disks. The main components of a disk drive include a spindle on which the disk is mounted, a drive motor that spins the disk when the drive is in operation, one or more read/write heads, a second motor that positions the read/write head(s) over the disk, and controller circuitry that synchronizes read/write activities and transfers information to and from the computer. Two types of disk drives are in common use: floppy disk drives and hard disk drives. Floppy disk drives are designed to accept removable disks in either 5.25-inch or 3.5-inch format; hard disk drives are faster, high-capacity storage units that are completely enclosed in a protective case.	Windows	GEN	дисковый накопитель (общий термин), дисковод (только для дискет)	дисклы туплагыч (гомуми термин), дискйөрткеч (дискетлар өчен)

640	disk icon	An icon in Windows representing a disk, for example in My computer.	Windows	GEN	значок диска	диск тамгасы
641	disk space	The amount of space on a disk	Windows	GEN	место на диске	дисктагы урын
642	Dismiss	To turn something down. For example, it can refer to rejecting an invitation to an online meeting. See Excel Help topic "Accept a request for an online meeting " for a context example.	Office	UI	отклонить	кире кагарга
643	Display	Can have 2 meanings: the physical screen, such as an "LCD display". Or, used as a verb, a command in Windows and Office meaning "to show something"	Both	GEN/UI	дисплей	дисплей
644	Display as		Office	UI	В виде, отображать как, выводить как	Бу рәвешле, болай чагылдырырга, болай чыгарырга
	Display as icon	Option in certain dialogs that allows you to insert an object as an icon instead of the actual object. See WordPad, Insert menu, Object	Both	UI	В виде значка	Тамга рәвешендә
646	display name	Control label that is displayed on screen, may be different from internal field name.	Both	GEN/UI	отображаемое имя	чагылдырыла торган исем
647	Distribute	Two main meanings in Microsoft products: to inform someone of something (for example, "do not distribute this e-mail"), or to spread objects across something so they are in equal distance from each other, for example in Word, on the Drawing toolbar, insert two objects and select "Draw" on the toolbar. The menu item "Align and distribute" appears.	Office	UI	распределять	таратырга
648	Divide	The mathematical function. Dialog option. Appears in Paste Special, Operation.	Office	UI	делить	бүлөргә
649	division line	Re: fractions	Windows	GEN	дробная черта	вакланма сызыгы

650	DLL (Dynamic Link Library)	File with the extension .dll	Windows	GEN	DLL-файл	DLL-файл
	dock	To manipulate a toolbar such that it no longer floats as a palette window, but aligns itself with the edge of a window or pane.	Windows	GEN	закрепить	беркетергә
652	docked toolbar	A toolbar that is attached to one edge of the program window. When you drag a toolbar below the program title bar or to the left, right, or bottom edge of the program window, the toolbar snaps into place on the edge of the program window.	Windows	GEN	закрепленная панель инструментов	беркетелгән корал аслыгы
653	docking station	Type of PC equipment that you allows you to plug in a laptop usually work with a normal keyboard and screen.	Windows	GEN	стыковочный узел	тоташу төене
654	document	Common unit of data used in tasks and exchanged between users. The use of the term document also refers to spreadsheets, charts, and so on.	Windows	GEN/UI	документ	документ
655	document formatting	The formatting in a document	Windows	GEN	форматирование документа	документны форматлау
656	document icon	An icon representing a document	Windows	GEN	значок документа	документ тамгасы
	Document Library	A folder where a collection of files is shared and the files often use the same template. Each file in a library is associated with user-defined information that is displayed in the content listing for that library.	Office	GEN/UI	библиотека документов	документлар китапханәсе

658	document map	A vertical pane along the left edge of the document window that displays an outline of the document's headings. You can use the Document Map to quickly move through a document and to keep track of your location in it. See Word.	Windows	GEN	схема документа	документ схемасы
659	document recovery	Office feature that allows you to recover work done after a crash. For a specific software reference, the Document Recovery task pane appears after you reopen an Office application after a crash.	Windows	GEN	восстановление документа	документны торгызу(тергезу)
660	document type definition	See XML schema	Office	GEN	определение типа документа	документ тибын билгеләү
661	document window	A window that provides a primary view of an object (typically its contents).	Windows	GEN	окно документа	документ тәрәзе
662	Documents and Settings	Name of system drive folder.	Windows	UI		Документлар һәм Оурнаштырылмалар
	dollar sign	Character: \$	Windows	GEN	знак доллара	доллар билгесе
664	domain	A set of records defined by a table, a query, or an SQL expression. Domain aggregate functions return statistical information about a specific domain or set of records.	Both	GEN/UI	домен	домен
665	dots per inch	Abbreviated dpi	Windows	GEN	точек на дюйм	дюймга нокта
666	dotted line	See "hidden text"	Windows	GEN	пунктирная линия	пунктир сызык
667	double byte character	Re: Asian, Hebrew and Arabic languages.	Windows	GEN	двухбайтный знак	ике байтлы тамга
668	double the size	To make an object or space twice as big as the original	Windows	GEN	увеличить вдвое	икеләтә арттырырга

	double underline	An underline with 2 lines for added emphasis	Windows	GEN	двойное подчеркивание	ике тапкыр астына сызу
670	double-byte font	Used for Chinese and Japanese characters	Windows	GEN	двухбайтный шрифт	ике байтлы шрифт
671	double-click	Verb. To press and release a mouse button twice in rapid succession. Noun. The act of double-clicking.	Windows	GEN	дважды щелкнуть, двойной щелчок	ике тапкыр чирттерергә, ике тапкыр чирттерү
672	Doughnut	Type of chart. See Excel, Insert menu, Chart, Chart type	Office	UI	кольцевая (диаграмма)	божрасыман (диаграмма)
673	Down	1. Not functioning, in reference to computers, printers, communications lines on networks, and other such hardware.	Both	GEN/UI	Вниз	Аска
674	Down	2. Direction. As opposed to Up.			Вниз	Аска
	Down Arrow	Type of AutoShape. For example, see Word, Drawing toolbar, AutoShapes, Block arrows	Office	UI	стрелка вниз	ук аска
676	Download	1. In communications, to transfer a copy of a file from a remote computer to the requesting computer by means of a modem or network. 2. To send a block of data, such as a PostScript file, to a dependent device, such as a PostScript printer.	Windows	GEN/UI	загрузить	йөкләргә
677	downtime	Idle time when a user cannot work on a computer system due to errors, maintenance, etc.	Windows	GEN	отказы	кире кагулар
678	DPA	Distributed password authentication. An advanced method of user authentication that allows a single user log-on. Support is provided by the Microsoft Membership System and is optimized for the needs of Internet service providers and online services.	Office	GEN	not in giaa	not in giaa

679	DPI setting	Setting for screen resolution. Appears in Control Panel, Display, Settings, Advanced, General.	Both	UI	Разрешение (количество точек на дюйм)	Ачыклык (дюймга нокталар саны)
680	draft	For example a draft of a document or a mail message	Windows	GEN/UI	черновик	каралама
	drag	To press and hold a mouse button while moving the mouse.	Windows	GEN	перетащить	сөйрөп китерергө
682	drag and drop	Metaphor of user manipulation with data and documents, leveraging the concept of material representation of data pieces that can be handled by mouse pointer in a fashion, similar to handling pieces of paper on a desktop.	Both	GEN/UI	перетащить и отпустить	сөйрөп китерергө һәм жибәрергө
683	Drawing	Name of toolbar in Word, Excel, PowerPoint.	Office	UI	Рисование	Рәсем ясау
684	drawing canvas	An area upon which you can draw multiple shapes. Because the shapes are contained within the drawing canvas, they can be moved and resized as a unit.	Both	GEN	Полотно	Полотно
685	drawing object	Any graphic that you can draw or insert, and change and enhance. Drawing objects include Custom Shapes, curves, lines, and WordArt drawing objects. Any graphic you draw or insert which can be changed and enhanced. Drawing objects include AutoShapes, curve	Both	GEN	Графический объект	График объект

686	Drive	Noun. Same as disk drive: (n. An electromechanical device that reads from and writes to disks. The main components of a disk drive include a spindle on which the disk is mounted, a drive motor that spins the disk when the drive is in operation, one or more read/write heads, a second motor that positions the read/write head's) over the disk, and controller circuitry that synchronizes read/write activities and transfers information to and from the computer. Two types of disk drives are in common use: floppy disk drives and hard disk drives. Floppy disk drives are designed to accept removable disks in either 5.25-inch or 3.5-inch format; hard disk drives are faster, high-capacity storage units that are completely enclosed in a protective case.)	Both	GEN/UI	накопитель (общий термин), дисковод (только для дискет)	туплагыч (гомуми термин), дискйөрткеч (дискетлар өчен)
	drive icon	A small image displayed on the screen to represent an disk drive that can be manipulated by the user.	Windows	GEN	значок диска	диск тамгасы (билгесе)
688	drive letter	The naming convention for disk drives on IBM and compatible computers. Drives are named by letter, beginning with A, followed by a colon.	Windows	GEN	буква диска	диск хәрефе
689	Driver	Noun. A hardware device or a program that controls or regulates another device. A line driver, for example, boosts signals transmitted over a communications line. A device driver is a device-specific control program that enables a computer to work with a particular device, such as a printer or a disk drive.	Windows	GEN/UI	драйвер	драйвер
690	drop	Verb. About an object. See drag-and-drop	Both	GEN/UI	отпустить	жибәрергә

691	drop area	An area in PivotTable or PivotChart view in Microsoft Excel where you can drop fields from the field list to display the data in the field. The labels on each drop area indicate the types of fields you can create in the view.	Office	GEN	область	өлкө
692	drop cap	A large dropped initial capital letter.	Both	GEN/UI	буквица	хәрефша
	drop lines	In line and area charts in Microsoft Excel, lines that extend from a data point to the category (x) axis. Useful in area charts to clarify where one data marker ends and the next begins.	Office	GEN	линии проекции	проекция сызыклары
694	Drop-down		Office	UI	раскрывающийся (список)	ачылучан (исемлек)
695	drop-down arrow	Arrow on a drop-down box.	Windows	GEN		Ойке юнөлешле ук
696	Dropdown Box		Both	UI	раскрывающийся список	ачылучан исемлек
697	drop-down combo box	A standard Windows control that combines the characteristics of a text box with a drop-down list box	Windows	GEN	поле со списком	исемлекле кыр
698	drop-down list	A GUI control type, a hidden list of selectable items which opens by clicking on down arrow to the right of the entry field.	Both	GEN	раскрывающийся список	ачылучан исемлек
	drop-down list box	A standard Windows control that displays a current setting, but that can be opened to display a list of choices.	Windows	GEN	Раскрывающийся список	ачылучан исемлек
700	drop-down menu	A menu that is displayed from a menu bar.	Windows	GEN	раскрывающееся меню	ачылучан меню
701	DTD	See XML schema	Office	GEN	DTD	DTD
702	Due date	The date by which a task must be done. See Outlook, Tasks.	Office	UI	срок	срок
703	Duplicate	A copy of data.	Both	GEN/UI	дубликат	дубликат

704	Duration	The period of time that something lasts or exists	Both	UI	длительность	дэвампылык
	DVD	A type of optical disc storage technology. A digital video disc ( ) looks like a CD-ROM disc, but it can store greater amounts of data. DVDs are often used to store full-length movies and other multimedia content that requires large amounts of storage space.				DVD
706	Each other		Office	UI	друг другу, друг с другом и т.п.	бер-берсенэ, бер-берсе белэн н.б.
707	echo	The process of Access updating or repainting the screen while a macro is running.	Office	GEN	вывод на экран	экранга чыгару
708	Edit	To make a change to something.	Both	GEN/UI	Правка (стандартный элемент меню), Изменить	Төзөтү (стандарт меню элемент), Үзгөртү
709	edit box	Also known as a text box, an edit box is a rectangular window in which a user can enter and edit text.	Windows	GEN	поле ввода	кертү кыры
710	Edit Hyperlink	Command in several applications that allows the user to edit an existing hyperlink, for example in a document. Appears when you right-click an existing hyperlink, for example in a Word document.	Both	UI	Изменить гиперссылку, Изменение гиперссылки	Гиперсылтаманы үзгөртөргө, гиперсылтаманы үзгөртү
	Edit Picture	Command in Word, for example, to allow the user to edit an inserted pictures. Appears on the shortcut menu when you insert clipart in a document and right-click.	Office	UI	Изменить рисунок, Изменение рисунка	Рәсемне үзгөртөргө, Рәсемне үзгөртү
712	Edit Series		Office	UI	Изменить ряд	Рәтне үзгөртөргө
713	Edit Text		Both	UI	Изменить текст	Текстны үзгөртөргө

714	Edit Trust	To make a change to a logical relationship established between domains to allow pass-through authentication, in which a trusting domain honors the logon authentications of a trusted domain.	Both	UI	Изменить правила доверия	Ышаныч кагыйдәсен үзгәртәргә
715	editor	A program that creates files or makes changes to existing files. FrontPage has both a web page editor and an HTML editor. You can also associate files with external editors.	Office	GEN/UI	редактор	редактор
716	Effect	Change or changed status occurring as a direct result of action by somebody or something else	Office	GEN/UI	эффект	эффект
	electronic mail	Same as e-mail	Windows	GEN	электронная почта	электрон почта
718	element	1. Synonymous with "item". 2. One of the items of data in an array. 3. In XML, an element is always represented either by an explicit start tag and end tag, or by an empty element tag ("  <td>Windows</td> <td>GEN</td> <td>элемент</td> <td>элемент</td>	Windows	GEN	элемент	элемент
719	ellipsis	The "...” suffix added to a menu item or button label to indicate that the command requires additional information to be completed. When the user chooses the command, a dialog box is usually displayed for user input of this additional information.	Both	GEN/UI	многоточие	күп нокта
720	em dash	Character: —	Windows	GEN	длинное тире	озын сызык
721	e-mail	The exchange of electronic text messages and computer file attachments between computers over a communications network, such as a local area network or the Internet.	Both	GEN/UI	электронная почта	электрон почта

722	e-mail account	The server name, user name, password, and e-mail address used by Outlook to connect to an e-mail service. You create the e-mail account in Outlook using information provided by your administrator or Internet service provider (ISP).	Office	GEN	учетная запись электронной почты	электрон почтаның исәп язмасы
	e-mail address	Unique address of electronic mail.	Both	GEN/UI	адрес электронной почты	электрон почта адресы
724	e-mail message	A message created for delivery via e-mail.	Both	GEN/UI	Сообщение электронной почты	Электрон почта хәбәре
725	e-mail server	E-mail server: A computer that stores e-mail messages.	Windows	GEN	сервер электронной почты, почтовый сервер	электрон почта серверы, почта серверы
726	embed	To insert a copy of an OLE object from another application. The source of the object, called the OLE server, can be any application that supports object linking and embedding. Changes to an embedded object are not reflected in the original object.	Both	GEN	внедрить (объект)	(объектны) керту
727	embedded hyperlink	A hyperlink that is incorporated into a piece of text.	Windows	GEN	внедренная ссылка	кертелгән сылтама
728	embedded object	Information (object) that is contained in a source file and inserted into a destination file. Once embedded, the object becomes part of the destination file. Changes you make to the embedded object are reflected in the destination file.	Office	GEN	внедренный объект	кертелгән объект
	Empty	Adj: Containing nothing. Verb: to remove the contents of something, specifically as a verb in the context of emptying the Recycle Bin in Windows.	Both	GEN/UI	пустой	буш
730	en dash	Character: –	Windows	GEN	короткое тире	қыска сызык

731	Enable	To activate	Both	GEN/UI	включить	ялгарга
732	enclose	1. To surround on all sides; close in; to fence in so as to prevent common use: enclosed the pasture; to contain, especially so as to envelop or shelter. 2. One of a pair of marks, ( ), used to enclose written or printed material or to indicate a mathematical expression considered in some sense a single quantity.	Windows	GEN	заклучить	эченэ алырга
733	Encoding	The process of turning data into a stream of bits. Encoding is part of the serialization process that converts data into a stream of ones and zeros so that it can be transmitted over a serial line.	Both	GEN/UI	кодировка	кодлау
734	Encrypt	To programmatically disguise content to hide its substance.	Both	UI	шифровать	шифрларга
	encryption	A way of making data unreadable to everyone except the receiver. An increasingly common way of sending credit card numbers over the Internet when conducting commercial transactions.	Both	GEN	шифрование	шифрлау
736	End	To terminate, cease, cessation, close, completion, ending, end of the line, finish, stop, stopping point, termination	Both	GEN/UI	конец	тәмам
737	END key	Key on the keyboard.	Windows	GEN	клавиша END	END тәймәсе
738	End time	The time a meeting ends, as opposed to Start time. Used in Microsoft Outlook, Calendar, Actions, New Appointment.	Office	UI	время окончания	Тәмамлану вакыты, бетү вакыты
739	end user	The actual user of the product as opposed to the manufacturer or companies that resell the product.	Windows	GEN	конечный пользователь	ахыргы кулланучы
740	end user license	The online agreement that accompanies all Microsoft software. Sometimes referred to as EULA (end-user license agreement)			лицензионное соглашение	лицензион килешү

	endnote	Footnotes and endnotes are used in printed documents to explain, comment on, or provide references for text in a document. Footnotes are used for detailed comments and endnotes for citation of sources.	Both	GEN/UI	концевая сноска	ахыргы чыгарма
742	enter	Verb. As in "enter text"	Windows	GEN	ввести	кертергә
743	ENTER key	Key on the keyboard.	Windows	GEN	клавиша ВВОД	ENTER төймәсе
744	Entire Network	Item in My Network Places folder in Windows. Displays all computers, printers, files and people on your network.	Windows	UI	Вся сеть	Барлык челтәр
745	entry	A record or notation of an occurrence, transaction, or proceeding. Entering something (e.g. text)	Both	GEN/UI		
746	entry bar	Same as "formula bar" - The bar below the tool bar that displays the content of a cell or line. Used mainly in spreadsheets.	Windows	GEN	область правки	төзөтү өлкәсе
	Envelopes	Meaning postal envelopes. Used in Microsoft Word, Tools menu, Letters and mailings, Envelopes and labels	Office	UI	конверты	конвертлар
748	environment	Especially used to mean "software environment", for example in the Software Environment category in the "System Information" applet in Windows, which contains information about your system configuration, including details about system drivers, environment variables, and current print jobs	Windows	GEN	среда	мохит
749	EPS	Encapsulated PostScript. An extension of the PostScript graphics file format developed by Adobe Systems. EPS enables PostScript graphics files to be incorporated into other documents.	Office	GEN	EPS	EPS

750	Equal Sign	Character: =	Both	GEN/UI	знак равенства	тигезлек билгесе
751	Equation Editor	Name of applet supplied with Office that allows you to insert mathematical equation symbols. You start it by choosing Word, Insert menu, Object, Create new	Office	UI	редактор формул	формулалар редакторы
752	Erase	To remove data permanently from a storage medium.	Both	GEN/UI	стереть	сөртөргө
	error	A value or condition that is not consistent with the true, specified, or expected value or condition. In computers, an error results when an event does not occur as expected or when impossible or illegal maneuvers are attempted. In data communications, an error occurs when there is a discrepancy between the transmitted and received data.	Windows	GEN	ошибка	хата
754	error bars	Usually used in statistical or scientific data, error bars show potential error or degree of uncertainty relative to each data marker in a series.	Office	GEN	полоса погрешностей	төгөлсөзлөклөр тасмасы
755	error log	File that lists errors during an operation.	Windows	GEN	журнал ошибок	хаталар журналы
756	error message	A developer-predefined descriptive message to warn user that there's been a program error.	Both	GEN/UI	сообщение об ошибке	хата турында хәбәр
757	ESC key	Key on the keyboard.	Windows	GEN	клавиша ESC	ESC төймәсе
758	Evaluate	To make a judgment as to the worth or value of: appraise, assess, calculate, estimate, size up, value.	Both	GEN/UI	Вычислить	Исәпләргә
	evaluation	The act or result of judging the worth or value of something or someone: appraisal, appraisement, assessment, estimate, estimation, judgment, valuation	Windows	GEN/UI	Вычисление	Исәпләү

760	event	An action recognized by an object, such as a mouse click or key press, for which you can define a response. An event can be caused by a user action or a Visual Basic statement, or it can be triggered by the system.	Office	GEN	событие	вакыйга
761	Every		Both	UI	каждый	һәр
762	Exactly	Command used in Word, Format menu, Paragraph, Indents and Spacing, Line Spacing, "Exactly"	Both	GEN/UI	в точности	нәкъ
763	Example		Both	UI	пример	мисал
764	Exception	Events that occur during the execution of a program and that require the execution of software outside the normal flow of control	Both	UI	исключение	гадәттән тыш
	exclamation point	Character: !	Windows	GEN	восклицательный знак	өндәү билгесе
766	exclusive	A type of access to data in a database shared over a network. When you open a database in exclusive mode, you prevent others from opening the database.	Both	GEN	монопольный	монополь
767	executable program	EXE file	Windows	GEN	исполняемый файл	башкарылма файл
768	execute	To perform an instruction. In programming, execution implies loading the machine code of the program into memory and then performing the instructions.	Windows	GEN	выполнить, исполнить	башкарырга, үтәргә
769	execution	The process of carrying out the instructions in a computer program by a computer. Performing of something: the carrying out of an action, instruction, command, or movement .	Windows	GEN	выполнение, исполнение	башкару, үтәү
770	exist	Occur: to be present or found in a particular place or situation	Windows	GEN	существовать	гамәлдә булырга

	existing	Present: currently present, in operation, or available	Both	GEN/UI	существующий	гамәлдәге
772	Exit	Exit an application. In a program, to move from the called routine back to the calling routine. A routine can have more than one exit point, thus allowing termination based on various conditions.	Both	GEN/UI	выход	чыгу
773	expand	In connection with decompressing files.	Windows	GEN	Развернуть	Жәяргә
774	expand (an outline)	Used in connection with outlines in Microsoft Word (View menu). Opposite of collapse	Windows	GEN	развернуть	жәяргә
775	Expand icon	To display the subsections (or subdirectories) under main sections (or directories).	Windows	GEN	развернуть значок	тамганы жәяргә
776	Explain		Office	UI	Объяснение	Аңлату
	explore	Investigate, search; to investigate systematically; examine: explore every possibility.	Both	GEN/UI	Проводник	Юлкүрсәткеч
778	explorer	Refers to Windows Explorer or Internet Explorer.	Windows	GEN	Проводник	Юлкүрсәткеч
779	export	Process of creating a data copy in the format different from the native format of the application, for use in other programs.	Both	GEN/UI	экспорт	экспорт
780	express installation	Act of installing an application in a quick manner, usually installing only the necessary part of application just enough to run the application.	Windows	GEN	быстрая установка	тиз урнаштыру
781	express setup	To install and configure hardware or software in a quick manner by usually installing only the necessary part of software just enough to run the software.	Windows	GEN	быстрая установка	тиз урнаштыру
782	expression	A combination of operators, field names, functions, literals, and constants that evaluates to a single value. Expressions can specify criteria (such as Order Amount>10000) or perform calculations on field values (such as Price*Quantity).	Both	GEN	выражение	аңлатма

	extend	For example a selection or an outline	Both	GEN/UI	расширить	киңәйтергә
784	extended selection	A selection technique that is optimized for selection of a single object or single range using contiguous selection techniques (that is, canceling any existing selection when a new selection is made).	Windows	GEN	Связный выбор	Бәйлә сайлау
785	extension	The last characters following a period in a file name. These characters usually indicate the kind of information that is stored in the file.	Both	GEN/UI	расширение	киңәйтү
786	external	1. Outside: situated on, happening on, or coming from the outside 2. Outside something's scope: existing outside the body or mind, or the limits of something	Windows	GEN	внешний	тышкы
787	external data	Data that is stored outside of Excel. Examples include databases created in Access, dBASE, SQL Server, or on a Web server.	Office	GEN	внешние данные	тышкы бирелмәләр
788	Extract	1. To remove or duplicate items from a larger group in a systematic manner. 2. In programming, to derive one set of characters from another by using a mask (pattern) that determines which characters to remove.	Windows	GEN/UI	извлечь	чыгарырга
	face down	Especially about paper orientation in printers (e.g. printing a page face down)	Windows	GEN	лицевой стороной вниз	алды аска
790	face up	Especially about paper orientation in printers (e.g. printing a page face up)	Windows	GEN	лицевой стороной вверх	алды өскә
791	facing pages	About printing pages in a double-side document. See Microsoft Word, File menu, Page Setup. See also Word Help topic "About page margins": "Use mirror margins to set up facing pages for double-sided documents, such as books or magazines."	Windows	GEN	титульные старницы	титул битләр

792	failure	The inability of a system or system component to perform a required function within specified limits. Lack of success: a lack of success in something, or an unsuccessful attempt at doing something;	Windows	GEN	ошибка	хата
793	FAQ	Frequently Asked Questions. A document listing common questions and answers on a particular subject.	Both	GEN	Вопросы и ответы	Сораулар һәм жавапар
794	Fast	Used in various contexts, as opposed to Slow.	Office	UI	быстрый	тиз
	favorite	Noun. For example favorite Web site or document. Appears in many MS apps, e.g. Outlook and Internet Explorer	Windows	GEN/UI	избранное	сайланмалар
796	Fax	Abbreviation for facsimile. The transmission of text or graphics over telephone lines in digitized form.	Windows	GEN/UI	факс	факс
797	feature	An intended property or behavior (as of a program); a property or behavior that was put in to help someone.	Windows	GEN	возможность	мөмкинлек
798	feedback	The return of a portion of the output of a process or system to the input, especially when used to maintain performance or to control a system or process.	Windows	GEN	обратная связь	кере элементә
799	field	An element of a table that contains a specific item of information, such as a last name. A Title field might contain Mr. or Ms. Databases such as Microsoft SQL Server refer to fields as columns.	Both	GEN/UI	поле	кыр
800	field button	Button that identifies a field in a PivotTable or PivotChart report. You can drag the field buttons to change the layout of the report, or click the arrows next to the buttons to change the level of detail displayed in the report.	Office	GEN	кнопка поля	кыр тәймәсе

	field code	Placeholder text that shows where specified information from your data source will appear; the elements in a field that generate a field's result. The field code includes the field characters, field type, and instructions.	Office	GEN	код поля	кыр коды
802	field list	A window that lists all the fields in the underlying record source or database object, except in data access page Design view. In data access page Design view, it lists all the record sources and their fields in the underlying database.	Office	GEN	список полей	кырлар исемлеге
803	field name	The name of a category of information in a Mail Merge data source. For example, City, State, and PostalCode are commonly used field names in an address list.	Office	GEN	имя поля	кыр исеме
804	field value	The contents of a database field displayed inside a database results region, as shown in a Web browser.	Office	GEN	значение поля	кыр кыйммәте
805	File	A complete, named collection of information, such as a program, a set of data used by a program, or a user-created document. A file is the basic unit of storage that enables a computer to distinguish one set of information from another. A file is the "glue" that binds a conglomeration of instructions, numbers, words, or images into a coherent unit that a user can retrieve, change, delete, save, or send to an output device.	Both	GEN/UI	файл	файл
806	File and Folder Tasks	Heading for items in folder windows. Displays commands to use on files and folders you select in the window.	Windows	UI	Задачи для файлов и папок	Файллар һәм папкалар өчен мәсьәләләр
	file and print sharing	Ability of several users to share the same files and printers	Windows	GEN	совместный доступ к файлам и принтерам	файллар һәм принтерлар белән бергәләп эшләү

808	File as		Office	UI	хранить как	файлы болай сакларга
809	file extension	Such as ".doc"	Both	GEN/UI	расширение файла	файл өстәмәсе
810	file format	The way in which information is stored in a file so that a program can open and save the file. A file's structure defines how it is stored and displayed. File format is indicated by a three-letter extension after the file name, such as .doc.	Both	GEN/UI	формат файла	файл форматы
811	file management	The organizational structure that an operating system or program uses to order and track files. For example, a hierarchical file system uses directories in a so-called tree structure. All operating systems have built-in file management systems. Commercially available products implement additional features that provide more sophisticated means of navigating, finding, and organizing files.	Windows	GEN	управление файлами	файллар белән идарә
812	file management	The organizational structure that an operating system or program uses to order and track files. For example, a hierarchical file system uses directories in a so-called tree structure. All operating systems have built-in file management systems. Commercially available products implement additional features that provide more sophisticated means of navigating, finding, and organizing files.	Windows	GEN	управление файлами	файллар белән идарә

	File name	The set of letters, numbers, and allowable symbols assigned to a file to distinguish it from all other files in a particular directory on a disk. A filename is the label under which a computer user saves and requests a block of information. Both programs and data have filenames and often extensions that further identify the type or purpose of the file. Naming conventions, such as maximum length and allowable characters of a filename, vary from one operating system to another.	Both	GEN/UI	имя файла	файл исеме
814	file sharing	Office term - the ability to share files between several users.	Windows	GEN	совместный доступ к файлам	файллар белән бергәләп эшләү
815	File size	The size of a file	Both	UI	размер файла	файл үлчәме
816	file type	The format of a file, commonly indicated by its file name extension. Computer applications usually work on a limited set of file types.	Both	GEN/UI	тип файла	файл тибы
817	Filename	Command. See File menu, Open command in, for example, Excel.	Both	UI	имя файла	файл исеме
818	Files of type	Command. See File menu, Open command in, for example, Excel.	Both	UI	Тип файлов	Файл тибы
	fill	Refers to the fill that is used as a background for a table or other object, for example, for filling a table cell in Word with a shading or a color. For context, see Word, Format menu, Borders and shading, Shading tab. Also related to "Fill color" and "Fill effects".	Windows	GEN	заливка	Буяу
820	Fill color		Office	UI	цвет заливки	буяу төсе
821	Fill Effects	Command. Effects for fill. See context in PowerPoint, Format AutoShape, Fill, Color, Fill effects	Office	UI	Способы заливки	буяу ысуллары

822	Filled Ellipse		Both	UI	Заполненный эллипс	Тутырылган эллипс
823	Filmstrip	A way of viewing pictures in a folder. To see context, open My Pictures folder in Windows, choose View menu, "Filmstrip"	Both	UI	Диафильм	Диафильм
824	filter	A set of criteria applied to data in order to display a subset of the data or to sort the data. In Access, you can use filtering techniques, such as Filter By Selection and Filter By Form to filter data.	Both	GEN	фильтр	фильтр
	Filter options		Both	UI	Параметры фильтрации	Фильтрлау параметрлары
826	Find	To seek specific data within a file or data structure.	Both	GEN/UI	найти	табарга
827	Find File		Both	UI	найти файл	файлны табарга
828	Find Next	Button in Find dialog on Edit menu in Word and Excel and other apps.	Both	UI	найти далее	ары табарга
829	Find Now	Button in Advanced Find dialog in Outlook and in Windows Search.	Both	UI	Найти, Поиск, Начать поиск	Табарга, Эзләү, Эзли башларга
830	Find People		Both	UI	Поиск людей	Кешеләрне эзләү
	Find Printer		Both	UI	Найти принтер	Принтерны табарга
832	Find what	Command in Find dialog in WordPad and Word and other apps.	Both	UI	Что искать:, Найти:	Нәрсә эзләргә:, Табарга:
833	Finish	Button that appears in most Wizards. It allows the users to finish a wizard without completing all steps.	Both	UI	Готово	Өзер
834	First		Both	UI	первый	беренче
835	First line indent	About indents where the first line only is indented. See the command in Word, Format menu, Paragraph, Indents and Spacing, Indentation, Special.	Both	UI	отступ красной строки	кызыл юл чигенеше

836	First Name	Name of a person, as opposed to Last Name.	Both	GEN/UI	Имя	Исем
	First page		Office	UI	первая страница	беренче бит
838	Fit	To reduce the size of an item (e.g. in Excel, print a worksheet to fit a paper width) so it fits on page, paper width, etc.	Both	GEN/UI	подгонка, подбор; подогнать, подобрать, вписать	яраштыру, яраклаштыру, туры китерү, сайлау; яраштырырга, кертеп язарга
839	Fit text		Office	UI	вписывание текста, вписать текст	текстны кертеп язу, текст кертеп язарга
840	Fit to		Both	UI	Подогнать	Яраштырырга
841	Fit to Window		Both	UI	Вписать в окно	Тәрәзгә кертеп язарга
842	fix	Verb. To repair.	Both	GEN/UI	устранить ошибки	хаталарны бетерергә
	fixed disk	As opposed to movable disk. Typically a hard disk.	Windows	GEN	жесткий диск	каты диск
844	fixed-layout table	Fixed-layout HTML tables allow an author to specify the column widths of a table up front, thereby enabling Internet Explorer to load the table at greatly improved speeds over auto-layout tables (the default).	Office	GEN	таблица задания раскладки	таратылышны күрсәткән таблица, тарату биреме таблицасы
845	flag	Verb. To set a flag. Noun. Used in Outlook, for example for "Flag for follow up"	Both	GEN/UI	установить флажок; флажок	флагчык куярга, флагчык
846	flash	Such as "the screen flashes"	Windows	GEN	флэш-память	флэш-хәтер
847	Flip Horizontal	About a way of manipulating an object, for example in Word, Drawing, Draw, Rotate or Flip	Both	UI	Отразить слева направо	сулдан уңга чагылдырырга
848	Flip Vertical	About a way of manipulating an object, for example in Word, Drawing, Draw, Rotate or Flip	Both	UI	Отразить сверху вниз	Өстән аска чагылдырырга
	floating	Able to move freely as its own window. A floating window is always on top. Toolbars, menu bars, the toolbox, and palettes can float.	Office	GEN	перемещаемый	күчерелүчән

850	floating toolbar	Floating toolbar: A toolbar that is not attached to the edge of the program window. You can change the shape of some floating toolbars.	Windows	GEN	перемещаемая панель	күчерелүчән аслык
851	floppy disk	A reusable magnetic storage medium. The floppy disk used today is the rigid 3.5-inch microfloppy that holds 1.44 MB. It is called a floppy because the first varieties were housed in bendable jackets.	Windows	GEN	дискета, гибкий диск	дискет, сыгылмалы диск
852	flowchart	A graphic map of the path of control or data through the operations in a program or an information-handling system. Symbols such as squares, diamonds, and ovals represent various operations. These symbols are connected by lines and arrows to indicate the flow of data or control from one point to another. Flowcharts are used both as aids in showing the way a proposed program will work and as a means of understanding the operations of an existing program.	Office	GEN/UI	блок-схема	блок-схема
853	flyer	Usually a type of document you can create in Word or Publisher	Windows	GEN	объявление	игълан
854	focus	The ability to receive user input through mouse or keyboard actions or the SetFocus method. Focus can be set by the user or by the application. The object that has focus is usually indicated by a highlighted caption or title bar.	Office	GEN	фокус	фокус
	folder	A named storage area on a computer containing files and other folders.	Both	GEN/UI	папка	папка
856	folder icon	A small image displayed on the screen to represent a folder that can be manipulated by the user.	Windows	GEN	значок папки	папка тамгасы
857	Folder List		Both	UI	список папок	папкалар исемлеге

858	Folder Name		Both	UI	имя папки	папка исеме
859	Follow Up	Option in Outlook to flag a mail message for "follow up"	Office	UI	К исполнению	Башкарырга
860	font	A set of attributes for characters.	Both	GEN/UI	шрифт	шрифт
	font box	Box with fonts names on the toolbar.	Windows	GEN	раскрывающийся список "Шрифт"	ачылучан "Шрифт" исемлеге
862	font color	Font display and/or print color.	Office	GEN/UI	цвет шрифта	шрифт төсе
863	font name	Name of the font.	Both	GEN/UI	Название шрифта	Шрифт исеме
864	Font size	The point size of a set of characters in a particular typeface. The size of a font; typically represented in points.	Both	GEN/UI	размер шрифта	шрифт үлчәме
865	font size box	Box on the toolbar to choose font size.	Windows	GEN	раскрывающийся список "Размер шрифта"	ачылучан "Шрифт үлчәме" исемлеге
866	font smoothing	Technology to make fonts appear clearer. See the Windows Help topic "Description of ClearType Font Smoothing Technology in Windows XP"	Windows	GEN	сглаживание экранных шрифтов	экран шрифтларын шомарту
	font style	Italic, bold, underlined, etc.	Both	GEN/UI	Начертание	Сызылыш
868	footer	Header and footer: A header, which can consist of text or graphics, appears at the top of every page in a section. A footer appears at the bottom of every page. Headers and footers often contain page numbers, chapter titles, dates, and author names.	Both	GEN/UI	нижний колонтитул	аскы колонтитул
869	footnote	Footnotes and endnotes are used in printed documents to explain, comment on, or provide references for text in a document. Footnotes are used for detailed comments and endnotes for citation of sources.	Both	GEN/UI	Сноска	Чыгарма

870	Foreground	Part that appears nearest: the part of a picture or scene that appears nearest the viewer. Area that is nearest to and in front of the viewer.	Both	GEN/UI	передний план, перед	алгы план, ал
871	form	A document that contains fill-in blanks, or form fields, in which you enter information. For example, you can create an online registration form in Microsoft Word that uses drop-down lists, from which users can select entries.	Both	GEN	форма	форма
872	form control	On a Web site, an individual box or button with which you enter information on an electronic form.	Office	GEN	элемент управления формы	форманың идарә элементлары
	form feed	A printer command that tells a printer to move to the top of the next page. In the ASCII character set, the form-feed character has the decimal value 12 (hexadecimal 0C). Because its purpose is to begin printing on a new page, form feed is also known as the page-eject character. Acronym: FF.	Windows	GEN	перевод страницы	башка биткә күчү
874	form field	A data-entry field on a page. A site visitor supplies information in a field either by typing text or by selecting a field. In a form, a location where a particular type of data is stored, for example, an address field.	Office	GEN	поле формы	форма кыры
875	Form name		Office	UI	имя формы	форма исеме
876	form properties	Attributes of a form that affect its appearance or behavior. For example, the DefaultView property is a form property that determines whether a form will automatically open in Form view or Datasheet view.	Office	GEN	свойства формы	форма үзлекләре

877	Form view	A window that displays a form to either show or accept data. Form view is the primary means of adding and modifying data in tables. You cannot change the design of a form in this view.	Office	GEN/UI	режим формы	форма режимы
878	Format	1. In general, the structure or appearance of a unit of data. 2. The arrangement of data within a document file that typically permits the document to be read or written by a certain application. Many applications can store a file in a more generic format, such as plain ASCII text. 3. The layout of data storage areas (tracks and sectors) on a disk. 4. To prepare a disk for use by organizing its storage space into a collection of data "compartments", each of which can be located by the operating system so that data can be sorted and retrieved. When a previously used disk is formatted, any preexisting information on it is lost. 5. To change the appearance of selected text or the contents of a selected cell in a spreadsheet. 6. The specifications for the placement of text on a page or in a paragraph. 7. The attributes of a cell in a spreadsheet, such as its being alphabetic or numeric, the number of digits, the use of commas, and the use of currency signs.	Both	GEN/UI	форматировать	форматларга
	Format	Verb			форматировать	форматларга
880	Format bar	A toolbar within an application used for modifying the format of the document being displayed, such as changing font size or type.	Both	UI	панель форматирования	форматлау аслыгы

881	Format Cells	Title of the dialog "Format Cells" in Excel. To reproduce: start Excel, choose Format menu, Cells submenu. This appears as the title of the dialog.	Office	UI	формат ячеек	күзәнәкләр форматы
882	Formatted text	Text that is displayed with multiple attributes such as typeface, slant, weight, and color. Formatting can include special effects such as shading, underlining, and blinking.	Office	UI	форматированный текст	форматланган текст
883	Formatting	1. The elements of style and presentation that are added to documents through the use of margins, indents, and different sizes, weights, and styles of type. 2. The process of initializing a disk so that it can be used to store information.	Both	GEN/UI	формат, форматирование	формат, форматлау
884	formatting buttons	Text formatting buttons B, I, U on the Formatting toolbar in applications like Microsoft Word and Excel.	Windows	GEN	кнопки форматирования	форматлау теймәләре
	Formatting toolbar	A toolbar with buttons and options you can use to apply text formatting in applications like Microsoft Word and Excel.	Office	GEN/UI	панель инструментов "Форматирование", панель форматирования	"Форматлау" кораллары аслыгы, форматлау аслыгы
886	Forms		Both	UI	формы	формалар
887	formula	A sequence of values, cell references, names, functions, or operators in a cell that together produce a new value. A formula always begins with an equal sign (=).	Office	GEN	формула	формула
888	formula bar	A bar at the top of the Excel window that you use to enter or edit values or formulas in cells or charts. Displays the constant value or formula stored in the active cell.	Office	GEN	строка формул	формула юлы
889	Forward	Verb. In e-mail, to send a received message, either modified or in its entirety, to a new recipient.	Both	GEN/UI	переслать	жибәрергә

890	Forward	Adv. Opposite of 'back', 'backward', for example used on the "Forward" and "Back" buttons that allows you to navigate to the last web page visited in Internet Explorer.			переслать	жибәрергә
	forward slash	Symbol: /	Windows	GEN	косая черта	авыш сызык
892	four-headed arrow	Pointer shape.	Windows	GEN	крестообразная стрелка	хачсыман ук
893	fraction	1. Mathematics number that is not a whole: a number that is not a whole number, such as ½ (vulgar fraction) or 0.5 (decimal fraction), formed by dividing one quantity into another. 2. small amount: a small part, amount, or proportion of something a fraction of the cost.	Windows	GEN	дробь (матем.), часть (общ.)	вакланма (матем), өлеш(гомум)
894	fractional numbers		Windows	GEN	дробные числа	вакланма саннар
895	frame	Border around a graphical object	Both	GEN/UI	рамка	кыса
896	frame	Frames: The named sub-window of a frames page. The frame appears in a Web browser as one of a number of window regions in which pages can be displayed. The frame can be scrollable and resizable, and it can have a border.			рамка	кыса
	frameset	A page that divides a Web browser window into different areas called frames that can each display a different Web page. Framesets are often used to display a page with navigation elements or a header in one frame and a page in another frame.	Office	GEN	набор рамок	кысалар жыелмасы
898	framework	1. essential supporting structure. 2. basic system	Windows	GEN	система, модуль	система, модуль

899	free disk space	Noun phrase. available disk space	Windows	GEN	свободное место на диске	дисктагы буш урын
900	free memory	Noun phrase. available memory	Windows	GEN	свободная память	буш хәтер
901	Free Stuff		Both	UI	Загрузите бесплатно!	Бушлай йөклөгез!
902	freeform	Any shape you draw by using the Curve, Freeform, and Scribble tools. Freeform shapes can include straight lines and freehand curves. They can be drawn opened or closed and can be edited by using the drawing tools.	Office	GEN	Полилиния	Полилиния, Полисызык
	freeze	Used in the command "freeze panes"	Windows	GEN	закрепить, заморозить	беркетергә, катырырга
904	frequency	1. Frequent occurrence: the fact of happening often or regularly at short intervals 2. Rate of occurrence: the number of times that something happens during a particular period of time 3. Broadcasting wavelength: a wavelength on which a radio or television signal is broadcast and to which a receiving set can be tuned	Windows	GEN	частота	ешлык
905	frequently asked questions	See FAQ	Windows	GEN	Вопросы и ответы	Сораулар һәм җаваплар
906	friendly name	The real name the user sees instead of the actual e-mail address such as "John Doe" instead of "johndoe@microsoft.com"	Windows	GEN	понятное имя	аңлаешлы исем
907	From		Both	UI	От	Аннан, ...дан
908	From File		Both	UI	Из файла	Файлдан
	From Left		Office	UI	слева	сулдан
910	From text		Office	UI	от текста	тексттан
911	From Top		Office	UI	сверху	өстә
912	Front		Office	UI	передний план, перед	алгы план, ал

913	FrontPage Server Extensions	A set of programs and scripts that support authoring in FrontPage and extend the functionality of a Web server.	Office	GEN	Серверные расширения FrontPage	FrontPage ның сервер өчен өстәмэләре
914	FTP	A communication protocol that makes it possible for a user to transfer files between remote locations on a network. This protocol also allows users to use FTP commands, such as listing files and folders, to work with files on a remote location.	Both	GEN	протокол FTP	FTP беркетмәсе
	Full screen	Capable of using or being displayed on the full area of a display screen. Applications running in windowing environments, although they might use the entire area of the screen, commonly allocate different areas to different windows, any of which can be enlarged to fill the entire screen.	Both	UI	во весь экран, в полноэкранном режиме	тулы экранга, тулы экран режимында
916	function	A query that takes input parameters and returns a result like a stored procedure.	Both	GEN	функция	функция
917	function key	Any of the 10 or more keys labeled F1, F2, F3, and so on that are placed along the left side or across the top of a keyboard and are used for special tasks by different programs.	Windows	GEN	функциональная клавиша	функциональ тәймә
918	gallery	A collection of pre-defined images.	Both	GEN/UI	собрание	жыелма
919	game	A class of computer program in which one or more users interact with the computer as a form of entertainment. Computer games run the gamut from simple alphabet games for toddlers to chess, treasure hunts, war games, and simulations of world events. The games are controlled from a keyboard or with a joystick or other device and are supplied on disks, on CD-ROMs, as game cartridges, or as arcade devices.	Windows	GEN/UI	игра	уен

920	Gap		Office	UI	зазор	аралык
		A device connected to multiple physical TCP/IP networks capable of routing or delivering IP packets between them. A gateway translates between different transport protocols or data formats (for example, IPX and IP) and is generally added to a network primarily for its translation ability. In the context of interoperating with Novell NetWare networks, a gateway acts as a bridge between the server message block (SMB) protocol used by Windows networks and the NetWare core protocol (NCP) used by NetWare networks. A gateway is also called an IP router.				
	gateway		Windows	GEN/UI	шлюз	шлюз
922	general				общий	гомуми
923	gigabyte	1. 1,024 megabytes (1,024 × 1,048,576 [230] bytes). 2. One thousand megabytes (1,000 × 1,048,576 bytes). Acronym: GB.	Windows	GEN	гигабайт	гигабайт
924	global	Pertaining to an entire document, file, or program rather than to a restricted segment of it.	Office	GEN	общий	гомуми
925	glossary				глоссарий	глоссарий
926	go	As in "go to a page/item". Appears as a command on some buttons	Both	GEN/UI	Переход	Күчеш
	Go	Button on Address bar in folder windows. Goes to what you have specified in the address bar (such as a folder path or web address)	Windows	UI	Переход	Күчеш
928	Go Back		Office	UI	вернуться	кайтырга
929	Go to	Name of button in Word, Insert menu, Bookmark. Also name of menu in Outlook, on the View menu.	Both	UI	Перейти	Күчэргэ
930	Go to Folder		Both	UI	Перейти в папку	Папкага күчэргэ

931	Goto		Office	UI	перейти	күчэргэ
932	gradient	A gradual progression of colors and shades, usually from one color to another color, or from one shade to another shade of the same color.	Office	GEN	градиент	градиент
	grammar	A software accessory that checks text for errors in grammatical construction.	Both	GEN/UI	Грамматика	Грамматика
934	Graph	In programming, a data structure consisting of zero or more nodes and zero or more edges, which connect pairs of nodes. If any two nodes in a graph can be connected by a path along edges, the graph is said to be connected. A sub graph is a subset of the nodes and edges within a graph. A graph is directed (a digraph) if each edge links two nodes together only in one direction. A graph is weighted if each edge has some value associated with it.	Windows	GEN/UI	график	график
935	graphic	A non-text design element, such as a photograph, drawing, shape, or OfficeArt.	Both	GEN	графический	график
936	graphic filter	A program that transforms a picture stored in one file format to another format so that it can be displayed in a specific graphics program.	Office	GEN	графический фильтр	график фильтр
937	graphics	Example: graphics resolution	Windows	GEN	графический	график
938	grayed command	Visible, but unavailable option	Windows	GEN	недоступная команда	ябык команда
	greater-than sign	Character: >	Windows	GEN	знак "больши или равно"	"зуррак яки тигез" тамгасы
940	Green	Color.	Both	UI	зеленый	яшел
941	greeting	A salutation in a letter.	Office	GEN/UI	приветствие	сэламләү
942	grid	A set of intersecting lines used to align objects.	Both	GEN/UI	сетка	челтэр

943	gridlines	Lines you can add to a chart that make it easier to view and evaluate data. Gridlines extend from the tick marks on an axis across the plot area.	Office	GEN	сетка	челтәр
944	group	A collection of objects that behave as one for the purpose of moving, resizing, or rotating them. A group can be composed of multiple sets of groups.	Both	GEN/UI	группа	төркем
	group box	A standard Windows control that can be used to group a set of controls.	Windows	GEN	окно группы	төркем тәрәзе
946	group by	Name of the data column used to group data.	Both	GEN/UI	Группировка	Төркем
947	group item	Data column which values are used to group data.	Office	GEN/UI	групповой элемент	төркем элементы
948	group level	The depth at which a group in a report or data access page is nested inside other groups. Groups are nested when a set of records is grouped by more than one field, expression, or group record source.	Office	GEN	уровень группировки	төркемләү дәрәжәсе
949	grouping	To combine in a group.	Office	GEN/UI	группировка	төркем
950	GUID	A 16-byte field used in an Access database to establish a unique identifier for replication. GUIDs are used to identify replicas, replica sets, tables, records, and other objects. In an Access database, GUIDs are referred to as Replication IDs.	Office	GEN	цифровая панель	саннар аслыгы
	guideline	1. Official advice: an official recommendation indicating how something should be done or what sort of action should be taken in a particular circumstance 2. Line marking correct position: a line that shows a correct position, route, or alignment, for example a fine line printed as an aid to lining up text or illustrations on a page	Windows	GEN	указание	күрсәтмә

952	guides	Nonprinting straight lines, both horizontal and vertical, used to visually align objects. Types of guides include layout guides, ruler guides, margin guides, and mirrored guides.	Office	GEN	направляющие	юнэлткечлэр
953	handheld	About equipment, e.g. handheld pc	Windows	GEN	ручной	кулдан
954	handle	A small, dark box on a frame that is moved to resize or rotate objects.	Both	GEN	маркер	маркер
955	handout	A printed version of a presentation that can include multiple slides per page and space for audience notes.	Office	GEN	выдача	биру
956	handwriting	Image of handwritten text.	Both	GEN/UI	рукописный ввод	кульязма керту
	Hang Up	To disconnect the phone line.	Windows	GEN/UI	Разъединение, Разорвать соединение	Аеру, Тоташуны өзү
958	hanging indent	Type of indent in Microsoft Word, Format menu, Paragraph, Indents and Spacing.	Windows	GEN	Выступ	Чыгынты
959	hard disk	A device, also called hard disk drive, that contains one or more inflexible platters coated with material in which data can be recorded magnetically with read/write heads. The hard disk exists in a sealed case that protects it and allows the head to fly 10 millionths to 25 millionths of an inch above the surface of a platter. Data can both be stored and accessed much more quickly than on a floppy disk.	Windows	GEN		каты диск
960	hardcopy	Printed output on paper, film, or other permanent medium. Compare soft copy	Windows	GEN	распечатанный, отпечатанный	бастырылган, басылган

961	header	Header and footer: A header, which can consist of text or graphics, appears at the top of every page in a section. A footer appears at the bottom of every page. Headers and footers often contain page numbers, chapter titles, dates, and author names.	Both	GEN/UI	верхний колонтитул	өске колонтитул
962	heading	A paragraph style that is displayed in a typeface larger than body text. The size of a heading is related to its level	Both	GEN	заголовок	башисем
	heading style	Heading style: Formatting applied to a heading. Microsoft Word has nine different built-in styles: Heading 1 through Heading 9.	Windows	GEN	стиль заголовка	башисем стиле
964	Height	Length upward - the distance between somebody or something's lowest point and highest point; highest point - the top or highest point of something	Both	GEN/UI	высота	биеклек
965	Help	The capability of many programs and operating systems to display advice or instructions for using their features when so requested by the user, as by a screen button or menu item or a function key. The user can access help without interrupting work in progress or leafing through a manual. Some help facilities are context-sensitive, meaning that the user receives information specific to the task or command being attempted. Also called online help.	Both	GEN/UI	Справка	Белешмә
966	Help and Support	Item on Start menu in Windows. Opens a central location for help topics, tutorials, support, and troubleshooting.	Windows	UI	Справка и поддержка	Белешмә һәм ярдәм
967	help button	Button in dialogs that displays Help to the user.	Windows	GEN	кнопка "Справка"	"Белешмә" тәймәсе
968	Help File	A file in the Help system	Office	UI	файл справки	белешмә файлы
	help index	The Help index in the Help system	Windows	GEN	указатель справки	белешмә күрсәткече

970	help topic	A page in the Help system	Windows	GEN	раздел справки	белешмә бүлгә
971	Hibernate	Option in Shut Down Windows dialog. Saves your session to disk, so that you can safely turn off power. Your session is restored the next time you start Windows.	Windows	UI	Спящий режим	Йокы режимы
972	hidden	Not visible, such as hidden text in a document or hidden files in a folder.	Windows	GEN/UI	скрытый	яшерен
973	hidden text	Hidden text: Character formatting that allows you to show or hide specified text. Microsoft Word indicates hidden text by underlining it with a dotted line.	Windows	GEN	скрытый текст	яшерен текст
974	Hide	To temporarily remove the onscreen display of an application's active window while leaving the application running. Windows that have been hidden are returned to active display by issuing the appropriate command to the operating system.	Both	GEN/UI	Скрыть	Яшерергә
	Hide Detail		Office	UI	скрыть подробности	нечкәлекләрне яшерергә
976	Hide Details		Both	UI	скрыть подробности	нечкәлекләрне яшерергә
977	hierarchical selection	Extending and restoring the range of selection.	Windows	GEN	not in giaa	not in giaa
978	hierarchical selection	Extending and restoring the range of selection.	Windows	GEN	not in giaa	not in giaa
979	High	Opposite of "low". Used in various contexts	Both	UI	высокий	биек, югары
980	high priority	Used in Outlook for messages.	Windows	GEN/UI	Высокая важность	Зур мәһимлек
	high resolution	About monitors	Windows	GEN	высокое разрешение	зур ачыклык
982	highlight	Feature in Word to highlight text.	Both	GEN/UI	выделить	тамгаларга, билгеләргә, аерып алырга

983	highlighted command	Selected command.	Windows	GEN	выделенная команда	билгелэнгэн команда, аерып күрсәтелгән команда
984	highlighter	Internet Explorer Web Accessory that lets you highlight text in a document just like you would in Microsoft Word. Select your text, then right-click and choose Highlight. This tool is very useful for reading long documents.	Office	GEN/UI	выделение	аерып күрсәтү
985	high-low lines	In 2-D line charts in Microsoft Excel, lines that extend from the highest to the lowest value in each category. High-low lines are often used in stock charts.	Office	GEN	коридор колебания, интервал колебания, мини-макс линии	тирбәнеш коридоры, тирбәнеш интервалы, мини-макс сызыклар
986	Hiragana	The cursive script that is one of two sets of symbols of Japanese syllabic writing. The other one is Katakana.	Office	GEN/UI	хирагана	хирагана
	history	A list of items arranged in a chronological order, such as a list of previously visited web pages in Internet Explorer.	Both	GEN/UI	Журнал	Журнал
988	hit	Hits (visitors) on a Web page or in number of entries found in a database search.	Windows	GEN	попадание	эләгү
989	hold	Verb. To continue pressing a keyboard key, mouse button, or pen tip at the same location.	Windows	GEN	удерживать	тотып тору
990	hold down a button		Windows	GEN	удерживать кнопку нажатой	төймәне басып тору
991	home	1. Type of address or phone number in Outlook contacts (as opposed to work address or phone number). 2 Used on Web page to go back to the starting page	Both	GEN/UI	домашний	өй
992	HOME key	Key on the keyboard.	Windows	GEN	клавиша HOME	HOME төймәсе

	home page	Main page of a Web site. Usually has hyperlinks to other pages, both within and outside the site. One Web site can contain many home pages. For example, the Microsoft home page contains a Products home page, which contains other home pages.	Both	GEN	домашняя страница	өй бите
994	home phone	A person's telephone number at home	Windows	GEN/UI	домашний телефон	өй телефоны
995	horizontal	As opposed to vertical. A horizontal line, surface, or position	Both	GEN/UI	горизонтальный, по горизонтали	горизонталь, горизонталь буенча
996	horizontal scroll	A feature of programs such as word processors and spreadsheets that enables the user to scroll left and right to display information beyond the horizontal limits of the screen (or window, in a graphical user interface).	Windows	GEN	прокрутка по горизонтали, горизонтальная прокрутка	горизонталь буенча әйләндерү, горизонталь әйләндерү
997	horizontal scroll bar	A horizontal bar at the bottom of a display area that can be used with a mouse for moving around in that area.	Windows	GEN	горизонтальная полоса прокрутки	горизонталь әйләндерү тасмасы
998	host	A computer that offers services on a network. On the World Wide Web, a host is a computer that runs the Web server software that responds to HTTP protocol requests. Also called server.	Office	GEN/UI	главный [компьютер]	тәп (компьютер)
	hotkey	Underlined letter on a menu for easy access with ALT key	Windows	GEN	клавиша быстрого доступа	тиз эш тәймәсе
1000	hour format	Format in which hours is displayed by the operating system (Control Panel, Regional and Language Options), such as 12 hours or 24 hours, inclusion of leading zeros (e.g. 09:30), separators (e.g. 09.30 or 09:30) etc.	Windows	GEN	формат времени	вакыт форматы

1001	hourglass	An icon displayed in the form of an hourglass that indicates that the program is performing a lengthy task.	Windows	GEN	песочные часы	ком сәгәте
1002	HTML	HyperText Markup Language. An HTML document is a text document with formatting specifications that tells a software browser (such as Microsoft Internet Explorer) how to display the page or pages included in the document.	Both	GEN	язык HTML	HTML теле
1003	HTML file	A file in HTML format.	Windows	GEN	файл HTML	HTML файлы
1004	HTML tag	See tag	Windows	GEN	HTML-тег	HTML-тег
	HTTP	Internet protocol that delivers information on the World Wide Web. Makes it possible for a user with a client program to enter a URL (or click a hyperlink) and retrieve text, graphics, sound, and other digital information from a Web server.	Office	GEN	протокол HTTP	HTTP беркетмәсе
1006	Hue	In the HSB color model, one of the three characteristics used to describe a color. Hue is the attribute that most readily distinguishes one color from other colors. It depends on the frequency of a light wave in the visible spectrum.	Both	UI	отенок	төсмер
1007	hyperlink	Colored and underlined text or a graphic that you click to go to a file, a location in a file, an HTML page on the World Wide Web, or an HTML page on an intranet. Hyperlinks can also go to newsgroups and to Gopher, Telnet, and FTP sites. On the World Wide	Both	GEN/UI	гиперссылка	гиперсылтама
1008	hyperlink address	The path to a destination such as an object, document, or Web page. A hyperlink address can be a URL (address to an Internet or intranet site) or a UNC network path (address to a file on a local area network).	Both	GEN	адрес гиперссылки	гиперсылтама адресы
1009	hyphen	Character: -	Windows	GEN	черточка	сызыкчык

1010	hyphenation	Word feature automatically inserting hyphens to eliminate gaps in justified text or to maintain even line lengths in narrow columns.	Both	GEN/UI	расстановка переносов	күчерүләрне билгеләү
	I/O (input/output)	The complementary tasks of gathering data for a computer or a program to work with, and of making the results of the computer's activities available to the user or to other computer processes. Gathering data is usually done with input devices such as the keyboard and the mouse, while the output is usually made available to the user via the display and the printer. Other data resources, such as disk files and communications ports for the computer, can serve as either input or output devices. Acronym: I/O.	Windows	GEN	ввод-вывод	кертү-чыгару
1012	ICM	A program that runs on printers and computers to identify colors that most closely match on both systems. ICM give you a better idea of what the final colors in your publication will look like.	Office	GEN	соответствие цветов изображений	сурәтләр төсенәң ярашуы
1013	icon	A GUI element, a pictorial symbol representing a program or shortcut on Windows desktop.	Both	GEN/UI	значок	тамга
1014	ID	Unique identifier of an object or person.	Both	GEN/UI	идентификатор	идентификатор
1015	identifier	A field name used in an expression. For example, Order Amount is the identifier (field name) for a field that contains order amounts. You can use an expression (such as Price*Quantity) in place of an identifier.	Both	GEN	идентификатор	идентификатор
1016	ignore	To refuse to notice or pay attention to somebody or something; to refuse to pay attention to; disregard.	Both	GEN/UI	пропустить	калдырып китәргә

	Ignore All	Command used when running a Spell check in Word, etc, to ignore words you don't want to change.	Both	UI	Пропустить все	Барысын да калдырырга
1018	IIS	Internet Information Services. Microsoft Web server software that uses Hypertext Transfer Protocol to deliver World Wide Web documents. IIS incorporates various functions for security, allows for CGI programs, and also provides for FTP servers.	Office	GEN	IIS	IIS
1019	IM-address		Windows	GEN	IM-адрес	IM-адрес
1020	image	1. A stored description of a graphic picture, either as a set of brightness and color values of pixels or as a set of instructions for reproducing the picture. See also bit map, pixel map. 2. A duplicate, copy, or representation of all or part of a hard or floppy disk, a section of memory or hard drive, a file, a program, or data. For example, a RAM disk can hold an image of all or part of a disk in main memory; a virtual RAM program can create an image of some portion of the computer's main memory on disk.	Both	GEN/UI	1. рисунок, картинка 2. образ	1. рәсем, картинка 2. образ
1021	IME	A program that enters East Asian text (Traditional Chinese, Simplified Chinese, Japanese, or Korean) into programs by converting keystrokes into complex East Asian characters. The IME is treated as an alternate type of keyboard layout.	Office	GEN	редактор метода ввода	кертү ысулы редакторы
1022	import	Process of reading a data copy stored in the format different from the native format of the application, for example to convert data from a text file, spreadsheet, or database table into an Access table.	Both	GEN/UI	импорт	импорт

	Import Data	Menu on Data menu in Excel, submenu "Import external data". Allows you to import data from databases and files.	Office	UI	Импорт данных	бирелмэлэр импорты
1024	Import from		Both	UI	Импортирование из	Аннан импортларга
1025	Importance	A flag you can set on a message in Outlook to indicate the importance of the mail. Also used in other contexts to indicate the priority of a document, mail, or other issue.	Office	UI	Важность	Мөһимлек
1026	Imported		Office	UI	Импортирован	Импортланган
1027	In field		Office	UI	В поле	Кырга
1028	inactive	The state of an object where the user's input is not being directed.	Windows	GEN	неактивный	нэактив
	inactive window	A window that users are not currently interacting with. This window cannot receive keyboard input. Compare active window.	Windows	GEN	неактивное окно	нэактив тэрэз
1030	inbox	Email folder where all incoming mails arrive.	Both	GEN/UI	Входящие	Керүче
1031	incoming message	Outlook, Outlook Express and mail messaging term	Windows	GEN	входящее сообщение	керүче хэбэр

1032	incompatible	<p>Not compatible: Compatibility is defined as follows: 1. The degree to which a computer, an attached device, a data file, or a program can work with or understand the same commands, formats, or language as another. True compatibility means that any operational differences are invisible to people and programs alike. 2. The extent to which two machines can work in harmony. Compatibility (or the lack thereof) between two machines indicates whether, and to what degree, the computers can communicate, share data, or run the same programs. For example, an Apple Macintosh and an IBM PC are generally incompatible because they cannot communicate freely or share data without the aid of hardware and/or software that functions as an intermediary or a converter. 3. The extent to which a piece of hardware conforms to an accepted standard (for example, IBM-compatible or Hayes-compatible). In this sense, compatibility means that the hardware ideally operates in all respects like the standard on which it is based. 4. In reference to software, harmony on a task-oriented level among computers and computer programs. Computers deemed software-compatible are those that can run programs originally designed for other makes or models. Software compatibility also refers to the extent to which programs can work together and share data. In another area, totally different programs, such as a word processor and a drawing program, are compatible with one another if each can incorporate images or files created using the other. All types of software compatibility become increasingly important as computer communications, networks, and</p>	Windows	GEN	несовместимый	ярашсыз
------	--------------	---	---------	-----	---------------	---------

		program-to-program file transfers become near-essential aspects of microcomputer operation.				
1033	incorrect	The opposite of correct.	Windows	GEN	неверный	ялгыш
1034	Increase Indent	Name of a toolbar button in Word and Outlook that allows you to increase the indentation of text in a document/email message.	Both	UI	Увеличить отступ	Чигенешне арттырырга
	indent	Blank space added to the left of text in addition to what the left margin provide.	Both	GEN	отступ	чигенеш

1036	index	A feature that speeds up searching and sorting in a table based on key values and can enforce uniqueness on the rows in a table. The primary key of a table is automatically indexed. Some fields can't be indexed because of their data type.	Both	GEN/UI	указатель	күрсәткеч
1037	indicator	A dial or light that displays information about the status of a device, such as a light connected to a disk drive that glows when the disk is being accessed.	Windows	GEN	индикатор	индикатор
1038	information	data	Both	GEN/UI	сведения, данные	бирелмәләр, мәгълүматлар
1039	infrared	Light that is beyond red in the color spectrum. While the light is not visible to the human eye, infrared transmitters and receivers can send and receive infrared signals, allowing infrared devices (A computer, or a computer peripheral such as a printer) to communicate.	Windows	GEN	инфракрасный	инфракызыл
1040	initialization file	Same as .INI file	Windows	GEN	файл настройки, файл .INI	көйләнмәләр файлы, .INI файлы
	initialize	Usually used about initializing programs	Windows	GEN	инициализировать	инициализацияләү
1042	Initials		Office	UI	Инициалы	Инициаллар
1043	ink	Writing done with the hand. In software it refers to writing or drawing strokes made with a tablet pen or mouse. May only be visible in applications if you are using Tablet PC or using OneNote.	Office	GEN	рукописный текст	кульязма текст
1044	Ink Annotations	Name of a toolbar in Office applications visible if Tablet PC is installed. You can use the Ink Annotations command to annotate the existing content of a document (similar to how you would mark up a document that's printed on paper).	Office	UI	рукописные примечания	кульязма искәрмәләр

1045	inline	Inline object: A graphic or other object that is positioned directly in the text of a Microsoft Word document at the insertion point.	Windows	GEN	встроенный	эчке
1046	inline image	A built-in graphic that is displayed by the browser as part of an HTML document and is retrieved along with it.	Windows	GEN	встроенный рисунок	эчке рәсем
	in-place buttons	Buttons that appear directly in an Office document when you are typing. "Smart Tags" are an example of in-place buttons.	Windows	GEN	кнопки по месту	урындагы төймөләр
1048	input	The complementary tasks of gathering data for a computer or a program to work with. Gathering data is usually done with input devices such as the keyboard and the mouse.	Windows	GEN	вводить	кертәргә
1049	input focus	The area of a window where user interaction is possible from either the keyboard or the mouse.	Windows	GEN	фокус ввода	кертү фокусы
1050	Insert	In this mode, any data to the right of the cursor is moved to the right as you type.	Both	UI	Вставка	Өстәмә
1051	Insert Data		Office	UI	вставка данных	бирелмәләр өстәү
1052	Insert File		Both	UI	Вставка файла	Файл өстәү
	INSERT key	Key on the keyboard.	Windows	GEN	клавиша INSERT	INSERT төймәсе
1054	insert mode	When you have pressed the Insert key on the keyboard	Windows	GEN/UI	режим вставки	өстәү режимы
1055	insertion point	The location where text or graphics will be inserted.	Both	GEN	точка вставки	өстәү ноктасы

1056	install	When referring to software, to add program files and folders to your hard disk and related data to your registry so that the software runs properly. Installing contrasts with upgrading, where existing program files, folders, and registry entries are updated to a more recent version. When referring to hardware, to physically connect the device to your computer, to load device drivers onto your computer, and to configure device properties and settings.	Both	GEN/UI	устанавливать	урнаштырырга
1057	installation	Adding program files and folders to your hard disk and related data to your registry so that the software will run properly.	Windows	GEN	установка	урнаштыру
1058	installation disk	Storage support (floppy disk/CD-ROM/DVD-ROM) which contains the setup files for a program/application.	Windows	GEN	установочный диск	урнаштыру диски
	Installation ID	A unique reference character code for a product installation	Windows	GEN	Код установки	урнаштыру коды

1060	installer	<p>Windows Installer is a component of the Windows operating system that simplifies the application installation process. Windows Installer manages the installation and removal of applications by applying a set of centrally defined setup rules during the installation process. These setup rules define the installation and configuration of the installed application. You can also use this service to modify, repair, or remove an existing application. The Windows Installer technology consists of the Windows Installer service for the Windows operating systems and the package (.msi) file format used to hold information regarding the application set up and installations. Windows Installer is also an extensible software management system. It manages the installation, addition, and deletion of software components, monitors file resiliency, and maintains basic disaster recovery with rollbacks. Windows Installer supports installing and running software from multiple sources, and can be customized by developers that want to install custom applications.</p>	Windows	GEN	программа установки, установщик	урнаштыру программасы, урнаштыручы
1061	instance	<p>An object created from the class that contains its definition. For example, multiple instances of a form class share the same code and are loaded with the same controls that were used to design the form class.</p>	Office	GEN	экземпляр	нөсхө

1062	instruction	A basic command. The term instruction is often used to describe the most rudimentary programming commands. For example, a computer's instruction set is the list of all the basic commands in the computer's machine language.	Windows	GEN	инструкция	инструкция
1063	integer	Mathematical concept used in programming.	Windows	GEN	целое число	бөтен сан
1064	integrity	Security / digital signature term, for example in contexts such as "Cryptography is used to enable and ensure confidentiality, data integrity, authentication (entity and data origin), and nonrepudiation."	Windows	GEN	целостность	бөтенлек
	interactive	Accepting input from a human. Interactive computer systems are programs that allow users to enter data or commands. Most popular programs, such as word processors and spreadsheet applications, are interactive. A non-interactive program is one that, when started, continues without requiring human contact. A compiler is a non-interactive program, as are all batch processing applications.	Windows	GEN	интерактивный	интерактив
1066	interface	The visual representation to the user	Windows	GEN	интерфейс	интерфейс
1067	internal modem	Modem built in to the PC	Windows	GEN	внутренний модем	эчке модем
1068	International characters	Office UA term. Refers to how characters in languages other than English are handled, for example extended characters.	Windows	GEN		0

1069	Internet	A worldwide network of thousands of smaller computer networks and millions of commercial, educational, government, and personal computers. The Internet is like an electronic city with virtual libraries, stores, art galleries, and so on.	Both	GEN	Интернет	Интернет
1070	Internet access provider	Same as ISP	Windows	GEN	поставщик услуг Интернета	Интернет хезмэтлэре күрсэтүче
	Internet account	An account with an ISP that allows you to access the Internet.	Windows	GEN	учетная запись	исәп язмасы
1072	Internet Call	Internet calling is a technology which allows you to make domestic and international calls from a sound-enabled PC to any telephone in the world.	Both	UI	вызов через Интернет, связь через Интернет	Интернет аша чакыру, Интернет аша элементә
1073	Internet Explorer	A Web browser - software that interprets HTML files, formats them into Web pages, and displays them to the user.	Office	GEN	Internet Explorer	Internet Explorer
1074	Internet service provider	ISP: A business that provides access to the Internet for such things as electronic mail, chat rooms, or use of the World Wide Web. Some ISPs are multinational, offering access in many locations, while others are limited to a specific region.	Windows	GEN	поставщик услуг Интернета	Интернет хезмэтлэре күрсэтүче
1075	Internet site	See Web site	Windows	GEN	[веб-] узел	[веб-] төен
1076	interrupt	A request for attention from the processor. When the processor receives an interrupt, it suspends its current operations, saves the status of its work, and transfers control to a special routine known as an interrupt handler, which contains the instructions for dealing with the particular situation that caused the interrupt.	Windows	GEN	прерывание	тукталыш

	intranet	A network within an organization that uses Internet technologies (such as the HTTP or FTP protocol). By using hyperlinks, you can explore objects, documents, pages, and other destinations on the intranet.	Both	GEN	интрасеть	интрачелтэр
1078	invalid	Erroneous or unrecognizable because of a flaw in reasoning or an error in input. Invalid results, for example, might occur if the logic in a program is faulty.	Windows	GEN	неверный	ялгыш
1079	invert	1) To reverse something or change it to its opposite. For example, to invert the colors on a monochrome display means to change light to dark and dark to light. 2) In a digital electrical signal, to replace a high level by a low level and vice versa. This type of operation is the electronic equivalent of a Boolean NOT operation.	Windows	GEN	обратить	инвертларга
1080	invisible	Not displayed. You can use invisible controls to perform operations in the background, such as firing events at timed intervals.	Windows	GEN/UI	невидимый	күренми торган
1081	IP	Internet Protocol. Internet software that divides data into packets for transmission over the Internet. Computers must run IP to communicate across the Internet. More rarely in Microsoft product, may also be an abbreviation of "Intellectual Property".	Office	GEN	протокол IP	IP беркетмәсе
1082	ISP	Abbreviation for Internet Service Provider.	Both	GEN	поставщик услуг Интернета	Интернет хезмәтләре күрсәтүче
	Italic	A type of printed letters that lean to the right, often used to emphasize particular words	Both	GEN/UI	курсив	курсив
1084	Item		Both	GEN/UI	элемент	элемент

1085	iteration	A single pass through a group of instructions. Most programs contain loops of instructions that are executed over and over again. The computer iterates through the loop, which means that it repeatedly executes the loop.	Windows	GEN	итерация, цикл	итерация, цикл
1086	jagged line	A line with a sharply uneven edge or surface	Windows	GEN	ломаная линия	сынык сызык
1087	jammed	About paper in printers	Windows	GEN	застряла (бумага)	(кәгазь) тыгылды
1088	Java	A general-purpose programming language created by Sun Microsystems. Currently, the most widespread use of Java is in programming small applications, or applets, for the World Wide Web.	Office	GEN	Java	Java
	Job	An inbound or outbound print job or a fax transmission that is in a queue; A specified series of operations, called steps	Windows	GEN/UI	Задание	Бирем
1090	Job Title	The name of the position at a workplace	Both	UI	Должность	Вазифа
1091	join	An association between a field in one table or query and a field of the same data type in another table or query. Joins tell the program how data is related. Records that don't match may be included or excluded, depending on the type of join.	Both	GEN	присоединить	Ялгарга
1092	journal	A list of records serving as an account of events.	Both	GEN/UI	журнал	журнал
1093	journal entry	A journal record.	Office	GEN/UI	запись журнала	журнал язмасы

1094	joystick	<p>A lever that moves in all directions and controls the movement of a pointer or some other display symbol. A joystick is similar to a mouse, except that with a mouse the cursor stops moving as soon as you stop moving the mouse. With a joystick, the pointer continues moving in the direction the joystick is pointing. To stop the pointer, you must return the joystick to its upright position. Most joysticks include two buttons called triggers.</p> <p>Joysticks are used mostly for computer games, but they are also used occasionally for CAD/CAM systems and other applications.</p>	Windows	GEN/UI	джойстик	Жойстик
	jump	Often about jumping from one Web page to another using hyperlinks	Windows	GEN	переход	күчеш
1096	Junk Mail	Junk (or also called Spam) is unsolicited e-mail on the Internet. From the sender's point-of-view, it's a form of bulk mail, often to a list culled from subscribers to a Usenet discussion group or obtained by companies that specialize in creating e-mail distribution lists.	Both	GEN/UI	Нежелательная почта	Телэнмэгэн почта
1097	justification	Of characters or text	Windows	GEN	выравнивание	тигезлэү
1098	Justify	To align lines of text evenly along both the left and right margins of a column by inserting extra space between the words in each line. If the spacing is excessive, it can be reduced by rewriting or by hyphenating words at the ends of lines.	Both	GEN/UI	выровнять по ширине	киңлек буенча тигезлэргэ
1099	Katakana	The form of Japanese syllabic writing used especially for scientific terms, official documents, and words adopted from other languages - compare Hiragana.	Office	GEN/UI	катакана	катакана

1100	KB	(e.g. 720 KB)	Windows	GEN	КБ	КБ
	keep	To preserve	Both	GEN/UI	Сохранить	Сакларга
1102	kerning	The adjustment of the spacing between two characters to create the appearance of even spacing, fit text to a given space, and adjust line breaks.	Office	GEN	кернинг	кернинг
1103	kerning table	The kerning table contains the values that control the inter-character spacing for the glyphs in a font.	Office	GEN	таблица кернинга	кернинг таблицасы
1104	Key	E.g. in a database	Both	GEN/UI	ключ	ачкыч
1105	Key	On the keyboard.			ключ	ачкыч
1106	key combination	Combination of keyboard keys, such as CTRL+ALT	Windows	GEN	сочетание клавиш	төймөлөр кушылмасы
	Keyboard	A device for entering text on PC systems.	Both	UI	клавиатура	төймөсар
1108	keyboard layout	The layout for a particular locale.	Windows	GEN	раскладка клавиатуры	төймөсарда урнашу
1109	keypad	Usually refers to the numeric keypad on keyboard	Windows	GEN	дополнительная клавиатура, цифровая клавиатура	өстәмө төймөсар, санлы төймөсар
1110	keyword	A word that's part of the Visual Basic for Applications programming language. Keywords include the names of statements, data types, methods, operators, objects, and predefined functions. Don't use keywords for variable or object names.	Both	GEN	ключевое слово	ачкыч сүз

1111	Label	An identifier. A label can be a physical item, such as a stick-on tag used to identify disks and other computer equipment, or an electronic label added to floppy disks or hard disks. It can also be a word, symbol, or other group of characters used to identify a file, a storage medium, an element defined in a computer program, or a specific item in a document such as a spreadsheet or a chart. See also identifier. To attach a label to. To identify or designate with a label; describe or classify.	Both	GEN/UI	метка	тамга
1112	LAN (Local Area Network)	A communications network connecting a group of computers, printers, and other devices located within a relatively limited area (for example, a building). A LAN allows any connected device to interact with any other on the network.	Windows	GEN	ЛВС (локальная сеть, локальная вычислительная сеть)	ЛИС, локаль челтәр, локаль хисаплау челтәре
	Landscape	A horizontal print orientation in which text or images are printed "sideways"- that is, the width of the image on the page is greater than the height.	Both	GEN/UI	альбомная	альбом
1114	language	1. Programming language or 2. general meaning: the words, their pronunciation, and the methods of combining them used and understood by a community	Both	GEN/UI	язык	тел

1115	laptop	Short for laptop computer, A laptop computer, usually called a notebook computer by manufacturers, is a battery- or AC-powered personal computer generally smaller than a briefcase that can easily be transported and conveniently used in temporary spaces such as on airplanes, in libraries, temporary offices, and at meetings. A laptop typically weighs less than 5 pounds and is 3 inches or less in thickness. Among the best-known makers of laptop computers are IBM, Apple, Compaq, Dell, and Toshiba.	Windows	GEN	переносной компьютер	күчереп йөртмәле санак
1116	Large Icon	As text says	Both	UI	крупный значок	эре билге
1117	Last Modified		Both	UI	Изменено	Үзгәртелгән
1118	Last Name	The last name of a person	Office	GEN/UI	фамилия	фамилия
	launch	Means to start a program	Windows	GEN	запускать	эшләтеп жиберергә
1120	Layer		Office	UI	слой	катлам
1121	layout	The arrangement of elements such as title and subtitle text, lists, pictures, tables, charts, AutoShapes, and movies, on a chart.	Both	GEN/UI	макет, верстка	макет, верстка
1122	layout table	Any one of internal OpenType tables, defining various aspects of font layout. OpenType is an extension of the original TrueType format, developed in partnership by Microsoft and Adobe Systems. OpenType makes use of the basic architecture of TrueType to ad	Office	GEN/UI	макетная таблица	макет таблица
1123	leader	Word: Leader: A line that draws the reader's eye from a callout to the appropriate part of an illustration.	Windows	GEN	заполнитель	тутыргыч

1124	leading	The space between lines of text measured from baseline to baseline. See baseline.	Office	GEN	начальный, в начале (пробел)	башлангыч, баштагы (бушлык)
	Left	As opposed to "Right"	Both	UI	лево, левый	сулъяк, сул
1126	Left Arrow	Arrow pointing to the left, for example the Left Arrow Key on the keyboard.	Office	UI	стрелка влево	ук сулга
1127	left mouse button	Left button of the common pointing device	Windows	GEN	левая кнопка мыши	тычканның сул төймәсе
1128	left-to-right	Refers to keyboard settings, document views, user interface objects, and the direction in which text is displayed. English and most other European languages are left-to-right languages.	Office	GEN/UI	слева направо	сулдан уңға
1129	legacy	Usually refers to older versions of software or hardware that may not be compatible with the latest versions.	Windows	GEN	старый	иске
1130	legend	A box that identifies the patterns or colors assigned to data series or categories in a chart.	Both	GEN/UI	легенда	легенда
	Legend key		Office	UI	Ключ легенды	Легенда ачкычы
1132	Length	A measurement to indicate how long something is.	Both	UI	длина	озынлык
1133	less	Of lower rank, degree, or importance	Both	GEN/UI	менее, меньше	азрак, кечкенәрәк, кечерәк
1134	less-than sign	Character: <	Windows	GEN	знак "меньше"	"кечерәк" тамгасы
1135	level	A part of an OLAP dimension. Within a dimension, data is organized into lower and higher levels of detail, such as Year, Quarter, Month, and Day levels in a Time dimension.	Both	GEN/UI	уровень	дәрәжә
1136	library	Translation depends on context	Windows	GEN	библиотека	китапханә
	license agreement	The contract between Microsoft and the person who purchased the software. See end user license agreement	Windows	GEN	лицензионное соглашение	лицензион килешү

1138	license certificate	The license itself, the entity which allows legal use of the software	Windows	GEN	сертификат лицензии	лицензия сертификаты
1139	line	Can mean a line of text or a line in a drawing	Both	GEN/UI	строка (текста), линия	(текст) юлы, линия
1140	line break	A nonprinting character that signifies the end of a line of text.	Both	GEN/UI	конец строки	юл ахыры
1141	line callout	A callout drawn by a straight line.	Office	GEN/UI	выноска	чыгарма
1142	line chart	Chart type	Both	GEN/UI	график	график
	Line color		Office	UI	Цвет линии	Сызык төсе
1144	line spacing	The amount of space from the bottom of one line of text to the bottom of the next line. Microsoft Word adjusts the line spacing to accommodate the largest font or the tallest graphic in that line.	Both	GEN	межстрочный интервал	юлара интервал
1145	line style	A line drawing pattern, such as dotted or dashed.	Both	GEN/UI	тип линии	сызык тибы
1146	Line up Icons	To place according to grids	Both	UI	Выстроить значки	тамгаларны тезэргә
1147	Line Width		Both	UI	толщина линии	сызык калынлыгы
1148	line wrap	How lines of text wrap in a document	Windows	GEN	перенос текста	текстны күчерү
	Linear		Office	UI	линейный	сызыкча
1150	link	Also called hyperlink. A pointer from text, from a picture or a graphic, or from an image map to a page or file on the World Wide Web. On the World Wide Web, hyperlinks are the primary way to navigate between pages and among web sites.	Both	GEN/UI	ссылка	сылтама
1151	link bar	A collection of graphic or text buttons representing hyperlinks to pages both within your web site and to external sites.	Office	GEN	панель ссылок	сылтамалар аслыгы
1152	Link to Content		Both	UI	Из документа	Документтан

1153	linked object	An object that is created in a source file and inserted into a destination file, while maintaining a connection between the two files. The linked object in the destination file can be updated when the source file is updated.	Both	GEN	связанный объект	бэйле объект
1154	linked table	A table stored in a file outside the open database from which Access can access records. You can add, delete, and edit records in a linked table, but you can't change its structure.	Office	GEN	связанная таблица	бэйле таблица
	LIS	The LIS saves a local copy of documents, Outlook items, and Web applications that you open from a server. If you disconnect from the network, you can continue to work with saved items. When you reconnect to the network, your changes are synchronized.	Office	GEN	not in giaa	not in giaa
1156	list	A series of worksheet rows that contain related data, such as an invoice database or a set of client names and phone numbers. The first row of the list has labels for the columns.	Both	GEN	список	исемлек
1157	list box	A GUI control type that provides a list of choices, either drop-down or static. A list box consists of a list and an optional label.	Both	GEN/UI	поле со списком	исемлекле кыр
1158	list separator	Specifies the character that separates the items in a list.	Windows	GEN/UI	разделитель списка	исемлек булгече (аергычы)
1159	load	Verb. Load something on to a computer	Both	GEN/UI	загрузить	йөклөргө
1160	local network	See LAN (Local Area Network),	Windows	GEN	Локальная сеть	Локаль челтэр
	locale	Country/area standard	Windows	GEN	язык	тел
1162	location	A physical position or site occupied or available for occupancy or marked by some distinguishing feature.	Both	GEN/UI	расположение	урнашу

1163	lock	1) A software security feature that requires a key or dongle in order for the application to run correctly; a mechanical device on some removable storage medium (for example, the write-protect notch on a floppy disk) that prevents the contents from being overwritten. 2) To shut or make secure with or as if with locks.	Windows	GEN	блокировка; блокировать, запирать	блокировка, блокировкаларга, бикләргә
1164	log	Same as log file	Windows	GEN	журнал	журнал
1165	log file	A file that stores messages generated by an application, service, or operating system. These messages are used to track the operations performed. For example, Web servers maintain log files listing every request made to the server. Log files are usually plain text (ASCII) files and often have a .log extension. In Backup, a file that contains a record of the date the tapes were created and the names of files and directories successfully backed up and restored. The Performance Logs and Alerts service also creates log files.	Windows	GEN	файл журнала	журнал файлы
1166	Log Off	Item on Start menu in Windows. Provides options for closing your programs and logging off, or for leaving your programs running and switching to another user. To terminate a session with a computer accessed through a communications line-usually a computer that is both distant and open to many users. "%s" is a placeholder; a user name will be inserted while the software is running; placeholder must also be used for translation but sentence structure can be adapted to your language.	Both	GEN/UI	Завершение сеанса	Сеанс ахыры

	log off from the network	To stop using a network by using the Log Off command or ending a Windows session.	Windows	GEN	выйти из сети	челтэрдэн чыгарга
1168	log on	To establish communication and initiate interaction with a computer, system or network.	Office	GEN/UI	войти	керергэ
1169	log on to the network	To begin using a network by providing a user name and password that identifies a user to the network.	Windows	GEN	войти в сеть	челтэргэ керергэ
1170	logarithm	A logarithm is an exponent used in mathematical calculations to depict the perceived levels of variable quantities such as visible light energy, electromagnetic field strength, and sound intensity.	Windows	GEN	логарифм	логарифм
1171	logging	The process of storing information about events that occurred on the firewall or network.	Windows	GEN	ведение журнала	журнал алып бару
1172	logical	Used to describe insertion point movement and text selection when working with bidirectional text. Movement progresses within bidirectional text according to the direction of the language encountered.	Office	GEN	логический	логик
	login	Same as logon	Both	GEN/UI	войти	керергэ
1174	logo	A distinctive symbol that identifies you, your business, or your organization. It can combine a name, motto, and graphics.	Both	GEN	эмблема	эмблема
1175	look in	A list that allows selecting a set of specific objects to perform actions or operations with them, as well as their order.	Both	GEN/UI	not in giaa	not in giaa
1176	look in	A list that allows selecting a set of specific objects to perform actions or operations with them, as well as their order.	Both	GEN/UI	not in giaa	not in giaa
1177	look up	To search for in or as if in a separate reference (catalog) object, such as a reference book.	Office	GEN/UI	искать	эзлэргэ

1178	loop	A series of computer instructions that is repeated until a terminating condition is reached.	Office	GEN/UI	замкнутая ссылка	йомык сылтама
	loudspeaker	Piece of hardware that changes electrical signals into sounds, Part of the standard PC peripherals for sound reproduction,	Windows	GEN	громкоговоритель	тавыш кечәйткеч
1180	low memory	1.On computers running MS-DOS, the first 640 kilobytes of RAM. This RAM is shared by MS-DOS, device drivers, data, and application programs. Also called conventional memory. 2. This string could also mean that there isn't sufficient memory to perform a specific task.	Windows	GEN	низкая память; недостаточно памяти	аз хәтер
1181	lowercase	About letters. Having as its form "a f g" or "b n l" rather than "A F G" or "B N l".	Both	GEN/UI	нижний регистр	аскы регистр
1182	Lum	A function, returning the value of a color's luminosity component. The return value is a number in the range 0 to 240, inclusive. The input is an index of a color in the document's color table, or a reference to a cell that contains a color index.	Both	GEN/UI	Яркость	Яктылык
1183	macro	An action or a set of actions you can use to automate tasks. Macros are recorded in the Visual Basic for Applications programming language.	Both	GEN	макрос	макрос
1184	macro virus	Virus spreading by using macros.	Windows	GEN	макровирус	макровирус
	Magnifier	The Windows Magnifier is an Accessibility Tool that comes with Windows. It allows you to create a magnified area of your screen that can move around with either your cursor, keyboard or text editing movements.	Both	UI	Экранная лупа	Экран лупасы

1186	Mail	Most often synonymous with "e-mail", but is also used about ordinary "postal mail" in some contexts. Be careful to check this when translating.	Both	UI	почта	почта
1187	mail merge	The process of combining information from a data source with a publication to print a batch of individually customized publications.	Both	GEN	составление стандартных писем	стандарт хатлар тезү
1188	Mail Message	An e-mail message	Both	UI	Почтовое сообщение	Почта хәбәре
1189	Mail Options	Options for setting up e-mail	Office	UI	Параметры почты	Почта параметрлары
1190	mail recipient	Person intended or actually receiving mail.	Office	GEN/UI	получатель почты	почта алуучы
	mail system	Should refer to "Electronic mail system". Email can be used to send messages through the Internet. It is sent to an electronic mailbox and transmitted to the recipient's computer.	Windows	GEN	почтовая система	почта системасы
1192	mailbox	Outlook, Outlook Express and mail messaging term: What you see, when you open the application to read your mails	Windows	GEN	почтовый ящик	почта әржәсе
1193	mailing label	Should refer to a computer routine that generates address label	Windows	GEN	почтовая наклейка	почта ябыштырмасы
1194	mailing list	Used in connection with e-mail	Windows	GEN	список рассылки	тарату исемлеге
1195	main document	In a mail-merge operation in Word, the document that contains the text and graphics that are the same for each version of the merged document, for example, the return address or salutation in a form letter.	Both	GEN	основной документ	төп документ

1196	major gridlines	Lines extending from the tick marks on an axis across the plot area, corresponding to the major (coarse) unit of measurement of a chart - for example, centimeters. As opposed to minor gridlines, extending from the tick marks corresponding to the finer units.	Office	GEN/UI	Основные линии сетки	Челтәрнең төп сызыклары
	Manage		Office	UI	Управление	Идарә
1198	Manage Lists right	A right that allows a user to add, modify, and remove lists, document libraries, discussion boards, and surveys.	Office	GEN	право управления списком	исемлек белән идарә хокукы
1199	Manager	Supervisor or boss in the workplace, usually used in connection with address information. But may also refer to a component in the software that controls something, for example "Device Manager" in Windows.	Both	UI	диспетчер	диспетчер
1200	Manual	To handle something manually (as opposed to automatically)	Both	UI	вручную	кулдан
1201	manual feed	About feeding paper or envelopes into printers	Windows	GEN	ручная подача	кулдан бирү
1202	manual line break	See Word	Windows	GEN	Разрыв строки	Юл өзеге
	manual link	Whenever source data changes, the user is required to update the link to the primary document. Compare automatic link.	Windows	GEN	not in giaa	not in giaa
1204	manual page break	See Word	Windows	GEN	Разрыв страницы	Бит өзеге

1205	MAPI	The Microsoft interface specification that allows different messaging and workgroup applications (including e-mail, voice mail, and fax) to work through a single client, such as the Exchange client included with Windows 95 and Windows NT.	Office	GEN	MAPI	MAPI
1206	margin	The blank space outside the printing area on a page.	Both	GEN	поле	кыр
1207	Mark	1) In applications and data storage, a symbol or other device used to distinguish one item from others like it. 2) To make a visible trace or impression on, as with a spot, line, or dent.	Both	GEN/UI	метка	тамга
1208	Mark as Read	To set the status of an email to "Read" (as opposed to "Unread")	Both	UI	Пометить как прочитанное	Укылган дип билгелэргэ
	Mark as Unread	To set the status of an emails to "Unread" (as opposed to "Read")	Both	GEN/UI	Пометить как непрочитанное	Укылмаган дип билгелэргэ
1210	marker	Part of a data communications signal that enables the communications equipment to recognize the structure of the message. Examples are the start and stop bits that frame a byte in asynchronous serial communications.	Windows	GEN	маркер	маркер
1211	markup	Comments and tracked changes such as insertions, deletions, and formatting changes. View markup when you want to process tracked changes and comments. Print a document with markup to keep a record of changes made to a document.	Both	GEN	Разметка	Тамгаланыш
1212	marquee	Originally, a permanent canopy often of metal and glass projecting over an entrance (as of a hotel or theater). In MS Office, a complex UI object with scrolling text, offers large variety of text effects, such as vertical and horizontal scrolling text.	Both	GEN/UI	карниз	кэрниз

1213	mask	1) To cover in order to conceal, protect, or disguise. 2) n. A binary value used to selectively screen out or let through certain bits in a data value. Masking is performed by using a logical operator (AND, OR, XOR, NOT) to combine the mask and the data value. For example, the mask 00111111, when used with the AND operator, removes (masks off) the two uppermost bits in a data value but does not affect the rest of the value. See also logical operator, mask bit.	Windows	GEN	маска	маска
1214	master	A slide view or page on which you define formatting for all slides or pages in your presentation. Each presentation has a master for each key component, slides, title slides, speaker's notes, and audience handouts.	Office	GEN	общий	гомуми
	master document	A container for a set of separate files (or subdocuments). You can use a master document to set up and manage a multipart document, such as a book with several chapters.	Office	GEN	главный документ	төп документ
1216	master page	A master object, usually in hierarchy. Also, an original object from which copies can be made. For example, a parent page object in Microsoft Publisher object model hierarchy.	Office	GEN/UI	главная страница	төп бит
1217	master record	A "parent" record in a hierarchy of a specific application data model relationship, or in general one-to-many relationships.	Office	GEN	not in giaa	not in giaa
1218	match	Verb. Used in searches where something is identical to what you are looking for (something "matches" something else). Noun. A match is an occurrence of something that is identical to what you were looking for.	Windows	GEN	Соответствие	Тиндәшлек

1219	match case	About finding text in documents with identical use of capitals and lower case letters. Used in several applications.	Both	GEN	С учетом регистра	Регистрны исәпкә алып
1220	matrix	An arrangement of rows and columns used for organizing related items, such as numbers, dots, spreadsheet cells, or circuit elements. Matrices are used in mathematics for manipulating rectangular sets of numbers. In computing and computer applications, matrices are used for the similar purpose of arranging sets of data in table form, as in spreadsheets and lookup tables. In hardware, matrices of dots are used in creating characters on the screen as well as in print (as by dot-matrix printers). In electronics, matrices of diodes or transistors are used to create networks of logic circuits for such purposes as encoding, decoding, or converting information.	Windows	GEN	матрица	матрица
	matte	A motion-picture effect in which part of a scene is blocked out and later replaced by footage containing other material (as a background painting).	Office	GEN/UI	Матовая	кытыршы
1222	Max	Stands for an abbreviation of Maximum,	Office	UI	Высокая	югары, биек
1223	maximize	To make a window its largest size. See also minimize.	Windows	GEN/UI	развернуть	жәяргә
1224	Maximize button	See maximized window	Windows	GEN	Развернуть	Жәяргә
1225	maximized window	In graphical user interfaces, a maximized window is a window enlarged to its maximum size. In Windows and Macintosh environments, the buttons for minimizing and maximizing windows are located in the top right corner of the window.	Windows	GEN	развернутое окно	Жәелгән тәрәз
1226	MB	Megabyte (e.g. 1.2 MB)	Windows	GEN	МБ	МБ

	measure	Verb. To measure something, for example the length of an item.	Windows	GEN	измерять	Үлчөргө
1228	measurement	1 : the act or process of measuring 2 : a figure, extent, or amount obtained by measuring	Windows	GEN	измерение, величина, размер	үлчөм, зурлык
1229	Media	Can be either 1. Any fixed or removable objects that store computer data. Examples include hard disks, floppy disks, tapes, and compact discs. or 2. media data such as audio, video, radio	Windows	GEN/UI	носители	Йөрткөчлөр
1230	medium	As opposed to high and low	Windows	GEN/UI	средний	урта
1231	Meeting Request	In Outlook>File>New>Meeting Request	Both	UI	Приглашение на собрание	Жыелышка чакыруу
1232	Members		Both	UI	члены, участники	өгззалар, катнашучылар
	memo	An informal written note of a transaction or proposed instrument. Often used to refer to intra-company notes.	Both	GEN/UI	Записки	Язмалар
1234	memory	Internal storage areas in the computer. The term memory identifies data storage that comes in the form of chips, and the word storage is used for memory that exists on tapes or disks. Moreover, the term memory is usually used as a shorthand for physical memory, which refers to the actual chips capable of holding data. Some computers also use virtual memory, which expands physical memory onto a hard disk. Every computer comes with a certain amount of physical memory, usually referred to as main memory or RAM. You can think of main memory as an array of boxes, each of which can hold a single byte of information. A computer that has 1 megabyte of memory, therefore, can hold about 1 million bytes (or characters) of information.	Windows	GEN	память	хөтөр

1235	menu	A list of commands that is displayed when you click a menu name on a menu bar or other toolbar.	Both	GEN/UI	меню	МЕНЮ
1236	menu bar	The horizontal bar below the title bar that contains the names of menus. A menu bar can be the built-in menu bar or a custom menu bar.	Both	GEN/UI	строка меню	меню юлы
1237	menu button	A command button that is used to display a menu.	Windows	GEN	кнопка меню	меню тәймәсе
1238	menu item	A choice on a menu.	Windows	GEN	элемент меню	меню элементы
	menu name	Text label used to name and describe a menu command,	Windows	GEN	Название меню	Меню исеме
1240	menu title	A textual or graphic label that designates a particular menu. For drop-down menus, the title is the entry in the menu bar; for cascading menus the menu title is the name of its parent menu item.	Windows	GEN	заголовок меню	меню башисеме
1241	merge	To become combined into one, such as address data and address template merge to form a list of mailing addresses.	Both	GEN/UI	объединять	берләштерергә
1242	merge field	A placeholder that you insert in the main document. For example, insert the merge field "City" to have Word insert a city name, such as "Paris", that's stored in the City data field.	Office	GEN	поле данных	бирелмәләр кыры
1243	Merge to		Office	UI	Назначение	Билгеләнеш, максат
1244	Message	Can refer to either 1. an email message or 2. a notification	Both	GEN/UI	сообщение	
	Message	Can refer to either 1. an email message or 2. a notification	Both	GEN/UI	сообщение	хәбәр
1246	message box	A secondary window that is displayed to inform a user about a particular condition.	Windows	GEN	Окно сообщения	Хәбәр тәрәзе

1247	Message Class		Office	UI	Класс сообщения	Хэбэр классы
1248	message header	Message header: Summary information that you download to your computer to determine whether to download, copy, or delete the entire message from the server. The header includes these fields: Subject, From, Received, Importance, Attachment, and Size.	Both	GEN/UI	заголовок сообщения	хэбэр башисеме
1249	messaging	About sending messages via your computer. Can refer to e-mail and to chat applications like Instant Messaging.	Windows	GEN	обмен сообщениями	хэбэрлэр алмашу
1250	metafile	A vector-based graphic. Metafiles are represented as collections of lines rather than pixels, so you can manipulate them without the distortions common to bitmap (raster) graphics.	Office	GEN	метафайл	метафайл
	method	A procedure similar to a statement or function that operates on specific objects. For example, you can apply the Print method to the Debug object to transfer printed output to the Immediate window.	Both	GEN	метод	ысул

1252	microprocessor	<p>A silicon chip that contains a CPU. In the world of personal computers, the terms microprocessor and CPU are used interchangeably. At the heart of all personal computers and most workstations sits a microprocessor. Microprocessors also control the logic of almost all digital devices, from clock radios to fuel-injection systems for automobiles.</p> <p>Three basic characteristics differentiate microprocessors:</p> <p>Instruction set: The set of instructions that the microprocessor can execute.</p> <p>bandwidth : The number of bits processed in a single instruction.</p> <p>clock speed : Given in megahertz (MHz), the clock speed determines how many instructions per second the processor can execute. In both cases, the higher the value, the more powerful the CPU. For example, a 32-bit microprocessor that runs at 50MHz is more powerful than a 16-bit microprocessor that runs at 25MHz.</p> <p>In addition to bandwidth and clock speed, microprocessors are classified as being either RISC (reduced instruction set computer) or CISC (complex instruction set computer).</p>	Windows	GEN	микромпроцессор	микромпроцессор
1253	Microsoft Access database	<p>A collection of data and objects, such as tables, queries, or forms, related to a particular topic or purpose. The Microsoft Jet database engine manages the data.</p>	Office	GEN	база данных Microsoft Access	

1254	Microsoft Office Activation Wizard	To fully use your Microsoft Office product, you need to activate it using the Microsoft Office Activation Wizard. If you fail to activate after installing the product, Office will go into Reduced Functionality Mode. In Reduced Functionality Mode, you will not be able to save modifications to documents, or create a new document, and additional functionality may be reduced. No existing Office files will be harmed while the product is in Reduced Functionality Mode. Also, through the Microsoft Office Activation Wizard, you may update or change your personal customer information held at Microsoft at any time either over the Internet or by telephone.	Windows	GEN	мастер активации Microsoft Office	Microsoft Office активлату мастеры
1255	Microsoft Privacy policy	Explanation of a user's protection of private information. See also Privacy.	Windows	GEN	политика конфиденциальности корпорации Майкрософт	Майкрософт корпорациясеңең конфиденциальлек политикасы
1256	Microsoft Product Support	The name of Microsoft's product support service	Windows	GEN	Поддержка продуктов Майкрософт	Майкрософт продуктларына ярдәм
	Microsoft Script Editor	Used to add text, edit HTML tags, and edit any Microsoft Visual Basic Scripting Edition (VBScript) code in a data access page. You can also view your page in the Script Editor as it would appear in a Web browser.	Office	GEN	Редактор сценариев	Сценарийлар редакторы
1258	Microsoft SQL Server database	A database in Microsoft SQL Server, it consists of tables, views, indexes, stored procedures, functions, and triggers.	Office	GEN	база данных Microsoft SQL Server	Microsoft SQL Server бирелмәләр базасы
1259	Middle	A name that occurs between a person's first name and surname.	Both	UI	Отчество	Атасының исеме

1260	Minimize	To make a window its smallest size.	Windows	GEN/UI	Свернуть	Жыярга
1261	Minimize button	In Windows 3.x, Windows 9x, Windows NT, and Windows 2000, a button in the upper right-hand corner of a window that when clicked hides the window. In Windows 3.x and Windows NT 3.5 and lower, an icon appears on the desktop that represents the window; in Windows 95, Windows NT 4.0, and later versions, the name of the window appears on the taskbar at the bottom of the desktop screen. When the icon or the name is clicked, the window is restored to its previous size.	Windows	GEN	кнопка "Свернуть"	"Жыярга" теймәсе
1262	minimum installation	An installation where only the necessary components are installed on a system.	Windows	GEN	сокращенная установка	кыскартылган урнаштыру
	minor gridlines	Lines extending from the tick marks on an axis across the plot area, corresponding to the finer unit of measurement of a chart - for example, millimeters. As opposed to major gridlines, extending from the tick marks corresponding to the major (coarse) units.	Office	GEN/UI	промежуточные линии сетки, вспомогательные линии сетки	челтәрнең арадаш сызыклары, челтәрнең ярдәмче сызыклары
1264	minus sign	Character: -	Windows	GEN	Знак "минус"	"минус" тамгасы
1265	miscellaneous	Made up of a variety of parts or ingredients. Having a variety of characteristics, abilities, or appearances. Concerned with diverse subjects or aspects.	Windows	GEN	разное	төрлеләр
1266	mix	1) The Microsoft PhotoDraw native file format. Saving a picture in MIX format maintains all the objects in the picture as separate objects, allowing you to edit the individual objects when you reopen the file. 2) To combine (two or more audio tracks or channels) to produce a composite audio recording.	Windows	GEN	MIX-формат	MIX-формат

1267	mode	A particular state of interaction, often exclusive in some way to other forms of interaction.	Both	GEN/UI	режим	режим
1268	model	A mathematical or graphical representation of a real-world situation or object-for example, a mathematical model of the distribution of matter in the universe, a spreadsheet (numeric) model of business operations, or a graphical model of a molecule. Models can generally be changed or manipulated so that their creators can see how the real version might be affected by modifications or varying conditions.	Windows	GEN/UI	модель	модель
	modem	A device that allows computer information to be transmitted and received over a telephone line. The transmitting modem translates digital computer data into analog signals that can be carried over a phone line. The receiving modem translates the analog signals back to digital form.	Windows	GEN	модем	модем
1270	modifier key	A keyboard key that when pressed, changes the actions of normal input.	Windows	GEN	клавиши Ctrl, Shift и Alt	Ctrl, Shift нәм Alt тәймәләре
1271	modify	To change in form or character; alter.	Both	GEN/UI	Изменить	Үзгәртәргә
1272	module	A collection of declarations, statements, and procedures stored together as one named unit.	Office	GEN	модуль	модуль
1273	monitor	The hardware device containing the display.	Windows	GEN	монитор	монитор
1274	More	Sometimes a button in dialogs that gives you "More" of something (e.g. information, or options).	Both	UI	Дополнительно	Өстәмә
	More Colors		Office	UI	Дополнительные цвета	Өстәмә төсләр
1276	More Details		Office	UI	Другие подробности	Башка нечкәлекләр
1277	More Info		Both	UI	Подробнее	Тулырак

1278	More Windows		Both	UI	Все окна	Барлык тәрәзләр
1279	mouse	A commonly used input device that has one or more buttons that can be used to interact with a computer. It is also used as a generic term to include other pointing devices that operate similarly (for example, trackballs).	Windows	GEN	мышь	тычкан
1280	mouse button	On a mouse, a movable piece that is pressed to activate some function. Older mouse models have only one button; newer models typically have two or more buttons.	Windows	GEN	кнопка мыши	тычкан тәймәсе
	mouse click	To select items or choose commands on the screen, the user presses one of the mouse's buttons, producing a "mouse click."	Windows	GEN	щелчок мыши	тычкан белән чирттерү
1282	mouse pointer	In graphical user interfaces, a pointer is a small arrow or other symbol on the display screen that moves as you move the mouse. You can select commands and options by positioning the tip of the arrow over the desired choice and clicking a mouse button.	Windows	GEN	указатель мыши	тычкан күрсәткече
1283	Move	To change the location of	Both	GEN/UI	переместить	күчерергә
1284	move down	Noun. A command or instruction to transfer information from one location to another (moving down).	Both	GEN/UI	Вниз	Аска
1285	Move Up	To move upwards (as in a folder tree)	Both	GEN/UI	Вверх	Өскә
1286	movie clip	A portion of a movie	Windows	GEN	Фильм	Фильм

	MS-DOS	An operating system used on all personal computers and compatibles. As with other operating systems, such as OS/2, it translates user keyboard input into operations the computer can perform. MS-DOS can be easily accessed by using the command prompt, while MS-DOS-based programs can be accessed through the use of shortcuts on the desktop.	Windows	GEN	MS-DOS	MS-DOS
1288	multilingual	Being able to use several languages in the application / system.	Windows	GEN	многоязыковой	Күп телле
1289	multimedia	The use of computers to present text, graphics, video, animation, and sound in an integrated way. Long touted as the future revolution in computing, multimedia applications were, until the mid-90s, uncommon due to the expensive hardware required. With increases in performance and decreases in price, however, multimedia is now commonplace. Nearly all PCs are capable of displaying video, though the resolution available depends on the power of the computer's video adapter and CPU.	Windows	GEN	мультимедиа	мультимедиа
1290	multiple selection	Multiple selection: The process of selecting nonadjacent and adjacent files and objects.	Windows	GEN	несвязное выделение	бэйлэнмэгэн аерып алу
1291	multi-user environment	Refers to environments running on computer systems that support two or more simultaneous users. All mainframes and minicomputers are multi-user systems, but most personal computers and workstations are not. Another term for multi-user is time sharing.	Windows	GEN		күп кулланылучылы мөхит
1292	mute	To temporarily turn off the sound - like the mute button on a TV	Windows	GEN/UI	выключить звук	тавышны өзэргэ, тавышны бетерергэ

	My Computer	Item on Start menu in Windows and name of a folder on the desktop. Gives access to, and information about, the disk drives, cameras, scanners, and other hardware connected to your computer.	Windows	UI	Мой компьютер	Минем санак
1294	My Documents	Item on Start menu in Windows and name of a folder on the desktop. Opens the My Documents folder, where you can store letters, notes, reports, and other types of documents.	Windows	UI	Мои документы	Минем документлар
1295	My Music	Item on Start menu in Windows. Opens the My Music folder where you can store music and other audio files.	Windows	UI	Моя музыка	Минем кэйлэр
1296	My Network Places	Item on Start menu in Windows and name of a folder on the desktop. Gives access to, and information about, folders and files on other computers.	Windows	UI	Сетевое окружение	Челтэр мохите
1297	My Pictures	Item on Start menu in Windows. Opens the My Pictures folder, where you can store digital photos and images, and graphic files.	Windows	UI	Мои рисунки	Минем рәсемнәр
1298	My Recent Documents	Item on Start menu in Windows and name of folder in Save and Open dialogs in programs. Contains a list of the most recently used files.	Windows	UI	Недавние документы	Баягы документлар
	n/a	Abbreviation for "not available" or "not applicable"			Н/Д	К/Б
1300	name	1. A person's name 2. the identifier of a computer on the network. 3. A word or string of characters in Excel that represents a cell, range of cells, formula, or constant value.	Both	GEN/UI	название, имя	исем, атама

1301	Name box	Box at left end of the formula bar that identifies the selected cell, chart item, or drawing object. To name a cell or range, type the name in the Name box and press ENTER. To move to and select a named cell, click its name in the Name box.	Office	GEN	Имя	Исем
1302	Named	That has been given a name.	Both	UI	Имя	Исем
1303	namespace	A mechanism that uniquely qualifies element names and relationships so as to avoid name collisions on elements that have the same name but are coming from multiple sources.	Office	GEN	пространство имен	исемнәр киңлеге
1304	navigate	Move around in a document, etc.	Windows	GEN	переходить	күчәргә
	Navigation	Going around, from one location to another	Both	GEN/UI	Команда перехода	Күчү командасы
1306	Navigation Bar		Office	UI	Панель переходов	Күчешләр аслыгы
1307	Navigation Pane	The Navigation Pane is a feature of FrontPage 2002, It allows users to view only pages that have already been added to the navigation structure in a Web project,	Office	UI	панель переходов, область переходов	күчешләр аслыгы, күчешләр өлкәсе
1308	negative indent	A decreased indent. Indent: 1. Displacement of the left or right edge of a block of text in relation to the margin or to other blocks of text. 2. Displacement of the beginning of the first line of a paragraph relative to the other lines in the paragraph.	Windows	GEN	выступ	чыгынты
1309	Network	A group of computers and associated devices that are connected by communications facilities.	Both	GEN/UI	сеть	челтәр
1310	network administrator	Person who administers the network	Windows	GEN	администратор сети	челтәр администраторы

	network administrator installation	Installation by a network administrator	Windows	GEN	установка администратором сети	челтәр администраторы урнаштыруы
1312	network connection	Access to network resources and functionality, whether you are physically at the network location or in a remote location.	Windows	GEN	сетевое подключение	челтәрде ялгану
1313	network drive	On a local area network, a disk drive whose disk is available to other computers on the network. Access to a network drive might not be allowed to all users of the network; many operating systems contain security provisions that enable a network administrator to grant or deny access to part or all of a network drive. Also called networked drive. See also network directory.	Windows	GEN	сетевой диск	челтәр диски
1314	network location	In a URL, a unique name that identifies an Internet server. A network location has two or more parts, separated by periods, as in microsoft.com. Also called host name and Internet address.	Office	GEN	Место в сети	Челтәрдеге урын
1315	news	The Internet protocol for retrieving files from an Internet newsgroup. You can create news hyperlinks.	Office	GEN/UI	новости	яңалыклар
1316	News Message	News refers to newsgroups	Both	UI	Сообщение группы новостей	Яңалыклар төркеме хәбәре
	newsgroup	Newsgroup: A collection of messages posted by individuals to a news server, a computer maintained by a company, group, or individual. Some newsgroups are monitored, but most are not, and messages can be posted and read by anyone with access to the group.	Windows	GEN	группа новостей	яңалыклар төркеме

1318	Next	Usually a button in dialogs that moves on to the next page or dialog	Both	UI	Далее	Арырак
1319	Next Page		Both	UI	Следующая страница	Чираттагы бит
1320	Nickname	A name used in the destination field of an e-mail editor in place of one or more complete network addresses.	Windows	GEN/UI	псевдоним	псевдоним
1321	No	As opposed to "Yes". Used in dialogs and on buttons where you make a Yes/No choice.	Both	GEN/UI	нет	юк
1322	no wrap	Means no line wrap	Windows	GEN/UI	Не производится	Эшләнелми
	node	An object on a network.	Windows	GEN	узел	төөн
1324	non-adjacent cells	cells which don't have common endpoint or border. Cell: The intersection of a row and a column in a spreadsheet. Each row and column in a spreadsheet is unique, so each cell can be uniquely identified—for example, cell B17, at the intersection of column B and row 17. Each cell is displayed as a rectangular space that can hold text, a value, or a formula.	Windows	GEN	несоседние ячейки	күрше булмаган оялар
1325	non-breaking hyphen	Non-breaking hyphen: A hyphen that's used to prevent a hyphenated word, number, or phrase from breaking if it falls at the end of a line. For example, you can prevent 555-0123 from breaking; instead, the entire item moves to the beginning of the next line.	Windows	GEN	неразрывный дефис	өзелмәс дефис
1326	non-breaking space	Non-breaking space: A space that's used to prevent multiple words from breaking if they fall at the end of a line. For example, you can prevent M. Poirot from breaking; instead, the entire item moves to the beginning of the next line.	Windows	GEN	неразрывный пробел	өзелмәс буш ара

1327	None	Means "no one" or "nothing". A choice in dialogs, e.g. as opposed to "All". Please watch for number and gender of what "none" is referring to, if needed for your language	Both	GEN/UI	нет	юк
1328	nonprinting character	A nonprinting character is used to control the format of our displayed or printed information, rather than to represent a particular letter, digit, or other special character. The space ( ) is one of the more important nonprinting characters.	Windows	GEN	непечатаемый знак	басылмаучан тамга
	non-proportional font	A font where all characters are displayed using the same width is considered a non-proportional font. For example, on a screen that is 80 characters wide, each character has a width of 1/80th of the screen. A non-proportional font is better than a proportional font for some purposes, because the characters line up in nice, neat columns.	Windows	GEN	шрифт с постоянным шагом	даими адымлы шрифт
1330	Normal	Ordinary, regular. Please watch for number and gender of what "normal" is referring to, if needed for your language	Both	GEN/UI	Средний	Урта
1331	normal view	A view that shows text formatting and a simplified page layout. Normal view is convenient for most editing and formatting tasks.	Office	GEN	Обычный режим	Гадәти режим
1332	Note	A brief comment or explanation	Both	GEN/UI	Заметка	Билге
1333	Note Flag		Office	UI	Пометка заметки	Тамганы билгеләү
1334	Notes	either a written note from the user, or a system tip/hint for the user	Both	GEN/UI	Примечания	
	Notes	either a written note from the user, or a system tip/hint for the user	Both	GEN/UI	Примечания	Искәрмәләр
1336	Notify	see definition of notification	Both	GEN/UI	Уведомление	Хәбәрнамә
1337	nudge	To move an object one pixel at a time.	Office	GEN	Сдвиг	шуышма

1338	NUM LOCK key	On the keyboard.	Windows	GEN	клавиша NUM LOCK	NUM LOCK теймәсе
1339	Number	Noun. Indicates numeric values: 1,2,3, etc.	Both	GEN/UI	номер	номер
1340	number sign	Character: #	Windows	GEN	Знак номера	Номер тамгасы
	numbered list	Enumerated list of items.	Both	GEN/UI	нумерованный список	номерланган исемлек
1342	numeric keypad	A separate set of keys on some keyboards that contain the numbers 0 through 9 and a decimal point arranged as on a calculator. Numeric keypads make it easier to enter large amounts of numeric data. Frequently, the keys on the numeric keyboard also serve as cursor control keys. Their meanings, therefore, depend on what mode the numeric keypad is in. In numeric mode, they represent numbers; in cursor control mode, they are like arrow keys. Keyboards that support these dual functions contain an additional key that enables you to switch modes. The name of this key varies -- on many keyboards it is labeled Num Lock.	Windows	GEN	цифровая клавиатура	санлы теймәсар
1343	object	A table, chart, graphic, equation, or other form of information. Objects created in one application, for example spreadsheets, and linked or embedded in another application are OLE objects.	Both	GEN/UI	объект	объект
1344	object library	A file that contains definitions of objects and their methods and properties. The file that contains an object library typically has the extension .olb.	Office	GEN	объектная библиотека	объект китапханәсе

1345	Object Type	An opaque data structure that defines a protected entity that is implemented and manipulated by the operating system.	Both	UI	тип объекта	объект тибы
1346	OCR	Translates images of text, such as scanned documents, into actual text characters. Also known as text recognition.	Office	GEN	оптическое распознавание текста	текстны оптик тану
	OEM manufacturer	Original Equipment Manufacturer	Windows	GEN	ИВТ	ИИТ
1348	Off	Inactive; turned off	Both	GEN/UI	Выкл	Сүндер
1349	office	Business location/room a person works in.	Both	GEN/UI	Комната	Бүлмә
1350	Office Assistant	Help feature in Office showing an "assistant" that helps answering questions. (Help menu).	Windows	GEN	Помощник	Ярдәмче
1351	Office Clipboard	Feature in Office allowing you to collect copied items (Edit menu).	Windows	GEN	Буфер обмена Office	Office алмашу буферы
1352	Office Document	Documents created with or aimed at applications of the Microsoft Office Family/System.	Office	UI	документ Office	Office документы
	offline	Opposite of online	Windows	GEN	автономный	автоном
1354	offset	A distance from common reference point where data read or write operations should take place.	Office	GEN/UI	смещение	күчеш
1355	OK	Text on button in most dialogs.	Both	GEN/UI	OK	OK
1356	OLAP	A database technology that has been optimized for querying and reporting, instead of processing transactions. OLAP data is organized hierarchically and stored in cubes instead of tables.	Office	GEN	куб OLAP	OLAP кубы
1357	Old password	Used when changing a password in many MS apps. To change your password, you are asked to supply the old password for security reasons.	Both	UI	Старый пароль	Иске пароль

1358	OLE	Object Linking and Embedding. A technology for transferring and sharing information among applications. OLE lets an author invoke different editor components to create a compound document.	Both	GEN	связывание и внедрение объектов	объектларны керту һәм бәйләү
	OLE DB	A component database architecture that implements efficient network and internet access to many types of data sources, including relational data, mail files, flat files, and spreadsheets.	Office	GEN	OLE DB	OLE DB
1360	OLE object	An object that supports the OLE protocol for object linking and embedding. An OLE object from an OLE server, for example, a Windows Paint picture or a Microsoft Excel spreadsheet, can be linked or embedded in a field, form, or report.	Office	GEN	OLE-объект	OLE-объект
1361	OLE server	An application or DLL that supplies a linked or embedded OLE object to another application. For example, if an OLE object in an Access database contains a Microsoft Excel worksheet, Excel is the OLE server.	Office	GEN	OLE-сервер	OLE-сервер
1362	omit	To leave out or leave unmentioned	Both	GEN/UI	пропустить, не [делать]	калдырып китәргә, эшләмәскә
1363	On	Active, turned on	Both	GEN/UI	Вкл	Ялга
1364	On the Phone	Presence information also called the online status of an Instant Messaging contact in the Windows/MSN Messenger application. A contact's status can be one of the following: Offline, Online, Busy, Be Right Back, Away, On The Phone, or Out To Lunch.	Both	UI	Говорю по телефону	Телефоннан сөйләшәм
	Online	Connected as opposed to offline	Windows	GEN/UI	подключенный, доступный	ялганган

1366	online service	A business that provides its subscribers with a wide variety of data transmitted over telecommunications lines. Examples of online services are AOL and MSN.	Windows	GEN	службы в Интернете	Интернеттагы хезмэтләр
1367	Online Support	Microsoft technical support on the Web	Both	GEN/UI	Техническая поддержка	Техник ярдәм
1368	Open	Should refer to the following scenario: a program must first open a file before the file's contents can be used, and it must close the file when done.	Both	GEN/UI	открыть	ачарга

1369	operating system	<p>The most important program that runs on a computer. Every general-purpose computer must have an operating system to run other programs. Operating systems perform basic tasks, such as recognizing input from the keyboard, sending output to the display screen, keeping track of files and directories on the disk, and controlling peripheral devices such as disk drives and printers. For large systems, the operating system has even greater responsibilities and powers. It is like a traffic cop -- it makes sure that different programs and users running at the same time do not interfere with each other. The operating system is also responsible for security, ensuring that unauthorized users do not access the system. Operating systems can be classified as follows: multi-user : Allows two or more users to run programs at the same time. Some operating systems permit hundreds or even thousands of concurrent users. multiprocessing : Supports running a program on more than one CPU. multitasking : Allows more than one program to run concurrently. multithreading : Allows different parts of a single program to run concurrently. real time: Responds to input instantly. General-purpose operating systems, such as DOS and UNIX, are not real-time. Operating systems provide a software platform on top of which other programs, called application programs, can run. The application programs must be written to run on top of a particular operating system. Your choice of operating system, therefore, determines to a great extent the applications you can run. For PCs, the most popular operating systems are DOS, OS/2, and Windows, but others are available, such as Linux. As a user, you normally</p>	Windows	GEN	операционная система	операцион система
------	------------------	--	---------	-----	----------------------	-------------------

		interact with the operating system through a set of commands. For example, the DOS operating system contains commands such as COPY and RENAME for copying files and changing the names of files, respectively. The commands are accepted and executed by a part of the operating system called the command processor or command line interpreter. Graphical user interfaces allow you to enter commands by pointing and clicking at objects that appear on the screen.				
1370	operation	A generic term used to refer to the actions that can be done to or with an object.	Windows	GEN	действие	гамәл

	operator	A sign or symbol that specifies the type of calculation to perform within an expression. There are mathematical, comparison, logical, and reference operators.	Both	GEN	оператор	оператор
1372	optimize	(1) In programming, to fine-tune a program so that it runs more quickly or takes up less space. (2) When applied to disks, the term means the same as defragment.(3) To configure a device or application so that it performs better.	Windows	GEN	оптимизировать	оптимальләштерергә
1373	Option	A menu choice in many graphical user interface applications that allows the user to specify how the application will act each time it is used.	Both	GEN/UI	Параметр	Параметр
1374	option button	A control, also called radio button, that is typically used as part of an option group to present alternatives on a form, report, or data access page. The user cannot select more than one option.	Both	GEN/UI	[зависимый] переключатель	[бэйле] күчереп ялгагыч
1375	option group	A frame that can contain check boxes, toggle buttons, and option buttons on a form, report, or data access page. You use an option group to present alternatives from which the user can select a single option.	Office	GEN	Группа переключателей	Күчереп ялгагычлар төркеме
1376	optional	Not compulsory	Both	GEN/UI	Дополнительно	Өстәмә
	optional hyphen	Optional hyphen, also called discretionary or soft hyphens, appear only when a word is broken between syllables at the end of a line; they are usually supplied by the word processing program itself.	Windows	GEN	Мягкий перенос	Йомшак күчерү
1378	ordinal number	A number whose form indicates position in an ordered sequence of items, such as first, third, or twentieth.	Windows	GEN	порядковый номер	тәртип номеры

1379	organization chart	Sometimes also referred to as org chart	Windows	GEN		диаграмма оештыру
1380	organization chart	Sometimes also referred to as org chart	Windows	GEN		оештыру
1381	orientation	The direction a publication will be printed on a sheet of paper. You can choose either portrait, which is the taller-than-wide orientation, or landscape, which is the wider-than-tall orientation.	Both	GEN	ориентация	ориентация
1382	original	That from which a copy, reproduction, etc. is made	Both	GEN/UI	Исходный	Башлангыч
	originate	To initiate or to begin	Windows	GEN	запустить	эшләтеп жибәрергә
1384	Other	In the sense of someone or something else. Please watch for number and gender of what "other" is referring to, if needed for your language	Both	UI	Другое	Башка
1385	Other Places	Heading for items in folder windows. Displays links to open other, useful folders.	Windows	UI	Другие места	Башка урыннар
1386	out of the office	Away from your desk and not able to reply to e-mails. Outlook term.	Windows	GEN	нет на работе	гамәлдә юк
1387	Out to Lunch	Presence information also called the online status of an Instant Messaging contact in the Windows/MSN Messenger application. A contact's status can be one of the following: Offline, Online, Busy, Be Right Back, Away, On The Phone, or Out To Lunch.	Both	UI	Перерыв на обед	Төшке тәнәфес
1388	outbox	Outlook, Outlook Express and mail messaging term	Windows	GEN	Исходящие	Чыгучы
	outgoing message	Outlook, Outlook Express and mail messaging term	Windows	GEN	исходящее сообщение	чыгучы хәбәр

1390	outline	Worksheet data in which rows or columns of detail data are grouped so that you can create summary reports. The outline can summarize either an entire worksheet or a selected portion of it.	Both	GEN	структура	структура
1391	output	The results of processing, whether sent to the screen or printer, stored on disk as a file, or sent to another computer in a network.	Windows	GEN	выходные данные	чыгучы бирелмә
1392	overlap	To extend over or past and cover a part of	Both	GEN/UI	Перекрытие	каплау (каплану)
1393	overlapping windows	Windows that extend over or past and cover a part of other windows	Windows	GEN	перекрывающиеся окна	капланучан тәрәзләр
1394	override	To prevent something from happening in a program or in an operating system or to initiate another response.	Windows	GEN	перекрыць	капларга
	overstrike	Character formatting option	Windows	GEN	вставка, наложить поверх	өстәү, өстенә салу
1396	overtypе	Verb. To type over something	Windows	GEN	заменить	алмаштырырга
1397	Overwrite		Office	UI	перезаписать	кабат язарга
1398	owner	When security is being used, the user account that has control over a database or database object. By default, the user account that created a database or database object is the owner.	Both	GEN/UI	владелец (обычно исп. Перевод "стать владельцем", определить владельца" и т.п., дословный перевод не используется.	хужа

1399	ownership	The state, relation, or fact of being an owner	Windows	GEN	владелец (обычно исп. Перевод "статья владельцем", определить владельца" и т.п., дословный перевод не используется.	хужа
1400	pack	Package your publication files by using the Pack and Go Wizard.	Office	GEN	упаковывать	төрөргө
	Pack and Go	Microsoft PowerPoint feature. When you want to run a slide show on another computer, you can use the Pack and Go Wizard to pack your presentation. The wizard packs all the files and fonts used in the presentation together on a disk or network location. When you intend to run your show on a computer that doesn't have Microsoft PowerPoint installed, you have the option of including the PowerPoint Viewer. You can include linked files as part of your package, and if you use TrueType fonts you can include them as well. If you make changes to your presentation after you use the Pack and Go Wizard, just run the wizard again to update the package.	Office	UI	Упаковать (Pack and Go Wizard = мастер упаковки, Pack and Go file = упакованный файл)	Төргөклөргө, төрөргө (Pack and Go Wizard = төргөклөү мастеры, Pack and Go file = төргөклөнгөн файл)
1402	Packages		Office	UI	Пакеты	Пакетлар
1403	page	A single document in a web site written in HTML. You can use FrontPage to create and modify pages without having to know HTML.	Both	GEN/UI	страница	бит
1404	page break	The point at which one page ends and another begins. Microsoft Word inserts an "automatic" (or soft) page break for you, or you can force a page break at a specific location by inserting a "manual" (or hard) page break.	Both	GEN/UI	разрыв страницы	бит өзеге

1405	PAGE DOWN key	On the keyboard.	Windows	GEN	клавиша PAGE DOWN	PAGE DOWN тәймәсе
1406	page field	A field that's assigned to a page orientation in a PivotTable or PivotChart report. You can either display a summary of all items in a page field, or display one item at a time, which filters out the data for all other items.	Office	GEN	поле страницы, поле сводной таблицы	бит кыры, жыелма таблица кыры
	page header	Use to display a title, column headings, dates, or page numbers at the top of every page in a form or report. In a form, the page header appears only when you print the form.	Office	GEN	верхний колонтитул	өске колонтитул
1408	Page Setup	A set of choices that affect how a file is printed on the page. Page setup might reflect the size of paper going into the printer, the page margins, the specific pages in the document to be printed, whether the image is to be reduced or enlarged when printed, and whether another file is to be printed immediately after the first file is printed.	Both	GEN/UI	Параметры страницы	Бит параметрлары
1409	PAGE UP key	On the keyboard.	Windows	GEN	клавиша PAGE UP	PAGE UP тәймәсе
1410	Page view	In FrontPage, the view you use to create, edit, and preview web pages. Page view displays web pages as they will appear in a Web browser.	Office	GEN	представление страницы	битне күрсәтү
1411	pagination	1. The process of dividing a document into pages for printing. 2. The process of adding page numbers, as in a running head.	Windows	GEN	разбиение на страницы	битлөргә бүлү

1412	palette	1. In paint programs, a collection of drawing tools, such as patterns, colors, brush shapes, and different line widths, from which the user can choose. 2. A subset of the color look-up table that establishes the colors that can be displayed on the screen at a particular time. The number of colors in a palette is determined by the number of bits used to represent a pixel.	Windows	GEN	палитра	палитра
	palette window	A secondary window that displays a toolbar or other choices, such as colors or patterns.	Windows	GEN	окно палитры	палитра тәрәзе
1414	palmtop	Computer type	Windows	GEN	наладонный компьютер	уч компьютеры
1415	pane	A portion of the document window bounded by and separated from other portions by vertical or horizontal bars.	Both	GEN	область	өлкә
1416	panel	A separate or distinct part of a surface on the screen	Windows	GEN	панель	аслык
1417	Pantone	One of the most widely used color-matching systems in commercial printing.	Office	GEN	Pantone	Pantone
1418	paper				бумага	кәгазь
	paper bin	In printers			лоток	лоток
1420	paper format	Size and type of paper for printing	Windows	GEN	формат бумаги	кәгазь форматы
1421	paper jam	About printers	Windows	GEN	застревание бумаги	кәгазь тыгылуы
1422	Paper Source	Which tray in the printer the paper is in	Both	UI	источник бумаги	кәгазь чыганагы
1423	paragraph	Text that has a carriage return (hard return) at the end of it, such as when you press ENTER. Each item in a bulleted or numbered list is a paragraph; a title or subtitle is also a paragraph.	Both	GEN/UI	абзац	абзац
1424	paragraph break	The point at which the flow of text in a document moves to the top of a new paragraph.	Windows	GEN	разрыв абзаца	абзац өзеге

	paragraph formatting	Paragraph formatting: Formatting that controls the appearance of a paragraph — for example, indentation, alignment, line spacing, and pagination.	Windows	GEN	Формат абзаца	Абзац форматы
1426	paragraph mark	The nonprinting symbol that Microsoft Word inserts when you press ENTER to end a paragraph. The paragraph mark stores the formatting you apply to the paragraph.	Both	GEN/UI	знак абзаца	Кызыл юл (абзац) тамгасы
1427	parallel	Extending in the same direction, everywhere equidistant, and not meeting	Windows	GEN	параллельный	параллель
1428	parameter	A value that is assigned to a variable at the beginning of an operation or before an expression is evaluated by a program. A parameter can be text, a number, or an argument name assigned to another value.	Both	GEN	параметр	параметр
1429	parent	Should refer to the higher-level node in a tree structure.	Windows	GEN	родительский	баба
1430	parent directory	A file system directory containing current file or directory.	Office	GEN	родительская папка	баба папка
	parent folder	Folder that contains the current folder	Windows	GEN	папка верхнего уровня, родительская папка	өске кат папкасы, баба папка
1432	parent web	In a hierarchical structure, the web site immediately above the current web site.	Office	GEN	родительский веб-узел	баба веб-төөн
1433	parenthesis	Character: ( )	Windows	GEN	круглая скобка	түгэрэк жэя

1434	parity	The quality of sameness or equivalence, in the case of computers usually referring to an error-checking procedure in which the number of 1s must always be the same—either even or odd—for each group of bits transmitted without error. If parity is checked on a per-character basis, the method is called vertical redundancy checking, or VRC; if checked on a block-by-block basis, the method is called longitudinal redundancy checking, or LRC. In typical modem-to-modem communications, parity is one of the parameters that must be agreed upon by sending and receiving parties before transmission can take place.	Windows	GEN/UI	четность	жөплек
1435	partition	On a disk drive	Windows	GEN	раздел	бүлек
1436	password	A security method used to restrict access to computer systems and sensitive files like workbooks and documents.	Both	GEN/UI	пароль	серсүз (пароль)
	password protection	The use of passwords as a means of allowing only authorized users access to a computer system or its files.	Windows	GEN	защита паролем, парольная защита	серсүз белән саклау, серсүзле сак
1438	Paste	To insert text or a graphic that has been cut or copied from one document into a different location in the same or a different document.	Both	GEN/UI	вставить	өстөргө
1439	Paste Link	See definition of paste and link (a segment of text or a graphical item that serves as a cross-reference between parts of a hypertext document or between files or hypertext documents.)	Both	UI	вставить ссылку	сылтама өстөргө
1440	Paste Shortcut	See definitions of paste and shortcut	Both	UI	вставить ярлык	ярлык өстөргө

1441	Paste Special	Same as paste, but gives you a choice to only paste text, formats, values etc. dependent on the program used	Office	GEN	специальная вставка	махсус өстәмә
1442	patch	Usually a small program that fixes a bug in released software	Windows	GEN	исправление	төзәтү
	path	The route the operating system uses to locate a folder or file; for example, C:\\\\House finances\\\\March.doc.	Windows	GEN/UI	путь	юл
1444	pattern	An effect created by simple, repeating designs such as vertical or horizontal lines.	Both	GEN/UI	узор	бизәк
1445	PAUSE key	On the keyboard.	Windows	GEN	клавиша PAUSE	PAUSE төймәсе
1446	PC	Personal Computer			ПК	ПС (татар латин язмасында PS)
1447	PCD	A graphics file format developed by Eastman Kodak Company. FrontPage can import PCD files. Stands for Photo CD.	Office	GEN	PCD	PCD
1448	PCX	A graphics file format that compresses the graphic's data with RLE-type compression, used by early versions of Windows Paintbrush. FrontPage can import PCX files.	Office	GEN	PCX	PCX
	pen	An input device that consists of a pen-shaped stylus that interacts with a computer.	Both	GEN/UI	перо	каләм
1450	percent sign	Character: %	Windows	GEN	знак процента	процент тамгасы
1451	Percentage		Both	UI	Процентные показатели	Процент күрсәткечләре
1452	performance	The way an action is executed and fulfilled	Windows	GEN	производительность	житештерүчәнлек
1453	period	Meaning either a period of time, or the specific character: . (also called "full stop" in text)	Both	GEN/UI	Точка	нокта

1454	permissions	A set of attributes that specify what kind of access a user has to data or objects in a database.	Both	GEN/UI	Разрешения	Рөхсәтләр
	personal computer	<p>A small, relatively inexpensive computer designed for an individual user. In price, personal computers range anywhere from a few hundred dollars to thousands of dollars. All are based on the microprocessor technology that enables manufacturers to put an entire CPU on one chip. Businesses use personal computers for word processing, accounting, desktop publishing, and for running spreadsheet and database management applications. At home, the most popular use for personal computers is for playing games.</p> <p>Personal computers first appeared in the late 1970s. One of the first and most popular personal computers was the Apple II, introduced in 1977 by Apple Computer. During the late 1970s and early 1980s, new models and competing operating systems seemed to appear daily. Then, in 1981, IBM entered the fray with its first personal computer, known as the IBM PC. The IBM PC quickly became the personal computer of choice, and most other personal computer manufacturers fell by the wayside. One of the few companies to survive IBM's onslaught was Apple Computer, which remains a major player in the personal computer marketplace.</p> <p>Other companies adjusted to IBM's dominance by building IBM clones, computers that were internally almost the same as the IBM PC, but that cost less. Because IBM clones used the same microprocessors as IBM PCs, they were</p>	Windows	GEN	персональный компьютер	персональ компьютер, шәхси компьютер

		<p>capable of running the same software. Over the years, IBM has lost much of its influence in directing the evolution of PCs. Many of its innovations, such as the MCA expansion bus and the OS/2 operating system, have not been accepted by the industry or the marketplace.</p> <p>Today, the world of personal computers is basically divided between Apple Macintoshes and PCs. The principal characteristics of personal computers are that they are single-user systems and are based on microprocessors. However, although personal computers are designed as single-user systems, it is common to link them together to form a network. In terms of power, there is great variety. At the high end, the distinction between personal computers and workstations has faded. High-end models of the Macintosh and PC offer the same computing power and graphics capability as low-end workstations by Sun Microsystems, Hewlett-Packard, and DEC.</p>				
1456	personal information	Information about you or your organization, such as name, address, and organization name that Publisher stores and reuses in subsequent publications you create.	Office	GEN	личные сведения	шәхси мөгълуматлар
1457	Personal Name		Office	UI	имя	Исем
1458	phone book	A book listing the names, addresses, and telephone numbers of telephone customers	Windows	GEN	телефонный справочник	телефон белешмәсе

1459	phone number		Both	GEN/UI	номер телефона, телефон	телефон номеры, телефон
1460	photo album	Album of photographic images.	Office	GEN/UI	Фотоальбом	Фотоальбом
	pica	1. With reference to typewriters, a fixed-width type font that fits 10 characters to the linear inch. See also pitch (definition 1). 2. As used by typographers, a unit of measure equal to 12 points or approximately 1/6 inch.	Both	GEN/UI	пика	пика
1462	pick	Verb.			выбрать	сайларга
1463	picture	A file (such as a metafile) that you can ungroup and manipulate as two or more objects or a file that stays as a single object (such as bitmaps).	Both	GEN/UI	Рисунок	Рәсем
1464	Pie		Office	UI	Круговая	Түгәрәк
1465	Pie Chart		Office	UI	круговая (диаграмма)	түгәрәк (диаграмма)
1466	Pivot		Office	UI	Сводное	Жыелма
	PivotChart view	A view that shows a graphical analysis of data in a datasheet or form. You can see different levels of detail or specify the layout by dragging fields and items, or by showing and hiding items in the drop-down lists for the fields.	Office	GEN/UI	режим сводной диаграммы	жыелма диаграмма режимы
1468	PivotTable list	A Microsoft Office Web Component that allows you to create a structure similar to an Excel PivotTable report. Users can view the PivotTable list in a Web browser and change its layout in a manner similar to an Excel PivotTable report.	Office	GEN/UI	сводный список	жыелма исемлек
1469	PivotTable report	An interactive, cross-tabulated Excel report that summarizes and analyzes data, such as database records, from various sources including ones external to Excel.	Office	GEN/UI	отчет сводной таблицы	жыелма таблица хисабы

1470	PivotTable view	A view that summarizes and analyzes data in a datasheet or form. You can use different levels of detail or organize data by dragging the fields and items, or by showing and hiding items in the drop-down lists for the fields.	Office	GEN/UI	режим сводной таблицы	жыелма табица режимы
1471	pixel	A single unit of measurement that your computer's display hardware uses to paint images on your screen. These units, which often appear as tiny dots, compose the pictures displayed by your screen.	Both	GEN	точка	нокта
1472	placeholder	Something that represents text or an object in a document, for example a field. ext example: Fields are used as placeholders for data that might change in a document....	Both	GEN/UI	заполнитель	тутыргыч
	plain text	Text without any formatting	Windows	GEN/UI	обычный текст	гадәти текст
1474	platform	Another term for "operating system"	Windows	GEN	платформа	платформа
1475	Play		Both	UI	Воспроизведение	Уйнату
1476	plot area	In a 2-D chart, the area bounded by the axes, including all data series. In a 3-D chart, the area bounded by the axes, including the data series, category names, tick-mark labels, and axis titles.	Office	GEN	область построения	төзү өлкәсе
1477	plug-in	One of a set of software modules that integrate into Web browsers to offer a range of interactive and multimedia capabilities.	Both	GEN	подключаемый модуль	ялганучы модуль
1478	plus sign	Character: +	Windows	GEN	знак плюс	плюс тамгасы
	point	Unit of measurement referring to the height of a printed character. A point equals 1/72 of an inch, or approximately 1/28 of a centimeter.	Both	GEN	пункт	пункт
1480	pointer	A graphic image displayed on the screen that indicates the location of a pointing device (sometimes called a cursor).	Windows	GEN	указатель (мыши)	(тычкан) күрсәткече

1481	pointing device	Usually means mouse, but can refer to trackball, etc.	Windows	GEN	указывающее устройство	күрсәткеч жайланма
1482	policy	Organization-level rules governing acceptable use of computing resources, security practices, and operational procedures.	Windows	GEN	политика	сәясәт
1483	Policy Module		Both	UI	Модуль политик	Сәясәт модуле
1484	Polygon		Office	UI	многоугольник	күпчүчү
	pop-up menu	A menu that is displayed at the location of a selected object. The menu contains commands that are relevant to the selection.	Windows	GEN	контекстное меню, всплывающее меню	контекст меню, калкучы меню
1486	pop-up window	A secondary window with no title bar that is displayed next to an object; it provides contextual information about that object.	Windows	GEN	всплывающее окно	калкучы меню
1487	port	One of the network input/output channels of a computer running TCP/IP. On the World Wide Web, it usually refers to the port number a server is running on. One computer can have many web servers running on it, but only one server can run on each port.	Both	GEN	порт	порт
1488	portrait	Vertical paper orientation for printing.	Both	GEN/UI	книжная	китапча
1489	position	Location: the point or area occupied by an item/object	Both	GEN/UI	Положение	Урын
1490	positioning	Positioning is another way to place elements, such as text and graphics, on a page. Positioning lets the page author control the exact location and layer order of a page element.	Office	GEN	положение	урынлаштыру
	post	Verb. Post a web page, Post a file on the server, Post an article to the a public folder, Post Reply in This Folder	Both	GEN/UI	поместить	урнаштырырга

1492	postal code	A number that identifies each postal delivery area in a country	Windows	GEN	почтовый индекс	почта индексы
1493	Power		Both	UI	Питание	Туендыру
1494	predefined	automatically set (by the program) as opposed to customized (by the user)	Windows	GEN	заранее определенный	башта билгелэнгэн, алдан билгелэнгэн
1495	preference	Should refer to options, which have priority as defined by the user	Windows	GEN	настройка	көйлөү, көйлөнмө
1496	preferences	Currently actual set of configuration parameter values.	Both	GEN/UI	настройки	көйлөнмөлөр
	prefix	Several contexts, for example in phone numbers, 00, to indicate that the following digits are an international phone number.	Windows	GEN	префикс	префикс
1498	prepare	To make ready before something, e.g. prepare a speech or prepare a document before printing.	Windows	GEN	подготовить	эзерлэргэ
1499	preset	Previously set value.	Both	GEN/UI	Предустановка	Алдан кую
1500	press	To depress a mouse button, depress and release a keyboard key, or to place the tip of a pen to the screen.	Windows	GEN	нажать	басарга
1501	press a key	To press and release a keyboard key or to touch the tip of a pen to the screen. See also click.	Windows	GEN	нажать клавишу	төймөгө басарга
1502	press and hold a mouse button	Generally used for selection purposes.	Windows	GEN	нажать и удерживать кнопку мыши	тычкан төймөсөнө басарга һәм тотып торырга

	preview	In word processing, previewing refers to formatting a document for the printer, but then displaying it on the display screen instead of printing it. Previewing allows you to see exactly how the document will appear when printed. If you have a WYSIWYG (What You See Is What You Get), previewing is unnecessary because the display screen always resembles the printed version. For word processors that are not WYSIWYGs, however, previewing is the next-best thing. If your word processor does not support previewing, you may be able to buy a separate program that allows you to preview documents.	Both	GEN/UI	предаврительный просмотр	алдан карау
1504	preview pane	In Microsoft Outlook, the preview pane is a pane where you can read the first couple of lines of an e-mail without having to open it.	Windows	GEN	Область просмотра	Карау өлкәсе
1505	primary	A primary form, frameset, or page has no restrictions as to what client browsers or languages can access the form, frameset, or page.	Both	GEN/UI	основной	төп
1506	primary color	Any of a set of colors from which all other colors may be derived	Windows	GEN	первичный цвет	беренчел төс
1507	primary key	One or more fields (columns) whose values uniquely identify each record in a table. A primary key cannot allow Null values and must always have a unique index. A primary key is used to relate a table to foreign keys in other tables.	Office	GEN	первичный ключ	беренчел ачкыч
1508	primary window	A window in which the main interaction takes place. Typically, the primary window is a document window. See also document window.	Windows	GEN	первичное окно	беренчел тәрәз

	print	To produce something in printed form. In computing, to send information to a printer.	Windows	GEN/UI	печатать	бастырырга
1510	print area	One or more ranges of cells that you designate to print when you don't want to print the entire worksheet. If a worksheet includes a print area, only the print area is printed.	Office	GEN	область печати	бастыру өлкәсе
1511	print job	The source code that contains both the data to be printed and the commands for print. Print jobs are classified into data types based on what modifications, if any, the spooler must make to the job for it to print correctly.	Windows	GEN	задание печати	бастыру биреме
1512	print preview	A view of a document as it will appear when you print it.	Both	GEN/UI	Предварительный просмотр	Карап чыгу
1513	PRINT SCRN key	Key on the keyboard. When pressed, it copies an image of what the user sees on the screen at the time, where the key is pressed. The copied image can then be inserted in an image editor, like Paint, and be modified as the user wants.	Windows	GEN	клавиша PRINT SCREEN	PRINT SCREEN тәймәсе
1514	Printer	A device that puts text or images on paper or other print media. Examples are laser printers or dot-matrix printers.	Both	GEN/UI	принтер	принтер
	printer driver	The device that communicates between your software program and your printer. The printer driver tells Publisher what the printer can do, and also tells the printer how to print the publication.	Both	GEN	драйвер принтера	принтер драйверы
1516	Printers and Faxes	Item on Start menu in Windows. Shows installed printers and fax printers, and helps you add new ones.	Windows	UI	Принтеры и факсы	Принтерлар һәм факслар
1517	priority	For Process Control, the relative ranking of a process or process group with respect to the use of CPU and system resources. You can configure this in the Process Control snap-in.	Windows	GEN/UI	приоритет	өстенлек

1518	privacy	General concept referring to keeping personal information from users confidential, for example on a Web site. Also used in connection with Office Privacy Policy	Windows	GEN	конфиденциальность	конфиденциальлек
1519	Probability	An estimate of how possible it is to be, e.g., successful in a sales opportunity.	Office	GEN	вероятность	ихтималлык
1520	procedure	A sequence of declarations and statements in a module that are executed as a unit. Procedures in Visual Basic include both Sub and Function procedures.	Both	GEN	процедура	процедура
	process	In Windows, an object consisting of an executable program, a set of virtual memory addresses, and a thread,	Windows	GEN	процесс	процесс
1522	product	1. An operator in the relational algebra used in database management that, when applied to two existing relations (tables), results in the creation of a new table containing all possible ordered concatenations (combinations) of tuples (rows) from the first relation with tuples from the second. The number of rows in the resulting relation is the product of the number of rows in the two source relations. Also called Cartesian product. Compare inner join. 2. In mathematics, the result of multiplying two or more numbers. 3. In the most general sense, an entity conceived and developed for the purpose of competing in a commercial market. Although computers are products, the term is more commonly applied to software, peripherals, and accessories in the computing arena.	Windows	GEN	произведение	тапкырчыгыш
1523	Product ID	Appears in several places in a Microsoft product, e.g. as part of the hologram on the sleeve.	Windows	GEN	код продукта	продукт коды

1524	Product key	A 25-digit number identifying the product license. Can be found on the user's CD case.	Windows	GEN	ключ продукта	продукт ачычы
1525	Product News		Both	UI	Сведения о продукте	Продукт турында мәгълүмат
1526	Profession		Office	UI	Профессия	Профессия
	Professional edition	One version (edition) of Microsoft Windows or Microsoft Office	Windows	GEN	Профессиональный выпуск (переводится только для Office; название Windows XP Professional не переводится)	Профессиональ чыгарылыш Office өчен генә тәржемә ителә; Windows XP Professional тәржемә ителми
1528	profile	Profile (Outlook user profile: A group of e-mail accounts and address books. Typically, a user needs only one but can create any number, each with a set of e-mail accounts and address books. Multiple profiles are useful if more than one person uses the computer. )	Windows	GEN/UI	профиль	профиль
1529	program	A complete, self-contained set of computer instructions that you use to perform a specific task, such as word processing, accounting, or data management. Program is also called application.	Windows	GEN	программа	программа
1530	Program Files	Name of system drive folder.	Windows	UI	Program Files	Program Files

1531	program icon	A small picture that represents an object or program. Icons are very useful in applications that use windows, because with the click of a mouse button you can shrink an entire window into a small icon. (This is sometimes called minimizing.) To redisplay the window, you merely move the pointer to the icon and click (or double click) a mouse button. (This is sometimes called restoring or maximizing),	Windows	GEN	значок программы	программа тамгасы
1532	progress indicator	A standard Windows control that can be used to display the percentage of completion of a particular process.	Windows	GEN	Индикатор хода выполнения	Үтөлеш индикаторы
	project	The set of all code modules in a database, including standard modules and class modules. By default, the project has the same name as the database. Note, Project is also the name of a Microsoft application.	Both	GEN/UI	проект	проект
1534	promote	In an outline, to change body text to a heading, or to change a heading to a higher level heading ? for example, from Heading 6 to Heading 5.	Office	GEN	повысить уровень	дәрәжәне күтәрергә
1535	prompt	In command-driven systems, one or more symbols that indicate where users are to enter commands. For instance, in MS-DOS, the prompt is generally a drive letter followed by a "greater than" symbol (C:\>). In Unix, it is usually %. See also command-driven system, DOS prompt. 2. Displayed text indicating that a computer program is waiting for input from the user.	Windows	GEN/UI	приглашение	чакыру
1536	proofing tools	Such as spell checker, grammar checker or hyphenator	Windows	GEN	средства проверки правописания	дәрәс язылышны тикшерү чаралары

1537	properties	In FrontPage, the characteristics of an item in the current web, such as the title and URL of a web, or the name and initial value of a form field. You can also specify properties for page elements such as tables, graphics, and active elements.	Both	GEN/UI	свойства	үзлекләр
1538	property	A named attribute of a control, a field, or an object that you set to define one of the object's characteristics (such as size, color, or screen location) or an aspect of its behavior (such as whether the object is hidden).	Both	GEN/UI	свойство	үзлек
	property page	A grouping of properties in a property sheet. See also property sheet.	Windows	GEN	страница свойств	үзлек бите
1540	property sheet	A window used to view or modify the properties of various objects such as tables, queries, fields, forms, reports, data access pages, and controls.	Both	GEN	Вкладка свойств	үзлек бите
1541	protect	To make settings for a worksheet or workbook that prevents users from viewing or gaining access to the specified worksheet or workbook elements.	Both	GEN	защитить	сакларга
1542	Protection		Office	UI	Защита	Сак
1543	protocol	A method of accessing a document or service. For example, File Transfer Protocol (FTP) or Hypertext Transfer Protocol (HTTP).	Both	GEN	протокол	беркетмә
1544	proxy server	An Internet server that acts as a firewall, mediating traffic between a protected network and the Internet.	Both	GEN	прокси-сервер	прокси-сервер
	pt	Abbreviation for point	Windows	GEN	пт	пт
1546	publication	The 'output' created in desktop publishing applications	Windows	GEN	Публикация	Публикация

1547	publish	The process of exporting datasheets, forms, or reports to static HTML or server-generated HTML, or creating data access pages, and setting up these files and all related files as a Web application on a Web server such as Microsoft IIS.	Office	GEN	опубликовать	нәшер итәргә
1548	pull quote	An excerpt from the body of a story used to emphasize an idea, draw attention, or generate interest.	Office	GEN	броская цитата	күзгә ташланучан цитата, жете цитата
1549	Push Button	A control in a dialog box in a graphical user interface. By clicking the button, the user causes the computer to perform some action, such as opening a file that has just been selected using the other controls in the dialog box.	Both	GEN/UI	Кнопка	төймә
1550	Pyramid		Office	UI	пирамида, пирамидальный	пирамида, пирамидаль
	query	A question about the data stored in your tables, or a request to perform an action on the data. A query can bring together data from multiple tables to serve as the source of data for a form, report, or data access page.	Both	GEN/UI	запрос	таләп
1552	question mark	Character: ?	Windows	GEN	вопросительный знак	сорау билгесе
1553	questions and answers	Phrasing sometimes used repeatedly in Help.	Windows	GEN	вопросы и ответы	сорулар һәм жаваплар
1554	queue	For example in print queue	Windows	GEN	очередь	чират

1555	Quick View	A feature, optionally installed as part of Windows 9x, that provides a set of file viewers for previewing the contents of files without having to start the application(s) that created them. The feature is accessed through the Quick View command, available either from the File menu or by right-clicking a filename. If the feature has been installed but the file type is not supported by a viewer, the Quick View command does not appear. (MS Press Computer Dictionary (4th Ed.)	Both	UI	быстрый просмотр	тиз карау
1556	quit	1. To stop in an orderly manner. 2. To execute the normal shutdown of a program and return control to the operating system.	Windows	GEN	выйти	чыгарга
	quotation mark	Punctuation mark. One of a pair of punctuation marks " " or ` ' used chiefly to indicate the beginning and the end of a quotation in which the exact phraseology of another or of a text is directly cited. (Merriam Webster)	Windows	GEN	кавычка	куштырнак
1558	Radar	Type of chart in Microsoft Excel	Office	UI	лепестковая (диаграмма)	яфраксыман (диаграмма)
1559	radio button	A GUI control type that provides a pre-defined list of choices, allowing selection of only one of the values.	Both	GEN/UI	переключатель	күчереп ялгагыч
1560	range	Two or more cells on a sheet. The cells in a range can be adjacent or nonadjacent.	Both	GEN/UI	диапазон	диапазон
1561	RAS	The raster graphics file format developed by Sun Microsystems. FrontPage can import RAS files.	Office	GEN	файлы растров SUN (*.ras)	SUN растр файлллары (*.ras)
1562	rate	Noun. Speed, e.g., baud rate	Windows	GEN	Скорость	тизлек

	Read only	Capable of being retrieved (read) but not changed (written). A read-only file or document can be displayed or printed but not altered in any way; read-only memory (ROM) holds programs that cannot be changed; a read-only storage medium, such as CD-ROM, can be played back but cannot be used for recording information. Compare read/write.	Both	UI	Только чтение	Уку өчен генә
1564	readability	About how easy or difficult something is to read.	Windows	GEN	качество изображения текста	текст сурәте сыйфаты
1565	Reading Pane	Preview pane in Outlook using a paper-like design that is displayed at the side of the application. Reduces scrolling and greatly improves the reading experience.	Office	UI	область чтения	уку өлкәсе
1566	README file	Noun. A file containing information that the user either needs or will find informative and that might not have been included in the documentation. README files are placed on disk in plain-text form (without extraneous or program-specific characters) so that they can be read easily by a variety of word processing programs.	Windows	GEN	файл README	README файлы
1567	read-only	A setting that allows a file to be read or copied, but not changed or saved. If you change a read-only file, you can save your changes only if you give the document a new name.	Both	GEN	только чтение	уку өчен генә
1568	read-write	Adjective. Abbreviated R/W. Able to be both read from and written to. Compare read-only.	Windows	GEN	для чтения и записи	уку һәм язу өчен
	rearrange	To start the process again of putting something into a proper order or into a correct or suitable sequence, relationship, or adjustment (e.g. rearrange items in a dialog box, etc.)	Windows	GEN	упорядочить, перестроить	тәртипкә салырга, үзгәртеп төзәргә

1570	reboot	To restart a computer by reloading the operating system.	Windows	GEN	перезагрузить	яңабаштан йөклөргө
1571	Recalculate	To calculate again (for example, after something has changed)	Office	UI	пересчитать, обновить	яңабаштан санарга, яңартырга
1572	recall	Feature in Outlook to stop a message that you have already sent.	Windows	GEN	отозвать	чакыртып алырга
1573	receive				получать	алырга
1574	recipient	Person or computer receiving items such as e-mail messages.	Windows	GEN	получатель	алучы
	Recolor	To change the color of an item such as a drawing object or a shadow.	Office	UI	перекрасить	кабат буюрга
1576	record	A collection of data about a person, a place, an event, or some other item. Records are the logical equivalents of rows in a table.	Both	GEN	записать	язып куярга
1577	record source	The underlying source of data for a form, report, or data access page. In an Access database, it could be a table, query, or SQL statement. In an Access project, it could be a table, view, SQL statement, or stored procedure.	Office	GEN	источник записей	язмалар чыганагы
1578	recordset	Database term in Microsoft Access. The collective name given to table-, dynaset-, and snapshot-type Recordset objects, which are sets of records that behave as objects.	Office	GEN	набор записей	язмалар жыелмасы
1579	recover	Restoring a lost document or file, for example after a crash	Windows	GEN	восстановить	торгызырга
1580	Rectangle	Geometrical form. A parallelogram all of whose angles are right angles; especially: one with adjacent sides of unequal length.	Office	UI	прямоугольник	турыпочмаклык

	recurring	Recurring: Items that occur repeatedly. For example, an appointment or task that occurs on a regular basis, such as a weekly status meeting or a monthly haircut, can be designated as recurring.	Windows	GEN	повторяющийся	кабатланучан
1582	recycle bin	An element of the Windows user interface.	Windows	GEN	Корзина	кэржин
1583	Redial		Both	UI	Повтор номера	Номерны кабатлау
1584	Redo	Repeat your last action.	Office	UI	вернуть	кайтарырга
1585	reduce	In a graphical user interface, to decrease the size of a window. A user can reduce a window either by clicking on the appropriate button in the title bar or by clicking the mouse on the border of the window and dragging the border toward the middle of the window.	Windows	GEN	свернуть	жыярга
1586	Reduce icon	Make the size of an icon smaller (see also icon)	Windows	GEN	свернуть значок	тамганы жыярга
	reference	1. To access a variable, such as an element in an array or a field in a record. 2. A data type in the C++ programming language. A reference must be initialized with a variable name. The reference then becomes an alias for that variable but actually stores the address of the variable.	Both	GEN/UI	ссылка	сылтама
1588	refresh	In an Access database, to redisplay the records in a form or datasheet to reflect changes that other users have made. In an Access project, to rerun a query underlying the active form or datasheet in order to reflect changes to records.	Both	GEN/UI	обновить	яңартырга
1589	Refresh Data	When the user works in a file on the Web, it can be modified by the author while the user is viewing it. When the user updates a file, it is refreshed from the original file that is located on the network server, the Internet, or the hard disk	Office	UI	Обновить данные	Бирелмэләрне яңартырга

1590	Refresh every		Both	UI	обновлять каждые	Һәркайсын яңартырга
1591	region selection	A selection technique that involves dragging out a bounding outline (sometimes referred to as a marquee) to define the selected objects.	Windows	GEN	not in gjaа	not in gjaа
1592	Regions	Areas dedicated to or reserved for a particular purpose. 2. In video programming, a contiguous group of pixels that are treated as a unit. On the Macintosh, for example, a region is an area in a grafPort that can be defined and manipulated as an entity. The visible working area within a window is an example of a region.	Office	UI	Области	Өлкәләр
	register	1. To enroll one's name in a register. 2. A set of bits of high-speed memory within a microprocessor or other electronic device, used to hold data for a particular purpose. Each register in a central processing unit is referred to in assembly language programs by a name such as AX (the register that contains the results of arithmetic operations in an Intel 80x86 processor) or SP (the register that contains the memory address of the top of the stack in various processors).	Windows	GEN/UI	зарегистрировать	теркәргә
1594	registered trademark	Character: ®	Windows	GEN	зарегистрированный товарный знак	теркәлгән товар тамгасы
1595	registered user	1) Person named on the registration form and residing at the stated address, and to whom the unique registration number has been issued. Person may be bound legally to the terms of an agreement. 2) A visitor to a web site whose name and password have been recorded within the web site.	Windows	GEN	зарегистрированный пользователь	теркәлгән кулланучы

1596	registration	1) The process of precisely aligning elements or superimposing layers in a document or a graphic so that everything will print in the correct relative position. 2) The process in which a consumer enters information to acquire a license, such as an e-mail address.	Windows	GEN	регистрация	теркәү, теркәлү
1597	registry	A database of information used by Windows to determine and set the configuration of a system.	Windows	GEN	реестр	реестр
1598	reinstall	To install again, i.e. to add hardware such as printers or CD-ROM drives to a system and to add software to a hard disk again.	Windows	GEN	Переустановить	Яңабаштан куярга
	Reject	An option during an approval process to prevent the publication of a document.	Office	UI	отклонить	кире кагарга

1600	relation	1) An aspect or quality (as resemblance) that connects two or more things or parts as being or belonging or working together or as being of the same kind; specifically : a property (as one expressed by is equal to, is less than, or is the brother of) that holds between an ordered pair of objects. 2) A structure composed of attributes (individual characteristics, such as name or address, corresponding to the columns in a table) and tuples (sets of attribute values describing particular entities, such as customers, corresponding to the rows in a table). Within a relation, tuples cannot be repeated; each must be unique. Further, tuples are unordered within a relation; interchanging two tuples does not change the relation. Finally, if relational theory is to be applicable, the domain of each attribute must be atomic—that is, a simple value, rather than a structure such as an array or a record. A relation in which the domains of all attributes are atomic is said to be normalized or in first normal form.	Both	GEN/UI	отношение	мөнәсәбәт
1601	relationship	An association established between common fields (columns) in two tables. A relationship can be one-to-one, one-to-many, or many-to-many.	Both	GEN	Связь	Элементә
1602	release	A particular version of a software product.	Windows	GEN	освободить	бушатырга
1603	release notes	Notes included in a product. Often with information written after the product was released to manufacturing	Windows	GEN	заметки о выпуске	чыгарылыш турында хәбәрләр
1604	reminder	Outlook event, automatically generated according to calendar, system clock and user-defined conditions.	Both	GEN/UI	Напоминание	Искә төшерү

	remote	Far			удаленный	ЧИТТӘГЕ
1606	remote access	Part of the integrated Routing and Remote Access service that provides remote networking for telecommuters, mobile workers, and system administrators who monitor and manage servers at multiple branch offices. Users with a computer running Windows and Network Connections can dial in to remotely access their networks for services such as file and printer sharing, electronic mail, scheduling, and SQL database access.	Windows	GEN	удаленный доступ	ЧИТТӘН КЕРҮ
1607	remove	Do not use remove to mean delete. Remove is correct, however, to refer to removing a program and items such as toolbar buttons or column headings in programs such as Outlook to customize an interface and to refer to removing a program using the Add/Remove Programs dialog box.	Both	GEN/UI	удалить	бетерергә
1608	rename	Noun. A command in most file transfer protocol (FTP) clients and in many other systems that allows the user to assign a new name to a file or files.	Both	GEN/UI	переименовать	исемен алыштырырга
1609	repair	Used about repairing errors in the installation of a program.	Both	GEN/UI	Исправить	Төзәтергә
1610	repeat	Noun. A command in Microsoft Word that causes all information contained in either the last command dialog box or the last uninterrupted editing session to be repeated.	Both	GEN/UI	повторить	кабатларга
	repetition	The act or an instance of repeating or being repeated.	Windows	GEN	повтор, повторение	кабатлау

1612	replace	To put new data in the place of other data, usually after conducting a search for the data to be replaced. Text-based applications such as word processors typically include search-and-replace commands. In such operations, both old and new data must be specified, and search-and-replace procedures may or may not be sensitive to uppercase and lowercase, depending on the application program. See also search1, search and replace.	Windows	GEN/UI	заменить	алыштырырга
1613	replica	A copy of a database that is a member of a replica set and can be synchronized with other replicas in the set. Changes to the data in a replicated table in one replica are sent and applied to the other replicas.	Office	GEN	реплика	реплика
1614	replication	The process of copying a database so that two or more copies can exchange updates of data or replicated objects. This exchange is called synchronization.	Both	GEN	репликация	репликация
1615	reply	To respond in words or writing (e.g. in e-mail).	Both	GEN/UI	Ответить	Жавап бирергә
1616	report	An Access database object that prints information formatted and organized according to your specifications. Examples of reports are sales summaries, phone lists, and mailing labels.	Both	GEN/UI	отчет	хисап
	Reset	1) A process that causes the device to restart. 2) To change the reading/settings of something often to zero or default, e.g. reset the language settings on your computer.	Both	GEN/UI	Сбросить	Ташларга
1618	resize	Change the size of something.	Windows	GEN	изменить размер	үлчәмен үзгәртәргә
1619	resolution	A measure of the fineness of detail in an image or text produced by a monitor or printer.	Both	GEN/UI	разрешение	ачыклык

1620	resource	Generally, any part of a computer system or network, such as a disk drive, printer, or memory, that can be allotted to a running program or a process.	Both	GEN/UI	ресурс	ресурс
1621	response	Usually used about a response to a survey or, more technically, response from a device (such as a modem)	Windows	GEN	ответ, отклик	жавап, кайтаваз
1622	restart	To restart a computer by reloading the operating system.	Both	UI	Перезагрузка	Яңадан йөкләү
	Restart	Option in Shut Down Windows dialog. Ends your session, shuts down Windows, and restarts Windows again.	Windows	UI	Перезагрузка	Яңадан йөкләү
1624	Restore	To copy files from a backup storage device to their normal location, especially if the files are being copied to replace files that were accidentally lost or deleted.	Both	GEN/UI	восстановить	торгызырга
1625	Restore button	Refers to the button containing the image of two windows. It appears in the upper-right corner of a window near the Close button and can replace either the Minimize or the Maximize button. Clicking it restores a document or window to its previous size.	Windows	GEN	кнопка "Восстановить"	"Торгызырга" тәймәсе
1626	result	The outcome of something.	Windows	GEN	Результат	Нәтижә
1627	resume	Verb. To start again after an interruption or break, e.g. "resume Setup"	Both	GEN/UI	продолжить, возобновить	Дәвам итәргә, кабат башларга
1628	résumé	Type of document you can create in Office. In US the same as CV.	Windows	GEN	резюме	резюме

	retrieve	To obtain a specific requested item or set of data by locating it and returning it to a program or to the user. Computers can retrieve information from any source of storage—disks, tapes, or memory.	Windows	GEN	извлечь	алырга, чыгарырга
1630	retry	Verb. To try again.	Both	GEN/UI	повторить попытку	омтылышны кабатларга
1631	return	1. To transfer control of the system from a called routine or program back to the calling routine or program. Some languages support an explicit return or exit statement; others allow return only at the end (last statement) of the called routine or program. See also call2 (definition 2). 2. To report the outcome of a called routine to the calling routine or program.	Windows	GEN	вернуться	әйләнеп кайтырга, кире кайтырга
1632	Return address	Address of Sender	Office	UI	Обратный адрес	Кире адрес
1633	retype	Verb. Type something again.	Windows	GEN	перепечатать, ввести снова	кабат бастырырга, кабат кертергә
1634	Revert	To return to the last saved version of a document. Choosing this command tells the application to abandon all changes made in a document since the last time it was saved.	Both	UI	Отменить изменения	Үзгәрешләрдән баш тартырга
	review	Verb. to review something like changes in a document.	Windows	GEN	Рецензия	Рецензия
1636	revision marks	Marks that show which changes have been made in a document. Used for the Track changes feature in Word	Windows	GEN	пометки об исправлениях	төзәтмәләр тамгалары

1637	RGB	A system that describes colors as a mixture of red (R), green (G), and blue (B). The color is defined as a set of three integers (R,G,B). Using 0 (zero) percent of each color produces black; using 100 percent of all three colors produces white.	Office	GEN	RGB	RGB
1638	Ribbon		Office	UI	Лента	Тасма
1639	rich-text box	A standard Windows control that is similar to a standard text box, except that individual character and paragraph properties are supported.	Windows	GEN	поле форматированного текста	форматланган текст кыры
1640	right click	Click on the mouse button to the right	Windows	GEN		уң тәймә белән чирттерү, уң чирттерү
	rights	Permission to perform specific actions with site content, such as viewing or modifying a page. Rights are enabled or disabled for a user role. Users can perform only those actions allowed by the rights assigned to their role.	Office	GEN	Права	Хокуklar
1642	right-to-left	Refers to keyboard settings, document views, user interface objects, and the direction in which text is displayed. Arabic and Hebrew are right-to-left languages.	Both	GEN/UI	справа налево	уңнан сулга
1643	right-to-left support	Right-to-left: Refers to keyboard settings, document views, user interface objects, and the direction in which text is displayed. Arabic and Hebrew are right-to-left languages.	Windows	GEN	поддержка письма справа-налево	уңнан сулга язу мөмкинлеге
1644	role	A collection of rights that can be assigned to a user account. You can use the default roles, modify them, or create your own custom roles.	Office	GEN	Роль	Роль
1645	Roman	Having upright rather than slanted characters in a typeface.	Office	UI	Roman	Roman

1646	root directory	A file system directory that has no parent - the top level of the hierarchy.	Office	GEN	корневая папка	тамыр папка
	root folder	The folder on a drive from which all other folders branch. The root folder's name consists of a single backslash character (\). For example, on drive C, this folder would be represented in the file system as C:\.	Windows	GEN	корневая папка	тамыр папка
1648	root web	The default, top-level web provided by a Web server. To access the root web, you supply the URL of the server without specifying a page name or sub web.	Office	GEN	корневой веб-узел	тамыр веб-төөн
1649	Rotate	1. To turn a model or other graphical image so that it is viewed at a different angle. 2. To move bits in a register to the left or to the right. The bit that moves out of the end position rotates to the newly vacated position at the opposite end of the register.	Both	GEN/UI	повернуть	борырга
1650	route	An established or selected course of travel. IP packet route is a sequence of network hosts the packet goes through on its way from source to destination.	Both	GEN/UI	Отправить	Жибэрергэ
1651	router	Hardware or software device to route network traffic.	Windows	GEN	маршрутизатор	маршрутизатор
1652	row	In a table, the horizontal arrangement of cells.	Both	GEN/UI	строка	юл
	rule	A set of conditions, actions, and exceptions that run in a document library. For example, all documents older than a year (condition) can be set to a status of Expired (action), unless they were modified within the last month (exception).	Both	GEN	правило	кагыйдэ

1654	ruler	Vertical and horizontal guides, marked in inches, which can be turned on or off. The origin (or zero marker) changes based on what is selected on the slide (text, text box, or shape).	Both	GEN/UI	масштабная линейка	масштаблы линейка, масштаб линейкасы
1655	run	A contiguous piece of text or string of characters sharing the same attributes. All characters in a run have the same directional properties.	Both	GEN/UI	запустить	эшләтәп жибәрергә
1656	Run	Item on Start menu in Windows. Opens a program, folder, document or Web site.	Windows	UI	запустить	эшләтәп жибәрергә
1657	run-time	Either the time period during which a program is running or the amount of time needed to execute the program.	Windows	GEN	время выполнения, продолжительность выполнения	башкару вакыты, үтәү вакыты
1658	sample code		Windows	GEN	образец кода	код үрнәге
	Save	To write data (typically a file) to a storage medium, such as a disk or tape.	Both	GEN/UI	Сохранить	Сакларга
1660	Save All		Both	UI	Сохранить все	Барысын да сакларга
1661	Save and Close		Office	UI	Сохранить и закрыть	Сакларга һәм ябарга
1662	Save As		Both	UI	Сохранить как	Болай сакларга
1663	Save as type		Both	UI	Тип файла:	Файл тибы:
1664	Save Copy As		Both	UI	Сохранить копию как	Копияне болай сакларга
	Save Form		Both	UI	Сохранить форму	Форманы сакларга
1666	Save in		Both	UI	Сохранить в	Монда сакларга
1667	Save Password		Both	UI	Сохранить пароль	Серсүзне сакларга
1668	Save Picture As		Both	UI	Сохранить рисунок как	Рәсемне болай сакларга

1669	Save Search		Both	UI	Сохранить условия поиска	Эзләү шартларын сакларга
1670	scalable	Of or relating to the characteristic of a piece of hardware or software or a network that makes it possible for it to expand—or shrink—to meet future needs and circumstances. For example, a scalable network allows the network administrator to add many additional nodes without the need to redesign the basic system.	Windows	GEN	масштабируемый	масштабланучан
	Scale	Please check for context here, as "scale" is used in several contexts: 1. To enlarge or reduce a graphic display, such as a drawing or a proportional character font, by adjusting its size proportionally. 2. To alter the way in which values are represented so as to bring them into a different range--for example, to change linear feet to quarter inches on a blueprint drawing of a house.	Both	GEN/UI	масштаб	масштаб
1672	scanner	Hardware device.	Windows	GEN	сканер	сканер
1673	scenario	A named set of input values that you can substitute in a worksheet model.	Office	GEN	сценарий	сценарий
1674	schedule	A procedural plan that indicates the time and sequence of each operation.	Both	GEN/UI	запланировать	планлаштырырга
1675	schema	A description of a database that defines the attributes of the database, such as tables, fields (columns), and properties.	Both	GEN	схема	схема
1676	Scheme	A complete set of particular settings e.g. a Windows color scheme	Both	UI	Схема	Схема
	screen	The display area of a video terminal or monitor. It is either a CRT or one of the flat panel technologies.	Windows	GEN	экран	экран

1678	screen tips	In an application, notes that appear on the screen to provide information about a feature or dialog box.	Windows	GEN		калкучы экран
1679	screen tips	In an application, notes that appear on the screen to provide information about a feature or dialog box.	Windows	GEN		калкучы экран
1680	ScreenTip	Notes that appear on the screen to provide information about a toolbar button, tracked change, or comment or to display a footnote or endnote. ScreenTips also display the text that will appear if you choose to insert a date or AutoText entry.	Office	UI	всплывающая подсказка	калкучы ярдэм
1681	Scribble		Office	UI	Рисованная кривая	ясалган кэкре
1682	script	A type of computer code used to perform tasks on a Web page, such as incrementing a "number of visitors" counter each time there is a new visitor. Web scripts can be written in several script languages. Scripts do not need to be compiled to be run.	Both	GEN/UI	сценарий	сценарий
	scroll	To move the view of an object or information to make a different portion visible.	Windows	GEN	прокручивать	өйлөндерергө
1684	scroll arrow	A component of a scroll bar that allows the information to be scrolled by defined increments when the scroll arrow button is clicked. The direction of the arrow indicates the direction in which the information will be scrolled.	Windows	GEN	стрелка прокрутки	өйлөндеру угы
1685	scroll bar	A standard Windows control that supports scrolling.	Windows	GEN	линейка прокрутки	өйлөндеру линейкасы

1686	scroll box	A component of a scroll bar that indicates the relative position (and optionally proportion) of the visible information relative to the entire amount of information. Dragging the scroll bar allows the user to scroll the information.	Windows	GEN	беунок	шудыргыч
1687	SCROLL LOCK key	On the keyboard.	Windows	GEN	клавиша SCROLL LOCK	SCROLL LOCK теймәсе
1688	scroll through a document	To navigate through	Windows	GEN	просмотреть документ	документны карап чыгарга
	scrolling text	A scrolling text control, often called a marquee, is used on a data access page to display moving text or text that scrolls. Scrolling text draws attention to a line of text, such as a headline or an important announcement.	Office	GEN/UI	Бегущая строка	Йөгерек юл
1690	search	The process of seeking a particular file or specific data. A search is carried out by a program through comparison or calculation to determine whether a match to some pattern exists or whether some other criteria have been met.	Both	GEN/UI	поиск	эзләү
1691	Search	Item on Start menu in Window and button in Windows folders. Opens a window where you can pick search options and work with search results.	Windows	UI	поиск	эзләү
1692	search criteria	The terms or conditions that a search engine uses to find items in a database.	Windows	GEN	Условия поиска	Эзләү шартлары
1693	search engine	Programs on the Internet, allowing users to search through massive databases of information.	Windows	GEN	поисковая система	эзләү системасы
1694	second	Time unit	Windows	GEN	секунда	секунд

	secondary window	Appears in Help system + A window that is used to provide information or supplemental interaction related to objects in a primary window.	Windows	GEN	вторичное окно	икенчел тэрэз
1696	section	A portion of a document in which you set certain page formatting options. You create a new section when you want to change such properties as line numbering, number of columns, or headers and footers.	Both	GEN	Раздел	Бүлек
1697	section break	Section break: A mark you insert to show the end of a section. A section break stores the section formatting elements, such as the margins, page orientation, headers and footers, and sequence of page numbers.	Windows	GEN	Разрыв раздела	бүлек өзеге
1698	section symbol	Character: §	Windows	GEN	знак конца раздела	бүлек ахыры тамгасы
1699	secure	Safe	Windows	GEN/UI	безопасный	куркынычсыз
1700	security		Windows	GEN	безопасность	куркынычсызлык
	see				См.	Кара
1702	see also				См. также	Шулай ук кара
1703	select	To highlight a cell or range of cells on a datasheet. The selected cells will be affected by the next command or action. To highlight Words or other elements in a document	Both	GEN/UI	выделить, выбрать	аерып алырга, сайларга
1704	select a block of text	The user is prompted to highlight a chunk of text.	Windows	GEN	выделить участок текста	
1705	select a block of text	The user is prompted to highlight a chunk of text.	Windows	GEN	выделить участок текста	текст өлкөсөн тамгаларга

1706	select a check box	Checkbox: An interactive control often found in graphical user interfaces. Check boxes are used to enable or disable one or more features or options from a set. When an option is selected, an x or a check mark appears in the box.	Windows	GEN	установить флажок	флагчык куярга
	select a command	Command: An instruction to a computer program that, when issued by the user, causes an action to be carried out. Commands are usually either typed at the keyboard or chosen from a menu.	Windows	GEN	выбрать команду	команда сайларга
1708	select a list box	List box: A control in Windows that enables the user to choose one option from a list of possibilities. The list box appears as a box, displaying the currently selected option, next to a button marked with a down-arrow. When the user clicks on the button, the list appears. The list has a scroll bar if there are more options than the list has room to show.	Windows	GEN	выбрать поле со списком	исемлекле кырны сайларга
1709	select a menu	Menu: A list of options from which a user can make a selection in order to perform a desired action, such as choosing a command or applying a particular format to part of a document.	Windows	GEN	выбрать меню	меню сайларга
1710	Select All	Choose all items as opposed to a single item	Both	UI	Выделить все	Барысын да аерып алырга
1711	select an option button	Option button: A control, also called radio button, that is typically used as part of an option group to present alternatives on a form, report, or data access page. The user cannot select more than one option.	Windows	GEN	выбрать переключатель	күчереп ялгагычны сайларга
1712	selected	A toolbar button always has a border around it when it's selected, even when the pointer is not resting on the button.	Office	GEN	выделенный, выбранный	аерып алынган, сайланган

	selected command	See Command	Windows	GEN	выбранная команда	аерып алынган команда
1714	selection	An object or set of objects that have been selected. The highlighted portion.	Both	GEN/UI	выделенный участок	аерып алынган өлкө
1715	selector	In a cascading style sheet style definition (or style rule), the HTML element linked to a particular set of style properties and values.	Office	GEN	выбор	сайлау
1716	semicolon	The character ";"	Both	GEN/UI	точка с запятой	нокталы өтөр
1717	send	To transmit a message or file through a communications channel.	Windows	GEN/UI	отправить	жибәергө
1718	Send As Is		Both	UI	Отправить как есть	Булганча жибәергө
	Send As Unicode		Both	UI	Отправить в кодировке Юникод	Юникод кодында жибәергө
1720	Send HTML		Both	UI	Формат HTML	HTML форматы
1721	Send Mail		Both	UI	Отправка почты	Почта жибөрү
1722	Send Message	email	Both	UI	отправить сообщение	хәбәр жибәергө
1723	Send Plain Text		Both	UI	Простой текст	Гади текст
1724	Send To	recipient follows	Both	UI	Отправить	Жибәергө
	Send/Receive		Office	UI	Отправить и получить	Жибәергө һәм алырга
1726	sender	Person who sends something.	Windows	GEN/UI	отправитель	жибәрүче
1727	Sender Name	name of the person who sends something (e.g. an email)	Both	UI	Имя отправителя	Жибәрүче исеме
1728	Sent Items		Office	UI	Отправленные	Жибәерелгәннәр
1729	Sent To		Office	UI	Отправленные	Жибәерелгәннәр
1730	separator	A separator is a character, such as a punctuation mark, used in a list to separate the numbers or letters identifying the items from the text of the list.	Both	GEN/UI	разделитель	бүлгөч, аергыч

	Sequence	An ordered arrangement, as in a set of numbers	Office	UI	последовательность	эзлеклелек
1732	serial number	An unique number of a piece of hardware, given by its manufacturer.	Windows	GEN	серийный номер	серия номеры
1733	series	Sequence of data points or numbers pertaining to certain object or event.	Both	GEN/UI	ряд	рәт
1734	series lines	In 2-D stacked bar and column charts, lines that connect the data markers in each data series that are used to emphasize the difference in measurement between each series.	Office	GEN	Линии ряда	Рәт сызыклары
1735	Series name		Office	UI	Имя ряда	Рәт исеме
1736	Server	In general, a computer that provides shared resources to network users. See also: client; shared resource	Both	GEN/UI	сервер	сервер
	service	A computer program providing specific data processing or data access under certain protocol. For example, LDAP service.	Both	GEN	служба	хезмәт
1738	Service Pack	Package of updates to a released product (e.g. Service Pack 1). Title normally not translated.	Windows	GEN	пакет обновлений	яңарышлар пакеты
1739	session	From the start of a program till it is closed again is one session.	Both	GEN/UI	сеанс работы	эш сеансы
1740	Set	verb: To establish a particular condition, such as setting tab stops, setting a counter to 0, or setting a breakpoint. similar to "to define".	Both	GEN/UI	установить	урнаштырырга, куярга
1741	set as default	see definition of default	Both	GEN/UI	По умолчанию	Килешү буенча
1742	Set Default	Define the default values. See definition of default	Both	UI	Умолчание	Килешү урнаштыру
	Set password		Both	UI	Установить пароль	Серсүз кую
1744	Setting	A parameter of a program or operating system configuration.	Both	GEN/UI	настройка, значение	көйләү, кыйммәт

1745	setup	Can mean to install or it can mean settings. Most of the time setup means the settings, like setup Word to use the A4 format. More seldom it is used in the meaning "to install".	Both	GEN/UI	установка, настройка	кую, урнаштыру, кәйләү
1746	setup disk	A disk that contains an operating system and can be used to boot a computer. Also called startup disk.	Windows	GEN	установочный диск	урнаштыру диски
1747	setup program	The program that installs new software on a PC	Windows	GEN	программа установки	урнаштыру программасы
1748	shade	A color that is mixed with black. A 10-percent shade is one part of the original color and nine parts black.	Office	GEN	оттенок	төсмер
	Shading		Office	UI	Заливка	Буяу, буяу салу
1750	shadow	A style applied to an object in which a gray outline is applied usually to the lower right portion. The effect gives the object something of a three-dimensional appearance.	Both	GEN	с тенью	күләгәләп
1751	Shadow Style	A style applied to an object in which a gray outline is applied usually to the lower right portion. The effect gives the object something of a three-dimensional appearance.	Office	UI	стиль тени	күләгә стиле
1752	share	Noun. A network share	Windows	GEN	общий ресурс	гомуми ресурс
1753	Share name	A name that refers to a shared resource on a server. Each shared folder on a server has a share name used by personal computer users to refer to the folder.	Windows	GEN/UI	имя общего ресурса, тж. сетевое имя	гомуми ресурс исеме, чөлтөрдөгө исем
1754	Sharing	A process or ability of concurrent data access to the resource.	Both	GEN/UI	Доступ	Керү мөмкинлеге
	sharpness	The fineness of detail attained by a printer or a monitor in producing an image.	Windows	GEN	резкость	ачыклык, кискенлек

1756	sheet	The paper that a publication is printed on. In the commercial print trade, sheet size refers to the paper that is used for printing, whereas page size refers to the size of the finished publication.	Both	GEN	Лист	бит, табак
1757	SHIFT key	On the keyboard.	Windows	GEN	клавиша SHIFT	SHIFT төймәсе
1758	shortcut	A link to a file, usually represented as an icon in a folder or on the desktop	Both	GEN/UI	ярлык	ярлык
1759	shortcut icon	Represents a shortcut on the desktop or in a folder.	Windows	GEN	значок ярлыка	ярлык тамгасы
1760	Shortcut key	A key or combination of keys that, when pressed, will quickly perform an action within an application that would normally require several user actions, such as menu selections.	Both	GEN/UI	сочетание клавиш	төймәләр кушылмасы
	shortcut menu	A menu that shows a list of commands relevant to a particular item. To display a shortcut menu, right-click an item or press SHIFT+F10.	Both	GEN	Контекстное меню	Контекст сайлак
1762	Show		Both	UI	показать, отобразить	
1763	Show		Both	UI	показать, отобразить	күрсәтергә, чагылдырырга
1764	Show all		Office	UI	Показать все	Барысын күрсәтергә
1765	Show As		Office	UI	Отображать как	Болай чагылдырырга
1766	Show Detail		Office	UI	Показать подробности	Нечкөлөкләрне күрсәтергә
	Show Image		Both	UI	Показать рисунок	Рәсемне күрсәтергә
1768	Show in		Office	UI	Показать в	Монда күрсәтергә
1769	Show in Groups	Icons on the desktop are grouped by file type, e.g. all Microsoft Word documents in one group, all Text files in another etc	Both	UI	по группам	төркемләп
1770	Show Item		Office	UI	Отообразить элемент	Элементны чагылдырырга

1771	Show or Hide		Office	UI	Показать или скрыть	Күрсәтергә яки яшерергә
1772	Show Outline		Both	UI	Показать структуру	Структураны күрсәтергә
	Show value		Office	UI	значение	кыйммәт
1774	Shut Down	Item on Start menu in Windows and option in Shut Down Windows dialog. Provides options for restarting or turning off your computer, or for activating Stand By or Hibernating modes.	Windows	UI	Завершение работы	Эшне тәмамлау
1775	shutdown	noun. The process of shutting down a system.	Windows	GEN/UI	Завершение работы	Эшне тәмамлау
1776	sidebar	A note alongside the main text that contains interesting or useful information. A sidebar relates to, but is not essential to understanding, the main text.	Office	GEN	боковая панель	ян аслык
1777	Sides		Office	UI	Боковые поверхности	Ян өслекләр
1778	Signature	1. A sequence of data used for identification, such as text appended to an e-mail message or fax. 2. A unique number built into hardware or software for authentication purposes.	Both	UI	подпись	имза
	signature file	A file automatically attached to outgoing e-mail messages and postings to newsgroups. See Outlook.	Windows	GEN	файл подписи	имза файлы
1780	simple	As opposed to complex or complicated.	Windows	GEN/UI	простой	гади
1781	single byte character	characters in which each character is represented by a one-byte code	Windows	GEN	однobaйтный знак	бер байтлы тамга
1782	single underline	As opposed to double underline	Windows	GEN	одинарное подчеркивание	бер тапкыр астына сызу
1783	single-click	As opposed to double-click	Windows	GEN	щелкнуть один раз	бер тапкыр чирттерү
1784	site	Web site	Windows	GEN	узел, веб-узел	тәен, веб-тәен
	sizable	That can be sized/resized.	Windows	GEN	изменяемого размера	үзгәрүчән үлчәмле

1786	Size	Usually a noun: the size / dimensions of something.	Both	GEN/UI	размер	үлчөм
1787	sizing handle	A handle that supports sizing an object.	Windows	GEN	маркер изменения размера	үлчөмнө үзгөртү маркеры
1788	Skip	to ignore	Both	GEN/UI	Пропустить	Калдырып китөргө
1789	slash	Character: /	Windows	GEN	косая черта	авыш сызык
1790	Slide		Office	UI	Слайд	Слайд
	slide master	The slide that stores information about the design template applied, including font styles, placeholder sizes and positions, background design, and color schemes.	Office	GEN	образец слайдов	слайдлар үрнөгө
1792	slide show	A process when several pictures are shown one by one and one after the other.	Windows	GEN	Показ слайдов	Слайдлар күрсөтү
1793	slider	Control that lets users set a value on a continuous range of possible values, such as screen brightness, mouse-click speed, or volume.	Windows	GEN	бегунок	шудырма
1794	slider indicator	Control that lets users set a value on a continuous range of possible values.	Windows	GEN	ползунок	шудырма
1795	Slow	As opposed to "fast"	Windows	GEN/UI	медленный	акрын
1796	Small Business edition	One of the specific editions of Microsoft Office to equip small businesses	Windows	GEN	выпуск для малого бизнеса	кече бизнес өчен чыгарылыш
	small capitals	Small caps: A format that makes lowercase text appear as capital letters in a reduced font size. Small caps formatting does not affect numbers, punctuation, non-alphabetic characters, or uppercase letters.	Windows	GEN	малые прописные	кечкенә баш хәрефләр
1798	Smart Phone	Type of mobile phone	Windows	GEN	Smart Phone	Smart Phone

1799	smart quotes	Same as curly quotes.	Windows	GEN	парные кавычки	пар куштырнаклар
1800	Smart tag	Smart tags: Data recognized and labeled as a particular type. For example, a person name or the name of a recent Microsoft Outlook e-mail message recipient is a type of data that can be recognized and labeled with a smart tag	Windows	GEN	Смарт-теги	Смарт-теглар
1801	Snap		Office	UI	привязка, привязать (к сетке)	бэй, бэйлэргэ (челтэргэ)
1802	snapshot	A static image of a set of data, such as the records displayed as the result of a query. Snapshot-type Recordset objects can be created from a base table, a query, or another recordset.	Office	GEN	снимок	рәсем, алынма рәсем
	software	Computer programs; instructions that make hardware work.	Windows	GEN	программное обеспечение	программ тәэминат
1804	software program	A computer program - set of instructions that make hardware work.	Windows	GEN	программа	программа
1805	Sort	To organize data, typically a set of records, in a particular order. Programs and programming algorithms for sorting vary in performance and application.	Both	GEN/UI	сортировать	сортларга
1806	Sort Ascending	To sort data when the resulting items are arranged in ascending order.	Both	UI	По возрастанию	Үсү буенча
1807	Sort By	to arrange data in a specific order	Both	UI	Сортировка	Сортлау
1808	Sort by Name	to arrange data in a specific order	Both	UI	Сортировать по имени	Исем буенча сортлау
	Sort Descending	To sort data when the resulting items are arranged in descending order.	Both	UI	По убыванию	Кимү буенча

1810	sort order	A way to arrange data based on value or data type. You can sort data alphabetically, numerically, or by date. Sort orders use an ascending (0 to 100, A to Z) or descending (100 to 0, Z to A) order.	Office	GEN	порядок сортировки	сортлау тәртибе
1811	sorting	Organization of data, typically a set of records, in a particular order.	Both	GEN/UI	сортировка	сортлау
1812	sorting order	A way to arrange data based on value or data type. You can sort data alphabetically, numerically, or by date. Sort orders use an ascending (0 to 100, A to Z) or descending (100 to 0, Z to A) order.	Windows	GEN	порядок сортировки	сортлау тәртибе
1813	Sound	Synonymous with audio, for example for setting the sound volume on the PCs speakers.	Both	UI	звук	тавыш
1814	sound card	A type of expansion board on PC-compatible computers that allows the playback and recording of sound, such as from a WAV or MIDI file or a music CD-ROM.	Windows	GEN	звуковая плата	тавыш картасы
	sound clip	A file that contains a short audio item, usually an excerpt from a longer recording.	Windows	GEN	звук	тавыш
1816	Source	Please always check context for "source" as it can refer to 1. source in the sense of "origin" 2. source in the sense of "source code", i.e. programming language text or 3. source in the sense of "paper source" for paper in printer trays - which tray the paper is in	Both	GEN/UI	источник; исходное; В виде HTML	чыганак, чыгыш, HTML рәвешендә
1817	source code	Human-readable program statements written by a programmer or developer in a high-level or assembly language that are not directly readable by a computer. Source code needs to be compiled into object code before it can be executed by a computer.	Windows	GEN	исходный программный код	башлангыч программ код

1818	source data	The list or table used to create a PivotTable or PivotChart report. Source data can be taken from an Excel list or range, an external database or cube, or another PivotTable report.	Office	GEN	исходные данные	башлангыч мәгълүмат
1819	source file	The file that contains information that was used to create a linked or embedded object. When you update the information in the source file, you can also update the linked object in the destination file.	Both	GEN	исходный файл	башлангыч файл
1820	space	A space between characters.	Both	GEN/UI	пробел	буш ара
	spacebar	On keyboard	Windows	GEN	пробел	буш ара
1822	Spacing		Office	UI	промежуток	аралык
1823	Speaker	A device which converts electrical impulses to sounds.	Office	UI	громкоговоритель, динамик	динамик, тавыш көчәйткеч
1824	Special		Office	UI	Особый	Махсус, Аерым
1825	special paper	Paper that has colored, preprinted patterns or borders on it. You can use these papers to create a colorful and stylish look without a color printer or copier.	Office	GEN	специальная бумага	махсус кәгазь
1826	specify				указать	күрсәтергә
	Speech	Oral expression of something, either by user input or the computer's output (e.g. the computer reading something to the user. Also used by the user to dictate text or to give voice commands.	Both	GEN/UI	Речь	Сөйләм
1828	Speech	Ability of an application or system to recognize human speech and perform actions, such as typing in spoken words.	Windows	GEN	Речь	Сөйләм
1829	Speed	How fast something being done.	Windows	GEN/UI	скорость	
1830	Speed	How fast something being done.	Windows	GEN/UI	скорость	тизлек

1831	spell checker	An application that employs a disk-based dictionary to check for misspellings in a document.	Windows	GEN	Проверка правописания	Дөрес язылышны тикшерү
1832	Spelling		Both	UI	Правописание	Дөрес язылыш
	spin box	A standard Windows control that allows the user to adjust a value from a limited range of possible values.	Windows	GEN	регулятор	көйлөгеч
1834	split	To split a document or worksheet into two panes.	Both	GEN/UI	разбить	бүлэргә
1835	split bar	A division between panes that appears where a window has been split; the split bar visually separates window panes.	Windows	GEN	разделитель	бүлгеч, аергыч
1836	split box	A special control added to a window (typically above or below a scroll bar) that allows the user to split a window or adjust a window split.	Windows	GEN	маркер разделения	бүлү маркеры, аеру маркеры
1837	spreadsheet	A spreadsheet is a computer accounting program, such as Microsoft Excel; a worksheet is the document produced by a spreadsheet program	Windows	GEN	лист	бит, табак
1838	SQL	(Structured Query Language (SQL): A database query and programming language widely used for accessing, querying, updating, and managing data in relational database systems.)	Windows	GEN	SQL	SQL
	SQL Server	Microsoft application	Windows	GEN	сервер SQL Server	SQL Server серверы
1840	square brackets	Character: []	Windows	GEN	квадратные скобки	квадрат жәяләр
1841	Stack	The order of objects, from front to back, in a picture.	Office	UI	ряд рисунков	рәсемнәр рәте
1842	Stand by	Option in Shut Down Windows dialog. Maintains your session, keeping the computer running on low power with data still in memory.	Windows	UI	Ждущий режим	Көтү режимы

1843	standalone	Of, pertaining to, or being a device that does not require support from another device or system, for example, a computer that is not connected to a network.	Windows	GEN	изолированный, отдельный	изоляциялэнгэн, аерым
1844	Standard	synonymous to "default"	Windows	GEN/UI	стандартный	стандарт
	standard time	As opposed to daylight saving time	Windows	GEN	зимнее время	кышкы вакыт
1846	Standard toolbar	A toolbar that performs some of the most common tasks in a Microsoft Office application, such as opening, saving, and printing files.	Office	GEN/UI	панель инструментов "Стандартная"	"Стандарт" корал аслыгы
1847	start	To run (a software program), to boot (a computer).	Both	GEN/UI	запускать	старт
1848	Start button	An element of the Windows user interface.	Windows	GEN	кнопка "Пуск"	"Старт" теймәсе
1849	Start menu	A menu called "Start" in the bottom left corner of you screen. The menu that pops up when clicking the green button called "Start"	Windows	GEN/UI	меню "Пуск", главное меню	"Старт"- меню, төп меню
1850	start page	Start page: The first page that appears when you start a Web browser. You can set this to a Web site or to a document on your computer's hard disk. A start page can contain hyperlinks to other documents on your computer, on a network, or on the Web.	Windows	GEN	начальная страница	баш бит
	Start time	Time when some type of action starts, for example a meeting, or the start time for an automatic process.	Both	UI	Время начала	башлану вакыты
1852	Startup	The process of starting a computer.	Both	GEN/UI	запуск, загрузка	йөкләү, эшләтеп жиберү
1853	startup folder	An element of the Windows user interface.	Windows	GEN	папка "Автозагрузка"	"Автойөкләү" папкасы
1854	State/Province	Refers to address data	Both	UI	Область	Өлкә

1855	statement	A syntactically complete unit that expresses one specific kind of operation, declaration, or definition. A statement is usually on one line in a procedure or Declarations section, but two or more can be on a line separated by a colon.	Both	GEN	выражение	аңлатма
1856	Statistics		Both	GEN/UI	Статистика	Статистика
	status				состояние	халәт
1858	status area	The area on the taskbar to the right of the taskbar buttons. It displays the time and can also contain shortcuts that provide quick access to programs, such as Volume Control and Power Options. Other shortcuts can appear temporarily, providing information about the status of activities.	Windows	GEN	область состояния	халәт өлкәсе
1859	status bar	A horizontal bar at the bottom of the screen that displays information about the current condition of the program, such as the status of items in the window, the progress of the current task, or information about the selected item.	Both	GEN/UI	строка состояния	халәт юлы
1860	Step		Office	UI	Шаг	Адым
1861	Step In		Office	UI	Шаг с заходом	Кермәле адым
1862	Stop	Verb. To stop something from running.	Both	GEN/UI	остановить	туктатырга
	storage	In computing, any device in or on which information can be kept. Microcomputers have two main types of storage: random access memory (RAM) and disk drives and other external storage media. Other types of storage include read-only memory (ROM) and buffers.	Windows	GEN	накопитель	туплагыч
1864	store	To retain a physical representation of (data or instructions) that enables them to be subsequently retrieved.	Windows	GEN	сохранить, хранить	сакларга

1865	stored procedure	A precompiled collection of SQL statements and optional control-of-flow statements stored under a name and processed as a unit. They are stored in an SQL database and can be run with one call from an application.	Office	GEN	сохраненная процедура	сакланган процедура
1866	Stores		Office	UI	not in giaa	not in giaa
1867	story	A document area that contains a range of text distinct from other areas of text in a document. For example, if a document includes body text, footnotes, and headers, it contains a main text story, footnotes story, and headers story.	Both	GEN	статья	мәкалә
1868	straight quotes	As opposed to curly quotes	Windows	GEN	прямые кавычки	туры куштырнаклар
	stream	About video/audio over the Internet	Windows	GEN	поток	агым
1870	Street	Part of an address	Office	UI	улица, дом	урам, йорт
1871	Stretch		Both	UI	Растянуть	Сузарга
1872	Strict		Office	UI	строгие	кырыс
1873	Strikeout	Refers to a font with a horizontal line through it.	Both	UI	зачеркнутый	сызылган
1874	strikethrough	Character formatting option	Both	GEN/UI	зачеркнутый	сызылган
	string	A collection of characters that can include both numbers and text.	Both	GEN	строка	юл
1876	Structure	1. The design and composition of a program, including program flow, hierarchy, and modularity. 2. A collection of data elements.	Both	GEN/UI	структура	структура
1877	style	A combination of formatting characteristics, such as font, font size, and indentation, which you name and store as a set. When you apply a style, all of the formatting instructions in that style are applied at the same time. In HTML, it controls other attributes	Both	GEN/UI	стиль	стиль

1878	style area	Style area: A vertical area along the left edge of the document window that displays the name of the paragraph style that is applied to each paragraph.	Windows	GEN	полоса стилей	стильләр тасмасы
1879	style box	Box on Formatting toolbar for showing font styles	Windows	GEN	окно стилей	стильләр тәрәзе
1880	style name	Name of a style.	Office	GEN/UI	название стиля	стиль исеме
	style sheet	Cascading style sheets (CSS): The part of a Web page that defines styles that control the way a Web page or a part of a Web page appears in a browser. Microsoft Office stores embedded style sheets at the top of each Web page.	Windows	GEN/UI	таблица стилей	стильләр таблицасы
1882	subfolder	A folder (logical grouping of related files) within another folder.	Windows	GEN	папка, вложенная папка	папка, эчке папка
1883	subform	A form contained within another form or a report.	Office	GEN	подчиненная форма	буйсынган форма
1884	Subject	Please check context here as it can refer to 1. the "subject line" of an email; the email heading or topic or 2. the name of an applicant	Both	GEN/UI	Тема	Тема
1885	submenu	A menu that appears when a user points to a command on a higher-level menu.	Both	GEN	вложенное меню	эчке меню
1886	Submit	Typically, a button to send a form on the Web.	Both	GEN/UI	Отправить	Жибәрергә
	subreport	A report contained within another report.	Office	GEN	подчиненный отчет	буйсынма хисап, буйсынган хисап
1888	subroutine	Programming. A common term for "routine". Often used for shorter, general routines that are likely to be called often.	Windows	GEN	подпрограмма	аспрограмма
1889	Subscribe	To be a subscriber to something, for example Internet news bulletins.	Both	GEN/UI	подписаться	язылырга
1890	subscript	Describes text that is slightly lower than other text on a line. Subscripts are often used in scientific formulas.	Both	GEN	подстрочный	юл асты

1891	subscription	1.The act of adding a newsgroup to the list of groups a user receives articles from. 2. A mechanism which selects and automatically schedules data to be downloaded 3. The act of adding a name to a LISTSERV distribution list.	Windows	GEN	подписка	язылу
1892	subsidiary	Usually refers to a daughter company of a bigger company (parent company).	Windows	GEN	представительство	вәкиллек
	substitute	A substitute form, frameset, or page is one that has been registered to be displayed for only certain client browsers and languages.	Both	GEN	not in giaa	not in giaa
1894	substitute	To replace	Windows	GEN	not in giaa	not in giaa
1895	substitute	A substitute form, frameset, or page is one that has been registered to be displayed for only certain client browsers and languages.	Both	GEN	not in giaa	not in giaa
1896	substitute	To replace	Windows	GEN	not in giaa	not in giaa
1897	Substitution	Replacement with something else.	Both	GEN/UI	подстановка	алыштырып кую
1898	Subtotal		Office	UI	промежуточные итоги	арадаш нәтижәләр
	subweb	A named subdirectory of the root web site that is a complete FrontPage-based web site. Each subweb can have independent administration, authoring and browsing permissions from the root web site and other subwebs.	Office	GEN	дочерний веб-узел	онык веб-төөн
1900	Suffix		Office	UI	Суффикс	Суффикс
1901	Suggest		Both	UI	Варианты	Вариантлар
1902	Suggestion		Both	UI	предложение	Тәкъдим (Жәмлә)
1903	suite	Generic marketing term for Office package.	Windows	GEN	пакет программ	программалар пакеты
1904	Sum	To calculate together the values of two or more numbers.	Both	GEN/UI	сложить	кушарга
	Summary	An abstract, abridgment, or compendium, e.g. of a preceding discourse.	Both	GEN/UI	Сводка	Жыелма нәтижә

1906	superscript	Describes text that is slightly higher than other text on a line, such as a footnote reference mark.	Both	GEN	надстрочный	юл өсте
1907	supplemental	That acts as a supplement to something.	Windows	GEN	дополнительный	өстәмә
1908	Supplier	Usually about a company that provides a service or product to another company or customer.	Windows	GEN/UI	Поставщик	Тээминәтче
1909	support	Assistance	Windows	GEN	поддержка	ярдәм
1910	Surface		Office	UI	Поверхность	Өслек
	survey	Enables users to respond to a set of questions specified by the creator of the survey. Results are tallied in a graphical summary. Requires a web server that is running SharePoint Team Services.	Office	GEN	Опрос	Сорату
1912	switch	noun. When working with fields, a special instruction that causes a specific action to occur. Generally, a switch is added to a field to modify a result.	Both	GEN	переключатель	Күчереп ялгагыч
1913	symbol	A character that represents an idea, action, or tangible item. For example, \$ is a symbol that represents US dollars. In Publisher, symbols may include graphical images, characters from other alphabets, numerals, or commonly recognized signs or marks	Both	GEN	символ	СИМВОЛ
1914	synchronization	The process of updating two members of a replica set by exchanging all updated records and objects in each member. Two replica set members are synchronized when the changes in each have been applied to the other.	Office	GEN	синхронизация	синхронлаштыру
1915	Synchronize	To represent or arrange (events) to be in correspondence or agreement.	Both	UI	синхронизовать	синхронлаштырырга

1916	synonym	Word with the same meaning as another in the same language but often with different implications and associations.	Windows	GEN	синоним	синоним
	Synonyms		Office	UI	синонимы	синонимнар
1918	syntax	The grammar of a language; the rules governing the structure and content of statements.	Windows	GEN	синтаксис	синтаксис
1919	syntax error	An error in the grammatical structure of the code or expression. If syntax checking is enabled, errors are highlighted after you type a line and press ENTER.	Office	GEN	синтаксическая ошибка	синтаксик хата
1920	System	A setting for controls and other options that derives its value from the Microsoft Windows operating system.	Office	GEN	системный	систем
1921	system administrator	The person responsible for administering use of a multi-user computer system, communications system, or both.	Windows	GEN	системный администратор	система администраторы
1922	system configuration	Parameters and settings of a computer.	Windows	GEN	конфигурация системы	система конфигурациясе
	system file	A resource file on the Macintosh that contains the resources needed by the operating system, such as fonts, icons, and default dialog boxes.	Windows	GEN	системный файл	система файлы
1924	system information	Usually refers to the applet System Information in the Help About box.	Windows	GEN	сведения о системе	система турында мәғлүмат
1925	system requirements	Minimum hardware and operating system requirements needed to run Microsoft software appear as a bulleted list or in a table in the introduction to the main printed book or Getting Started topic and on the product packaging.	Windows	GEN	требования к системе	системага таләпләр

1926	tab	A control that allows for simple navigation between logical pages or sections of information in dialog boxes. For an example, see Word, Tools / Options	Both	GEN/UI	вкладка	салынма бит
1927	Tab Character	A character used to align lines and columns on screen and in print. Although a tab is visually indistinguishable from a series of blank spaces in most programs, the tab character and the space character are different to a computer. A tab is a single character and therefore can be added, deleted, or overtyped with a single keystroke. The ASCII coding scheme includes two codes for tab characters: a horizontal tab for spacing across the screen or page and a vertical tab for spacing down the screen or page.	Office	UI	знак табуляции	табуляция тамгасы
1928	tab delimited	Entries separated by tab stops	Windows	GEN	с разделителями табуляции	табуляция бүлгечләре белән
	TAB key	On the keyboard.	Windows	GEN	клавиша TAB	TAB тәймәсе
1930	Tab Order	The order in which the TAB key moves the input focus from one control to the next within a dialog box. Usually, the tab order proceeds from left to right in a dialog box, and from top to bottom in a radio group.	Both	UI	последовательность перехода	күчешләр эзлеклелеге
1931	tab stop	A location on the horizontal ruler that indicates how far to indent text or where to begin a column of text.	Both	GEN	позиция табуляции	табуляция урыны
1932	table	A database object that stores data in records (rows) and fields (columns). The data is usually about a particular category of things, such as employees or orders.	Both	GEN/UI	таблица	таблица

1933	table cell	Cell: A box formed by the intersection of a row and column in a worksheet or a table, in which you enter information.	Windows	GEN	ячейка таблицы	таблица оясы
1934	table of contents	A list of the specific headings in a document, along with the numbers of the pages the headings appear on.	Office	GEN	оглавление	эчтәлек
	Tablet PC	Microsoft product.	Windows	GEN		Tablet PC
1936	Tablet PC	Microsoft product.	Windows	GEN		Tablet PC
1937	Tabs		Office	UI	табуляция	табуляция
1938	Tabular		Office	UI	табличный, ленточный	таблица сыман, тасмасыман
1939	tag	A text string used in HTML to identify a page element's type, format, and appearance. Many elements have start and end tags that define where the element starts and stops.	Both	GEN	тег	тег
1940	tag line	A brief, memorable statement that summarizes the purpose of an organization or emphasizes an important aspect of a product or service.	Office	GEN	девиз	девиз
	target	Opposite of "source" e.g. in copying. Same as destination.	Both	GEN/UI	назначения, конечный	
1942	target	Opposite of "source" e.g. in copying. Same as destination.	Both	GEN/UI	назначения, конечный	билгеләнешләр, ахыргы
1943	Task	Used in various contexts, for example in Outlook: (task: A personal or work-related duty or errand that you want to track through completion.)	Both	GEN/UI	задача	мәсьәлә
1944	task list	Microsoft Outlook: (task list: A list of tasks that appears in the Tasks folder and in the TaskPad in Calendar.)	Windows	GEN	список задач	мәсьәләләр исемлеге

1945	task pane	A window providing commonly used commands within an Office application. Its location and small size allow you to use these commands while still working on your files.	Both	GEN	Область задач	Мәсьәләләр өлкәсе
1946	Task Request	A command from Outlook. Go to File>New>Task Request. A task in Outlook is a personal or work-related errand you want to track through completion. A task can occur once or repeatedly.	Both	GEN/UI	Поручение	Йөкләмә
	Taskbar	Taskbar: graphic toolbar used in Windows 9x, Windows CE, Windows NT, and Windows 2000 to select, via the mouse, one of a number of active applications.	Windows	GEN/UI	панель задач	мәсьәләләр аслыгы
1948	taskbar button	A button that appears on the taskbar and corresponds to a running application.	Windows	GEN	кнопка панели задач	мәсьәләләр аслыгы төймәсе
1949	TaskPad	The list of tasks in Calendar.	Windows	GEN	Панель задач	Мәсьәләләр аслыгы
1950	Tasks	Either a user's task or the system's (A stand-alone application or a subprogram that is run as an independent entity.)	Both	UI	задачи	мәсьәләләр
1951	TCP	Internet networking software that controls the transmission of packets of data over the Internet. Computers must run TCP to communicate with Web servers.	Office	GEN	протокол TCP	TCP беркетмәсе
1952	TCP/IP	Transmission Control Protocol/Internet Protocol; a protocol for communication between computers. This is the standard for communication over networks, including the Internet.	Office	GEN	протокол TCP/IP	TCP/IP беркетмәсе
	Telephone		Office	UI	телефон	телефон
1954	telephone book	Directory with phone numbers	Windows	GEN	телефонный справочник	телефон белешмәсе

1955	Tell Me More		Both	UI	Дополнительные сведения	Өстәмә мәғлүмат
1956	template	A file or files that contain the structure and tools for shaping such elements as the style and page layout of finished files. For example, Word templates can shape a single document, and FrontPage templates can shape an entire W	Both	GEN/UI	шаблон	шаблон
1957	Temporary	Lasting for a short time only	Both	GEN/UI	временный	вакытлы
1958	Tentative		Office	UI	Под вопросом	Сорау астында
	tentative confirmation	About meeting invitations in Outlook	Windows	GEN	условное подтверждение	шартлы раслау
1960	tentative confirmation	About meeting invitations in Outlook	Windows	GEN	условное подтверждение	шартлы раслау
1961	Test	Verb. To test if something works as intended.	Both	UI	проверять	тикшерергә
1962	Text		Both	GEN/UI	текст	текст
1963	Text alignment		Office	UI	выравнивание текста	текстны тигезләү
1964	Text Area		Both	UI	Область текста	Текст өлкәсе
	text box	Two uses: 1. A standard Windows control where text can be entered and edited. In Word, a movable, resizable container for text or graphics. Use text boxes to position several blocks of text on a page or to give text a different orientation from other text in the document.	Both	GEN/UI	поле	кыр
1966	Text direction		Office	UI	направление текста	текст юнәлеше
1967	text editor	Such as Notepad	Windows	GEN	текстовый редактор	текст редакторы
1968	text file	Data file containing a human-readable text.	Office	GEN/UI	текстовый файл	текст файлы

1969	text format	Data file format with no extensive formatting information, but solely text only data.	Office	GEN/UI	текстовое поле, надпись	текст кыры, есьязма
1970	text formatting	Applying bold and italic text, lists, headline fonts in various sizes, and so on)	Windows	GEN	формат текста	текст форматы
	text only	Data read or write mode, disregarding formatting information and special characters and treating text as "plain text".	Both	GEN/UI	только текст	текст кына
1972	Text Size	The size of a text (letters, etc).	Both	UI	размер текста	текст үлчөмө
1973	text wrapping	To specify whether text should move around the edges of a frame or stop above the frame and resume below the frame.	Windows	GEN	перенос текста	текстны күчерү
1974	textbox	A GUI control type, an entry field.	Office	GEN/UI	текстовое поле	текст кыры
1975	texture	A pattern of color tones or lines used to draw a graphic object.	Both	GEN/UI	Рисунок текстуры	Текстура рөсөмө
1976	theme	A theme applies a set of coordinated graphic elements to a document, page or across all pages in a web site. Themes can consist of designs and color schemes for fonts, link bars, and other page elements.	Both	GEN/UI	тема	тема
	Then by	Follows "Sort by" (see Sort) in software	Office	UI	затем по	аннан моюң буенча
1978	thesaurus	Type of proofing tool.	Both	GEN/UI	тезаурус	тезаурус
1979	This field		Office	UI	это поле	бу кыр
1980	This Folder		Office	UI	эта папка	бу папка
1981	thousand separator	A number format	Windows	GEN	разделитель групп разрядов	разрядлар төркемнөрен аергыч

1982	thread	The basic entity to which the operating system allocates CPU time. A thread can execute any part of the application's code, including a part currently being executed by another thread. All threads of a process share the virtual address space, global variables, and operating-system resources of the process.	Both	GEN	поток	агым
	thumbnail	A miniature representation of a picture on a Web page, usually containing a hyperlink to a full-size version of the graphic. Thumbnails are used to load pages rich in graphics or pictures more quickly in a Web browser.	Both	GEN/UI	эскиз	эскиз
1984	tick marks	Small marks on an axis across the plot area, corresponding to the units of measurement of a chart - for example, centimeters.	Office	GEN	деления	бүлемнөр
1985	Tight		Office	UI	По контуру	Контур буенча
1986	tilde	Character: ~	Windows	GEN	тильда	тильда
1987	Tile	To tile is to fill the space on a monitor or within a smaller area with multiple copies of the same graphic image. Also, in an environment with multiple windows, to rearrange and resize all open windows so that they appear fully on the screen without any overlap.	Both	GEN/UI	замостить	түшөргө
1988	Tile Vertically	To tile is to fill the space on a monitor or within a smaller area with multiple copies of the same graphic image. Also, in an environment with multiple windows, to rearrange and resize all open windows so that they appear fully on the screen without any overlap.	Both	UI	Слева направо	Сулдан уңга
	tiled windows	In an environment with multiple windows, open windows rearranged and resized so that they appear fully on the screen without any overlap.	Windows	GEN	рядом	рәттән

1990	Time	Noun. For example 9:30 AM.	Both	GEN/UI	время	вакыт
1991	Time format	The format time is displayed in, for example 9:30 AM or 21:30.	Both	UI	формат времени	вакыт форматы
1992	time stamp	A time signature that is added by a program or system to files, e-mail messages, or Web pages. A time stamp indicates the time and usually the date when a file or Web page was created or last modified or when an e-mail message was sent or received. Most time stamps are created by programs and are based on the time kept by the system clock of a computer on which the program resides. Commercial time stamp services are available on the Web or by e-mail, and offer proof of posting certificates to corroborate the time and date a message was sent.	Windows	GEN	штамп времени	вакыт штампы
1993	time zone	Such as GMT for UK.	Both	GEN/UI	Часовой пояс	Сәгать поясы
1994	tint	A color mixed with white. A 10-percent tint is one part of the original color and nine parts white.	Both	GEN	оттенок	төсмер
	tip	Such as a tip to do something more efficiently.	Windows	GEN	совет	киңәш
1996	title bar	The horizontal area at the top of a window that includes the name of the window and acts as a handle by which the window can be moved by dragging.	Both	GEN	заголовок окна	тәрәз башисемә
1997	title text	The text that is included in the title bar of a window.	Windows	GEN	Заголовок	Башисем
1998	Today	Today's date.	Both	UI	сегодня	бүген
1999	toggle	Switching between states — for example, a button that switches from showing more options to showing fewer options is called a toggle button.	Both	GEN/UI	Переключить	Күчереп ялгарга

2000	toggle key	A keyboard key that turns a particular mode on or off, for example the Insert key	Windows	GEN	переключатель	күчереп ялгагыч
	token	A lexical alias or object, referencing or representing often complex and extensive data or other object. For example, the @ symbol can be used in place of the domain name as a token.	Office	GEN/UI	маркер	маркер
2002	tool	In a graphical user interface, on-screen buttons or icons, which, when they are clicked on with the mouse, activate macros or certain functions of the application. For example, word processors often feature a tool for changing text to italic, boldface, and other styles.	Windows	GEN	средство	чара
2003	Toolbar	In a program in a graphical user interface, a row, column, or block of on-screen buttons or icons. When clicked, these buttons or icons activate certain functions, or tasks, of the program.	Both	GEN/UI	панель инструментов	кораллар аслыгы
2004	toolbar button	A command button used in a toolbar (or status bar).	Windows	GEN	кнопка панели инструментов	кораллар аслыгы төймәсе
2005	toolbar icon	When referring to an image on a button.	Windows	GEN	кнопка панели инструментов	кораллар аслыгы төймәсе
2006	toolbox	A set of tools which are available in Design view to add controls to a form, report, or data access page. The toolset available in page Design view is different from the toolset available in form and report Design view.	Both	GEN/UI	набор элементов управления	идарә элементлары жыйелмасы
	Tools	Can be either a small mini program contained in Windows that helps in performing specific tasks; or, in the main menu of a Microsoft software, there is almost always one menu item (apart from "File" Edit" "View") that is called "Tools" which contains additional functionalities such as a spell-checker.	Both	UI	Сервис	Сервис

2008	Top	opposite: bottom	Both	GEN/UI	верх, верхний	өс, өске
2009	topic	The subject of a dynamic data exchange (DDE) conversation between two applications. For most applications that use files, the topic is a file name.	Both	GEN/UI	раздел	бүлек
2010	Total	Addition of numbers.	Both	GEN/UI	всего, итог	барысы, нәтижә
2011	total row	Row with totals.	Office	GEN/UI	Строка итогов	Нәтижәләр юлы
2012	Track		Office	UI	дорожка	юл
	track changes	Word mode when all editing changes are recorded and stored in a document along with original contents.	Both	GEN/UI	Исправления	Төзәтмәләр
2014	trackball	Type of mouse	Windows	GEN	трекбол, шар	трекбол, шар
2015	tracked change	A mark that shows where a deletion, insertion, or other editing change has been made in a document.	Office	GEN	исправление	төзәтмә
2016	trademark	A word, phrase, symbol, or design (or some combination thereof) used to identify a proprietary product, often accompanied by the symbol ™ or ®.	Windows	GEN	товарный знак	товар тамгасы
2017	transaction	A series of changes made to a database's data and schema.	Office	GEN	транзакция	транзакция
2018	transfer	1. The movement of data from one location to another. 2. The passing of program control from one portion of code to another.	Windows	GEN	перемещение	күчеш

	Transform	1. To change the appearance or format of data without altering its content; that is, to encode information according to predefined rules. 2. In mathematics and computer graphics, to alter the position, size, or nature of an object by moving it to another location (translation), making it larger or smaller (scaling), turning it (rotation), changing its description from one type of coordinate system to another, and so on.	Office	UI	преобразовать	үзгэртгө
2020	transition	One of a set of transitional display effects which are available in some Microsoft Office applications. Transitions specify how the display changes (such as fading to black) as a user moves from one item (such as a slide or Web page) to another.	Office	GEN	переход	күчү
2021	Translate	1. In programming, to convert a program from one language to another. Translation is performed by special programs such as compilers, assemblers, and interpreters. 2. In computer graphics, to move an image in the "space" represented on the display, without turning (rotating) the image.	Office	UI	Перевод	Төржөмө итү
2022	transmission	The sending of information over a communications line or a circuit.	Windows	GEN	передача	тапшыру

2023	transmit	To send information over a communications line or a circuit. Computer transmissions can take place in the following ways: asynchronous (variable timing) or synchronous (exact timing); serial (essentially, bit by bit) or parallel (byte by byte; a group of bits at once); duplex or full-duplex (simultaneous two-way communication), half-duplex (two-way communication in one direction at a time), or simplex (one-way communication only); and burst (intermittent transmission of blocks of information).	Windows	GEN	передать	тапшырырга
2024	Transparency	The property of being "see-through"	Both	UI	Прозрачность	Үтә күренмәлелек

	Transparent	<p>1. In computer use, of, pertaining to, or characteristic of a device, function, or part of a program that works so smoothly and easily that it is invisible to the user. For example, the ability of one application to use files created by another is transparent if the user encounters no difficulty in opening, reading, or using the second program's files or does not even know the use is occurring.</p> <p>2. In communications, of, pertaining to, or characteristic of a mode of transmission in which data can include any characters, including device-control characters, without the possibility of misinterpretation by the receiving station. For example, the receiving station will not end a transparent transmission until it receives a character in the data that indicates end of transmission. Thus, there is no danger of the receiving station ending communications prematurely.</p> <p>3. In computer graphics, of, pertaining to, or characteristic of the lack of color in a particular region of an image so that the background color of the display shows through.</p>	Both	GEN/UI	прозрачный	үтә күренмәле
2026	trap	The half-point overlap that occurs wherever two colors overlap.	Office	GEN	треппинг	треппинг
2027	tree	A data structure containing zero or more nodes that are linked together in a hierarchical fashion. If there are any nodes, one node is the root; each node except the root is the child of one and only one other node; and each node has zero or more nodes as children.	Windows	GEN	дерево	агач
2028	tree structure	Any structure that has the essential organizational properties of a tree.	Windows	GEN	древовидная структура	агачсыман структура

2029	trend	A curve derived by statistical methods reflecting the general movement in the course of time of a statistically detectable change.	Both	GEN/UI	тренд	тренд
2030	trendline	A graphic representation of trends in data series, such as a line sloping upward to represent increased sales over a period of months. Trendlines are used for the study of problems of prediction, also called regression analysis.	Office	GEN	линия тренда	тренд сызыгы
	trigger	A special form of a stored procedure that is carried out automatically when data in a specified table is modified. Triggers are often created to enforce referential integrity or consistency among logically related data in different tables.	Office	GEN/UI	триггер	триггер
2032	Troubleshoot	To isolate the source of a problem in a program, computer system, or network and remedy it.	Windows	GEN/UI	устраняють неполадку	төзексезлекне бетерергә
2033	troubleshooting	To isolate the source of a problem in a program, computer system, or network and remedy it.	Windows	GEN	устранение неполадок	төзексезлекләрне бетерү
2034	TrueType font	A font (typeface) that appears on a printed document exactly the way it appears on the screen. TrueType fonts are scalable to any font size. In the Font list, TrueType fonts are preceded by the letters "TT".	Office	GEN/UI	шрифт TrueType	TrueType шрифты
2035	truncated	To cut off the beginning or end of a series of characters or numbers.	Windows	GEN	усеченный	кисек, киселгән
2036	trust	Assured reliance on the character or truth of someone or something. In Windows security model, an assumption that no additional identity verification is required to carry out a data exchange operation.	Office	GEN/Ui	доверие	ышаныч
	Try Again		Both	UI	Повторить попытку	Омтылышны кабатларга
2038	Turn Off	As opposed to Turn on or Switch on	Both	GEN/UI	выключить	сүндерергә

2039	turn on				включить	кабызырга
2040	two-dimensional	Existing in reference to two measures, such as height and width—for example, a two-dimensional model drawn with reference to an x-axis and a y-axis, or a two-dimensional array of numbers placed in rows and columns.	Windows	GEN	двухмерный	ике үлчәмле
2041	type	A classification of an object based on its characteristics, behavior, and attributes.	Both	GEN/UI	тип	тип
2042	type	To enter a character			тип	тип
	type library	A file (or component within another file) that contains Automation standard descriptions of exposed objects, properties, and methods. Object library (.olb) files contain type libraries (.tlb) that are shipped as stand-alone files.	Office	GEN	библиотека типов	типлар китапханәсе
2044	unavailable	The state and visual appearance of controls whose normal functionality is not presently available to the user (also known as disabled).	Windows	GEN	недоступный	кереп булмаслык, үтәп булмаслык
2045	unavailable command	An existing command which cannot temporarily be used by the user.	Windows	GEN	недоступная команда	үтәп булмаслык команда
2046	uncheck a check box	To deactivate a check box	Windows	GEN	снять флажок	флагчыкны алырга
2047	Undelete	To restore	Both	UI	восстановить	торгызырга
2048	Underline	Character formatting option. To format a selection of text so that the text is printed with a line slightly below it.	Both	GEN/UI	Подчеркнутый	Астына сызылган
	underscore	Symbol: _	Windows	GEN	подчерк	астына сызу
2050	Undo	To undo is to reverse the last action, for example to undo a deletion, thus restoring deleted text to a document	Both	GEN/UI	отменить	баш тартырга
2051	undock	About a laptop computer from a docking station	Windows	GEN	отстыковать	өзәргә

2052	Undock Computer	Item on Start menu in Windows (only appears when using a laptop in a docking station). Removes your laptop or notebook computer from a docking station.	Windows	UI	Отстыковать компьютер	компьютерны өзэргэ
2053	Ungroup	To separate items that you previously united into a group.	Office	UI	разгруппировать	Төркемсезлэргэ
2054	Unhide		Office	UI	отобразить, показать, показать скрытое	чагылдырырга, күрсәтергэ, яшергәнне күрсәтергэ
	Unicode	A character encoding standard developed by the Unicode Consortium. By using more than one byte to represent each character, Unicode enables almost all of the written languages in the world to be represented by using a single character set.	Both	GEN	Юникод	Юникод
2056	uninstall	To remove an installation	Windows	GEN/UI	удалить	бетерергэ
2057	unique	The only one of its sort	Windows	GEN	неповторяющийся, уникальный	кабатланмас, уникаль
2058	unit		Windows	GEN	единица	берәмлек
2059	unit of measurement	Quantity or amount used as a standard of measurement.	Windows	GEN	единица измерения	үлчәү берәмлеге
2060	Unsubscribe	To remove oneself as a recipient on a mailing list or list of newsgroups, for example.	Both	UI	отменить подписку	язылудан баш тартырга
	untitled	Name of document that is not yet saved with a name	Windows	GEN	Без имени	Исемсез

2062	Update	Either a verb or a noun, both in the sense of: Full updates include all content, incremental updates include only content that has changed. Adaptive updates include only content that is likely to have changed based on an analysis of historical information.	Both	GEN/UI	обновление	яңарту
2063	upgrade	A new release of an existing software product. With hardware, especially in the case of one or more pieces intended to replace or supplement existing pieces...(MS Press dictionary)	Windows	GEN	обновить	яңартырга
2064	upload	1. In communications, the process of transferring a copy of a file from a local computer to a remote computer by means of a modem or network. 2. The copy of the file that is being or has been transferred.	Windows	GEN/UI	загрузить	йөкләргә
2065	UPPERCASE	Of, pertaining to, or characterized by capital letters. Compare lowercase.	Both	GEN/UI	прописными буквами	баш хәрефләр белән
2066	Upsizing Wizard		Office	UI	мастер преобразования в формат SQL Server	SQL Server форматына үзгәртү мастеры
	URN	An Internet standard for uniquely identifying a network resource. In Web applications, URNs are used to name item types and field definitions. The format of a URN uses a registered domain name. For example, urn	Office	GEN	URN	URN
2068	usage analysis	Data collected to evaluate how the web site is being used, such as visitor user names, how often each page was visited, and the types of Web browsers used.	Office	GEN		0 0
2069	use as default	Refers to settings. Defaults are choices made by a program when the user does not specify an alternative.	Windows	GEN	использовать по умолчанию	киләшү буенча кулланырга

2070	User	The person that uses something.	Both	GEN/UI	пользователь	кулланучы
2071	user account	An account identified by a user name and a personal ID (PID) that is created to manage the user's permissions to access database objects in an Access workgroup.	Office	GEN	учетная запись пользователя	кулланучы хисап язмасы
2072	user interface	The portion of a program with which a user interacts. Types of user interfaces (UIs) include command-line interfaces, menu-driven interfaces, and graphical user interfaces.	Windows	GEN	пользовательский интерфейс	кулланучы интерфейсы
	User name		Both	GEN/UI	имя пользователя	кулланучы исеме
2074	user profile	A computer-based record maintained about an authorized user of a multi-user computer system. A user profile is needed for security and other reasons; it can contain such information as the person's access restrictions, mailbox location, type of terminal, and so on.	Windows	GEN	профиль пользователя	кулланучы профиле
2075	user-defined	customized	Both	GEN/UI	Дополнительные	Өстәмә
2076	User's Guide	Manual title	Windows	GEN	Руководство пользователя	Файдаланучы кулланмасы
2077	valid				допустимый	рөхсәт ителгән
2078	valid XML	A well-formed XML document that conforms to a specific set of constraints, usually defined in an XML schema.	Office	GEN		0 0
	validate	To confirm the validity of something.	Office	GEN/UI	проверить	тикшерергә
2080	validation	The process of checking whether entered data meets certain conditions or limitations.	Office	GEN	проверка	тикшерү

2081	validation rule	A property that defines valid input values for a field or record in a table, or a control on a form. Microsoft Access displays the message specified in the ValidationText property when the rule is violated.	Office	GEN	условие на значение, правило проверки на значение	кыйммәткә шарт, кыйммәтне тикшерү кагыйдәсе
2082	Value		Both	GEN/UI	значение	кыйммәт
2083	variable	A named storage location capable of containing data that can be modified during program execution. Each variable has a name that uniquely identifies it within its level of scope. A data type can be specified or not.	Both	GEN	переменная	үзгәрешле
2084	variance	A statistical measure of population dispersion calculated as an average absolute deviation of individual population data points from the population average.	Office	GEN/UI	Дисперсия	Дисперсия
	VBA	A macro-language version of Microsoft Visual Basic that is used to program Windows applications and is included with several Microsoft applications.	Office	GEN	VBA	VBA
2086	verb	One of three operations, Edit, Open, or Play, that you activate by double-clicking an OLE object that is embedded in an object frame.	Office	GEN	Команда	Команда
2087	verification	Security / digital signature term. About the same as "confirm" or "approve"	Windows	GEN	проверка	тикшерү
2088	verify	To confirm either that a result is correct or that a procedure or sequence of operations has been performed.	Windows	GEN	проверять	тикшерергә
2089	Version	A particular release of a hardware product or software title.	Both	GEN/UI	версия	версия
2090	Vertical	As opposed to horizontal.	Both	GEN/UI	вертикальный	вертикаль

	vertical alignment	The consistent vertical positioning of text, graphics, and other objects.	Windows	GEN	выравнивание по вертикали	вертикаль буенча тигезләү
2092	vertical scrollbar	Scrollbar: a component that enables a user to control what part of a document or list (or similar information) is visible on screen. A scrollbar consists of a vertical or horizontal channel, a scroll box that moves through the channel of the scrollbar, and two scroll arrows.	Windows	GEN	вертикальная полоса прокрутки	вертикаль әйләндерү тасмасы
2093	Vertical Text		Office	UI	вертикальная надпись, вертикальный текст	вертикаль есызма, вертикаль текст
2094	Vertically		Office	UI	По вертикали	Вертикаль буенча
2095	video	Of or pertaining to the visual component of a television signal. In relation to computers, video refers to the rendering of text and graphics images on displays.	Both	GEN/UI	видео	видео
2096	video adapter	Screen adapter	Windows	GEN	видеоадаптер	видеоадаптер
	View	either 1. noun: The display of data or an image from a given perspective or location. 2. verb. To cause an application to display information on a computer screen.	Both	GEN/UI	Вид	күренеш
2098	view button	A button to display data	Windows	GEN	кнопка просмотра	карау теймәсе
2099	View Item		Office	UI	Просмотреть элемент	Элементны карарга
2100	View Source	to display the source	Both	UI	Источник	Чыганак
2101	viewer	The program used to view something.	Windows	GEN	средство просмотра	карау чарасы
2102	Views Bar	In a graphical user interface, a set of options that allows the user to display information in different ways (see "views")	Both	UI	панель представлений	күрсәтелешләр аслыгы

	virtual	Of or pertaining to a device, service, or sensory input that is perceived to be what it is not in actuality, usually as more "real" or concrete than it actually is.	Windows	GEN	виртуальный	виртуаль
2104	virtual server	One of multiple web sites running on the same server, each with a unique domain name and IP address. A Web server that supports virtual servers is called a multi-hosting Web server.	Office	GEN	виртуальный сервер	виртуаль сервер
2105	virus	A computer program or macro that infects computer files by inserting copies of itself into those files. When the file is loaded into memory, the virus can infect still other files. Viruses often have harmful side effects.	Both	GEN	вирус	вирус
2106	virus detection	Series of measures to detect if a machine has been infected by a virus	Windows	GEN	обнаружение вирусов	вирусларны табу
2107	virus protection	Series of measures to protect a machine from being infected by a virus.	Windows	GEN	защита от вирусов	вируслардан саклау
2108	visible	Not hidden	Both	GEN/UI	видимый	күренүчән
	visit		Windows	GEN	посетить	кереп чыгарга
2110	visual	Used to describe insertion point movement and text selection when working with bidirectional text. Movement progresses within bidirectional text by moving to the next visually adjacent character.	Office	GEN	естественное	табигый
2111	Visual Basic	A high-level, visual-programming version of Basic. Visual Basic was developed by Microsoft for building Windows-based applications.	Office	GEN	Visual Basic	Visual Basic
2112	Volume	Please check context as "volume" can refer to 1. loudness, or 2. A disk or tape that stores computer data. Sometimes, large hard disks are divided into several volumes, each of which is treated as a separate disk.	Windows	GEN/UI	1. громкость; 2. том	1. тавыш катылыгы; 2. том

2113	Wait	To postpone something.	Both	UI	ждать, ожидать	көтөргө
2114	wallpaper	Noun. In a graphical user interface such as Windows, a pattern or picture in the screen background which can be chosen by the user.	Windows	GEN/UI	обои	обойлар
	warning	Alert message	Windows	GEN	предупреждение	кисәтү
2116	warning message	A warning advising users that failure to take or avoid a specific action could result in physical harm to the user or the hardware.	Windows	GEN	предупреждающее сообщение	кисәтүчө хәбәр
2117	watermark	A semi-transparent graphic that appears on the backgrounds of pages but does not scroll as the page scrolls. (Used for letters, business cards, and on currency bills)	Office	GEN	водяной знак, подложка, филигрань	су тамгасы, астар, филигрань
2118	web	A home page and its associated pages, graphics, documents, multimedia, and other files stored on a Web server or on a computer hard drive. Same as web site.	Both	GEN	Веб (с заглавной буквы если используется отдельно, со строчной буквы если используется в составе сложных слов, например "веб-страница", "веб-сервер" и т.п.)	Веб (аерым кулланылса, баш хәрефтән, катлаулы сүзләр составында - кулланылса юл хәрефеннән, мәсәлән, "веб-бит", "веб-сервер" һ.б.ш.)
2119	Web author	Person who develops Web pages or content for Web pages.	Windows	GEN	разработчик веб-узла	веб-төенне эшләүчө
2120	Web browser	Software that interprets HTML files, formats them into Web pages, and displays them. A Web browser, such as Microsoft Internet Explorer, can follow hyperlinks, transfer files, and play sound or video files that are embedded in Web pages.	Both	GEN	обозреватель, обозреватель Интернета, веб-обозреватель	күзәтүчө, Интернет күзәтүчесе, веб-күзәтүчө
	Web components	Office ActiveX controls designed to let you publish fully interactive worksheets, charts, PivotTable reports, and databases to the Web.	Office	GEN/UI	веб-компоненты	веб-компонентлар

2122	Web discussion	Comments that users attach to Web pages and documents. Also known as Web document discussion to differentiate it from discussion boards. Requires a Web server that is running Microsoft's SharePoint Team Services.	Office	GEN	веб-обсуждение	веб-фикер алышу
2123	Web folder	A shortcut you use to save, open, copy, or delete files on a Web or FTP server. Some Web folders, such as document libraries, have functionality not available with local folders. You'll find Web folders in My Network Places or Web Folders.	Office	GEN	веб-папка	веб-папка
2124	Web Help		Office	UI	веб-справка	веб-белешмә
2125	Web Page	A Web page consists of an HTML file, with associated files for graphics and scripts, in a particular directory on a particular machine (and thus identifiable by an URL). Usually a Web page contains links to other Web pages.	Both	GEN/UI	веб-страница	веб-бит
2126	Web Part	The components that make up a digital dashboard. Web Parts are reusable components that can contain any kind of Web-based information, including analytical, collaborative, and database information.	Office	GEN	веб-часть	веб-өлеш
	Web publishing	Publishing files on the Web	Windows	GEN	публикация в Вебе	Вебта басылу
2128	Web site	A group of related Web pages that is hosted by an HTTP server on the World Wide Web. The pages in a Web site generally cover one or more topics and are interconnected through hyperlinks. Most Web sites have a home page as their starting point.	Both	GEN/UI	веб-узел	веб-төен
2129	Web Tutorial		Both	UI	Учебник по Интернету	Интернет буенча дәрәслек
2130	Weekday	A working day during a week.	Both	UI	рабочий день	эш көне

2131	Weekly	That happens every week.	Both	UI	еженедельно	атна саен
2132	Weight		Office	UI	вес, толщина	микъдар, калынлык
	What's New	Section in Help in various applications.	Windows	GEN	Новинки	Яңалыklar
2134	What's this?	Item on Help menu that gives context-sensitive Help on an item in many Microsoft applications.	Both	GEN/UI	Что это такое?	Бу нәрсе?
2135	Width	Measurement from side to side	Both	GEN/UI	ширина	киңлек
2136	wildcard	Noun. A keyboard character that can be used to represent one or many characters. The asterisk (*), for example, typically represents one or more characters and the question mark (?) typically represents a single character. Wildcard characters are often used in operating systems as a means of specifying more than one file by name.	Windows	GEN	подстановочный знак	алыштыручы тамга
2137	window	A standard Windows object that displays information.	Both	GEN/UI	окно	тәрәз
2138	window border	border of a window (window: In applications and graphical interfaces, a portion of the screen that can contain its own document or message. In window-based programs, the screen can be divided into several windows, each of which has its own boundaries and can contain a different document or another view into the same document).	Windows	GEN	граница окна	тәрәз чиге

	corner of a window (window: In applications and graphical interfaces, a portion of the screen that can contain its own document or message. In window-based programs, the screen can be divided into several windows, each of which has its own boundaries and can contain a different document or another view into the same document).	Windows	GEN	угол окна	тэрэз почмагы
2140	size of a window (window: In applications and graphical interfaces, a portion of the screen that can contain its own document or message. In window-based programs, the screen can be divided into several windows, each of which has its own boundaries and can contain a different document or another view into the same document).	Windows	GEN	размер окна	тэрэз үлчэме
2141	title of a window (window: In applications and graphical interfaces, a portion of the screen that can contain its own document or message. In window-based programs, the screen can be divided into several windows, each of which has its own boundaries and can contain a different document or another view into the same document).	Windows	GEN	заголовок окна	тэрэз бахисеме
2142	Windows Explorer enables you to browse through all the files and folders on your computer. You can see both the hierarchy of folders on your computer and all files and folders in each selected folder.	Windows	GEN	Проводник	Юлкурсэткеч
2143	The installation program of the Windows operating system	Windows	GEN	Установка Windows	Windows ны кую

2144	wizard	A software component (feature) that asks questions and then creates an item, such as a form or Web page, according to your answers.	Both	GEN	мастер	мастер
	Word		Office	UI	слово	сүз
2146	Word Count	The number of words in a document. In Microsoft Word, this feature also gives the user details about lines, characters, pages etc.	Both	GEN/UI	Статистика	Статистика
2147	word processing	The act of entering and editing text with a word processor.	Windows	GEN	обработка текстов	текстларны эшкәртү
2148	word processor	An application program for creating and manipulating text-based documents.	Windows	GEN	текстовый процессор	текст процессоры
2149	Word Wrap	Noun. Also called word-wrap. The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	Both	GEN/UI	перенос по словам	сүзләп күчерү
2150	WordArt	Text objects you create with ready-made effects to which you can apply additional formatting options.	Office	GEN	WordArt	WordArt
	word-wrap	Noun. Also called word wrap. The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	Both	GEN/UI		сүзләп күчерү

2152	word-wrap	Noun. Also called word wrap. The ability of a word-processing program or a text-editing program to break lines of text automatically to stay within the page margins or window boundaries of a document without the user having to do so with carriage returns, as is typically necessary on a typewriter.	Both	GEN/UI		сүзлөп күчерү
2153	work offline	Work without network connection.	Both	GEN/UI	Работать автономно	Автоном эшлөү
2154	workbook	A window or task management technique that consists of a container holding a set of objects which are organized like a tabbed notebook.	Windows	GEN	книга	кенэгэ
2155	workgroup	A collection of networked computers used by people in the same group. Within a workgroup, users can share information with and have access to other computers.	Both	GEN/UI	рабочая группа	эшче төркем
2156	workgroup information file	A file Microsoft Access reads at startup and which contains information about the users in a workgroup. This information includes users' account names, their passwords, and the groups of which they are members.	Office	GEN	файл рабочей группы	эшче төркем файлы
	worksheet	The primary document that you use in Excel to store and work with data. Also called a spreadsheet. A worksheet consists of cells that are organized into columns and rows; a worksheet is always stored in a workbook.	Both	GEN	лист	бит, табак
2158	workspace	A window or task management technique that consists of a container of a set of objects, where the windows of the contained objects are constrained to a parent window.	Windows	GEN	рабочая область	эш өлкөсө

2159	workstation	1. A combination of input, output, and computing hardware that can be used for work by an individual. 2. A powerful stand-alone computer of the sort used in computer-aided design and other applications requiring a high-end machine with considerable calculating or graphics capability. 3. A microcomputer or terminal connected to a network.	Windows	GEN	рабочая станция	эш станциясе, эше станция
2160	World Wide Web	The total set of interlinked hypertext documents residing on HTTP servers all around the world.	Windows	GEN	Интернет	Интернет
2161	Wrap to window		Both	UI	В границах окна	Төрөз кысаларында
2162	write	To transfer information to a storage device (like a disk) or an output device (like a printer or a monitor). To write is also for a computer to deliver the result of some data processing. A computer "writes" when it displays information on the screen.	Windows	GEN	записывать	язып барырга
	write-only	Related to read/write, but write-only and read-only refer to properties of files, and read/write refers to a level of permissions granted to users, not an adjective defining files or other objects.	Windows	GEN	только для записи	язу өчен генә
2164	write-protected	The contents of which can be read but not changed. Typically refers to a disk.	Windows	GEN	защищен от записи	язудан сакланган
2165	WSS	The storage component of Exchange 2000 and SharePoint Portal servers, which integrates Web server, database, file system, and workgroup functionality. The WSS lets you store and share many types of data in a single integrated system.	Office	GEN	WSS	WSS
2166	X Value	Value on the horizontal line of a graph	Office	UI	значение [по оси] X, значение по горизонтали	X [күчәре буенча] кыйммәт, горизонталь буенча кыйммәт

2167	XML data	Data in Extensible Markup Language (XML) format.	Office	GEN/UI	данные XML	XML бирелмөлөрө
2168	XML element	An XML structure that consists of a start tag, an end tag, and the information between the tags. Elements can have attributes and can contain other elements.	Office	GEN	XML-элемент	XML-элемент
	XML schema	Also called Document Type Definition (DTD) - a data structure, defining the structure of an XML document, as well as its element relationships, data types, and content constraints.	Office	GEN/UI	схема XML	XML схемасы
2170	XSL	An XML vocabulary for specifying formatting semantics. An XSL style sheet specifies the presentation of a class of XML documents by describing how an instance of the class is transformed into an XML document that uses the formatting vocabulary.	Office	GEN	XSL	XSL
2171	Y Value	Value on the vertical line of a graph	Office	UI	значение [по оси] Y, значение по вертикали	Ү[күчөре буенча] кыйммэт], вертикаль буенча кыйммэт
2172	Year		Both	UI	год	ел
2173	Yes	A button the user clicks for an action to take place regarding a specific item (see "Yes to all")	Both	GEN/UI	да	эйе
2174	Yes To All	A button the user clicks for an action to take place regarding a specific set of items (see "Yes")	Both	UI	да для всех	эйе, барысы өчен дэ
	ZIP code	A number or code that identifies each postal district in a country. An address item. Same as Postal code or Post code.	Both	GEN/UI	почтовый индекс	почта индексы
2176	Zone		Office	UI	зона	зона
2177	zoom	To magnify a part of a document.	Both	GEN/UI	увеличить	зурайтырга, арттырырга

2178	zoom in	A feature in many applications that allows the user to magnify a small area of the file, as if moving in closer. The amount of zoom is usually shown as a percentage (200% size) or ratio (for example, 2:1 means twice normal size).	Windows	GEN/UI	крупнее	эзерэк
2179	zoom out	A feature in many applications that allows the user to view more of the page with less detail, as if moving farther away. The amount of zoom is usually shown as a percentage (25% size, 50% size) or ratio (for example, 1:2 means reduced to 1/2 size).	Windows	GEN/UI	мельче	ваграк